

## :: Car Clean Multi

paper cleaning cloth

### **CHARACTERISTICS**

Car Clean Multi is a very absorbent, robust and a high-quality solventresistant cleaning cloth. It is not suitable for water cleaners.

### **APPLICATION**

Car Clean Multi absorbs large volumes of solvents, oil and lubricants. Car Clean Multi is perfectly suitable for solvent based cleaners and silicone removers.

### **PRODUCT DATA**

#### **Material data**

Quality: Polypropylen, cellulose

Plies: 1

Grammage: 75 g/m<sup>2</sup>

Color: blue

Bleaching: no

Oil absorption capacity: 0,7 kg/m<sup>2</sup>

Oil absorption quickness: 3 sec

Water absorption capacity: 0,42 kg/m<sup>2</sup>

Water Oil absorption quickness: <1 sec.

Tensile strength dry: 28 N/5cm

Elongation dry: 30%

Tensile strength wet: 55 N/5cm

Elongation wet: 95 %

Embossing: no  
Linting: 0,8 g/m<sup>2</sup>  
Silicon: no

Width: 33,00 cm  
Length: 38,00 cm  
Perforation: yes

### **ROLL**

Sheets approx: 500 pieces  
Length: 190 m  
External diameter: 36 cm  
Internal diameter: 80 mm  
Core: hard

### **SAFETY ISSUES**

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply.



06/2018

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE