

Treehouse

Longmont, CO 80504

Lic. #

Sample:

METRC ID:

METRC Batch:

CC ID: 1909NCTL0542.3103

Strain: EE-02-001

Sample Received: 09/25/2019; Report Created: 10/03/2019



EE-02-001

Concentrates & Extracts, Wax



## Cannabinoids by HPLC, NCTL SOP-104

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.01	<LOQ	<LOQ
Δ9-THC	0.01	<LOQ	<LOQ
Δ8-THC	0.01	<LOQ	<LOQ
THCV	0.01	<LOQ	<LOQ
CBDa	0.01	<LOQ	<LOQ
CBD	0.01	52.68	526.8
CBDV	0.01	1.14	11.4
CBN	0.01	2.70	27.0
CBGa	0.01	<LOQ	<LOQ
CBG	0.01	1.80	18.0
CBC	0.01	5.83	58.3

## Potency by HPLC, NCTL SOP-104

**<LOQ**

Total THC

**52.68%**

Total CBD

Date Tested: 09/27/2019

## Summary

<b>Pass</b> Pesticides	<b>Complete</b> Residual Solvents	<b>Pass</b> Microbials	<b>Not Tested</b> NT Moisture
<b>Not Tested</b> NT Water Activity	<b>Pass</b> Heavy Metals	<b>Not Tested</b> Foreign Matter	<b>Not Tested</b> Mycotoxins

## Treehouse

Longmont, CO 80504

Lic. #

Sample:

METRC ID:

METRC Batch:

CC ID: 1909NCTL0542.3103

Strain: EE-02-001

Sample Received: 09/25/2019; Report Created: 10/03/2019



EE-02-001

Concentrates & Extracts, Wax

## Pesticides by LCMSMS, NCTL SOP-102 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
	PPB	PPB	PPB	
Abamectin	50,000	50,000	<LOQ	Pass
Aldicarb	5,000	20,000	<LOQ	Pass
Bifenazate	30,000	20,000	<LOQ	Pass
Cyfluthrin	50,000	10,000	<LOQ	Pass
Daminozide	30,000	50,000	<LOQ	Pass
Diazinon	5,000	10,000	<LOQ	Pass
Dichlorvos	50,000	150,000	<LOQ	Pass
Dimethoate	5,000	10,000	<LOQ	Pass
Etoxazole	5,000	10,000	<LOQ	Pass
Fonicamid	30,000	30,000	<LOQ	Pass
Fludioxonil	10,000	10,000	<LOQ	Pass
Imidacloprid	5,000	20,000	<LOQ	Pass
Myclobutanil	50,000	50,000	<LOQ	Pass
Pacllobutrazol	5,000	10,000	<LOQ	Pass
Piperonyl Butoxide	5,000	1000.000	247.187	Pass
Pyrethrin 1	30,000	50,000	<LOQ	Pass
Spinosyn A	5,000	10,000	<LOQ	Pass
Spinosyn D	5,000	10,000	<LOQ	Pass
Spirotetramat	10,000	20,000	<LOQ	Pass
Thiamethoxam	5,000	20,000	<LOQ	Pass
Trifloxystrobin	5,000	10,000	<LOQ	Pass

## Microbials by 3M Petrifilm, NCTL SOP-101 Pass

Test Type	OAC-3796 Limit*	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	<LOQ	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	<LOQ	Pass
Coliforms	1000	<LOQ	Pass
E. Coli	1	<LOQ	Pass
Salmonella	1	<LOQ	Pass
Yeast & Mold	10000	<LOQ	Pass

## Heavy Metals by ICPMS, NCTL SOP-103 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.10	0.42	<LOQ	Pass
Cadmium	0.10	0.27	<LOQ	Pass
Lead	0.10	0.87	<LOQ	Pass
Mercury	0.10	0.87	<LOQ	Pass

## Mycotoxins by GCMS, NCTL SOP-105 Not Tested

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
-----------	-----	-----------------	------	--------

## Residual Solvents by GCMS, NCTL SOP-105 Complete

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
	PPM	PPM	PPM	
1,1,1-Trichloro-Ethane	0.16		<LOQ	Tested
1,1-Dichloro-Ethane	0.31		<LOQ	Tested
1,2-Dichloro-Ethane	0.16		<LOQ	Tested
Acetone	43.00		<LOQ	Tested
Acetonitrile	43.00		<LOQ	Tested
Benzene	0.16		<LOQ	Tested
Butane	43.00		<LOQ	Tested
Carbon-Tetrachloride	0.16		<LOQ	Tested
Ethanol	43.00		<LOQ	Tested
Ethyl-Acetate	43.00		<LOQ	Tested
Ethyl-Ether	43.00		<LOQ	Tested
Heptane	43.00		<LOQ	Tested
Isopropanol	43.00		<LOQ	Tested
n-Hexane	43.00		<LOQ	Tested
Pentane	43.00		101.79	Tested
Propane	43.00		<LOQ	Tested
Toluene	43.00		<LOQ	Tested
Xylenes	43.00		<LOQ	Tested