


LMK Square Type Linear Bearing



Model No.	Number Of Ball Rows	Main Dimensions												Squareness	Eccentricity (Max.)	Basic Load Rating		Weight (Kg)			
		Inscribed Circle Diameter		Outer Diameter		Length		Range				Hole For Attachment				Dynamic (kgf)	Stattic Co (kgf)				
		dr	Tolerance	D	Tolerance	L	Tolerance	D1	K	H	Φ	d1	d2							h	
LMK6	4	6	0 -0.009	12	0 -0.011	19	0 -0.20	28	22	5	20	3.5	6	3.1	0.012	0.012	21	27	0.022	0.017	
LMK8S	4	8		15		17		32	25	5	24	3.5	6	3.1			18	22			
LMK8	4	8		15		24		32	25	5	24	3.5	6	3.1			28	40	0.035	0.027	
LMK10	4	10		19	29	40		30	6	29	4.5	7.5	4.1	38			56	0.066	0.047		
LMK12	4	12		21	30	42		32	6	32	4.5	7.5	4.1	52			80	0.70	0.053		
LMK13	4	13		23	32	43		34	6	33	4.5	7.5	4.1	52			80	0.79	0.064		
LMK16	5	16		28	37	48		37	6	38	4.5	7.5	4.1	79			120	0.122	0.102		
LMK20	5	20	0 -0.010	32	0 -0.016	42	0 -0.30	54	42	8	43	5.5	9	5.1	0.015	0.015	90	140	0.163	0.12	
LMK25	6	25		40		59		62	50	8	51	5.5	9	5.1			100	160	0.311	0.272	
LMK30	6	30		45		64		74	58	10	60	6.6	11	6.1			160	280	0.42	0.34	
LMK35	6	35	0 -0.012	52	0 -0.019	70		0 -0.30	82	64	10	67	6.6	11	6.1	0.020	0.020	170	320	0.60	0.496
LMK40	6	40		60		80			96	75	13	78	9	14	8.1			220	410	0.749	0.773
LMK50	6	50		80		100			116	92	13	98	9	14	8.1			390	810	1.96	1.72
LMK60	6	60	0 -0.015	90	0 -0.022	110				134	106	18	112	11	17.5	10.8	0.025	0.025	480	1020	2.70