

PIADS and Related Publications on AT Outcomes

Table of Contents

PIADS Publications (Studies Using or Citing)	1
Articles	1
<i>Articles Using the PIADS</i>	1
<i>Articles Citing the PIADS</i>	11
Dissertations/Theses	20
<i>Ph.D. Theses Using the PIADS</i>	20
<i>Ph.D. Theses Citing the PIADS</i>	21
<i>M.Sc. Theses Using the PIADS</i>	22
<i>M.Sc. Theses Citing the PIADS</i>	22
Conference Proceedings	23
<i>Published</i>	23
<i>Unpublished</i>	25
Clinical Notes	25
Editorials	25
Related Reprints on Assistive Technology Outcomes	25
PIADS Available International Translations	28

Jeffrey W. Jutai, PhD, CPsych
Full Professor / Professeur titulaire
Interdisciplinary School of Health Sciences/École interdisciplinaire des sciences de la santé
Faculty of Health Sciences
University of Ottawa
25 University St.
Ottawa, Ontario CANADA K1N 6N5
AGE-WELL NCE Co-Leader of WP8 research theme www.agewell-nce.ca

Tél: 613-562-5800 ext.8218
Fax: 613-562-5632
email: jjutai@uottawa.ca

PIADS Publications (Studies Using or Citing)

Articles

Articles Using the PIADS

- Bevilacqua, R., Maranesi, E., Di Rosa, M. et al. (2020). Rehabilitation of older people with Parkinson's disease: an innovative protocol for RCT study to evaluate the potential of robotic-based technologies. *BMC Neurol*; 20, 186.
- Kogel, J., Schmid, J., Jox, R., & Friedrich, O. (2019). Using brain-computer interfaces: A scoping review of studies employing social research methods. *BMC Medical Ethics*, 20(1), 1-17.
- Bona, S., Donvito, G., Cozza, F., Malberti, I., Vaccari, P., Lizio, A., ... Lunetta, C. (2019). The development of an augmented reality device for the autonomous management of the electric bed and the electric wheelchair for patients with amyotrophic lateral sclerosis: a pilot study. *Disability and Rehabilitation. Assistive Technology*, 1–7.
- Lorenzini, M., Hämäläinen, A., Wittich, W., & Lorenzini, M. (2019). Factors related to the use of a head-mounted display for individuals with low vision. *Disability and Rehabilitation*, 1–15.
- Jones, K., & Coté, C. (2019). Adapted Video-Game Controller Use Following Upper-Extremity Injury and Amputation: From Fun to Functional!. *American Journal of Occupational Therapy*, 73.
- Jiménez Arberas, E., Ordoñez Fernández, F., Rodríguez Menéndez, S., & Jiménez Arberas, E. (2019). Psychosocial impact of mobility assistive technology on people with neurological conditions. *Disability and Rehabilitation. Assistive Technology*, 1–7.
<https://doi.org/10.1080/17483107.2019.1648571>
- Pino, O., Palestra, G., Trevino, R., & De Carolis, B. (2019). The Humanoid Robot NAO as Trainer in a Memory Program for Elderly People with Mild Cognitive Impairment. *Int J of Soc Robotics*. DOI: 10.1007/s12369-019-00533-y
- Tamplin, J., Loveridge, B., Clarke, K., Li, Y., & J Berlowitz, D. (2019). Development and feasibility testing of an online virtual reality platform for delivering therapeutic group singing interventions for people living with spinal cord injury. *Journal of Telemedicine and Telecare*.
- Traversoni, S., Jutai, J., Fundarò, C., Salvani, S., Casale, R., Giardini, A. (2018). Linking the Psychosocial Impact of Assistive Devices Scale (PIADS) to the International Classification of Functioning, Disability, and Health. *Quality of Life Research*. <https://doi-org.proxy.bib.uottawa.ca/10.1007/s11136-018-1973-6>.

- Vessoyan, K., Steckle, G., Easton, B., Nichols, M., Mok Siu, V., & Mcdougall, J. (2018). Using eye-tracking technology for communication in Rett syndrome: Perceptions of impact. *Augmentative and Alternative Communication*, 34(3), 230-241.
- Tuazon, J., Jahan, A., and Jutai, J. (2018): Understanding adherence to assistive devices among older adults: a conceptual review, *Disability and Rehabilitation: Assistive Technology*, DOI: 10.1080/17483107.2018.1493753.
- Park, Jin, Kim, Dae-Woo, Park, Su-Kyung, Yun, Seok-Kweon, & Kim, Han-Uk. (2018). Role of Hair Protheses (Wigs) in Patients with Severe Alopecia Areata. *Annals of Dermatology*, 30(4), 505-507.
- Correia Martins, Pinheiro, Francisco, Domingues, & Silveira. (2018). Psychosocial impact of the manual and powered wheelchairs on the participation. What have age and time since diagnosis got to do with it? *Annals of Physical and Rehabilitation Medicine*, 61, E496-E497.
- Domingues, Silveira, & Pinheiro. (2018). Psychosocial Impact of powered wheelchairs on participation profile of their users. *Annals of Physical and Rehabilitation Medicine*, 61, E494-E495.
- Sandri, G., Gherardini, F., Anastasio, C., Bettelli, V., Bottini, A., & Mascia, M. (2018). THU0155 Customised construction of devices as integration of occupational therapy intervention in rheumatology by 3d printing technology and co-design: Further development and verification of long-term effectiveness. *Annals of the Rheumatic Diseases*, 77, 297.
- Tofani, Candeloro, Sabbadini, Lucibello, Figura, Fabbrini, . . . Castelli. (2018). The psychosocial impact of assistive device scale: Italian validation in a cohort of nonambulant people with neuromotor disorders. *Assistive Technology*, Assistive Technology, 27 April 2018. 10.1080/10400435.2018.1469553
- Cira Fundarò, Anna Giardini, Roberto Maestri, Silvia Traversoni, Michelangelo Bartolo, & Roberto Casale. (2018). Motor and psychosocial impact of robot-assisted gait training in a real-world rehabilitation setting: A pilot study. *PLoS ONE*, 13(2), E0191894. 10.1371/journal.pone.0191894
- Beaudoin, M., Lettre, J., Routhier, F., Archambault, P., Lemay, M., & Gélinas, I. (2018). Long-term use of the JACO robotic arm: A case series. *Disability and Rehabilitation: Assistive Technology*, 1-9. 10.1080/17483107.2018.1428692
- Keeler, L., Kirby, R., Parker, K., Mclean, K., & Hayden, J. (2018). Effectiveness of the Wheelchair Skills Training Program: A systematic review and meta-analysis. *Disability and Rehabilitation: Assistive Technology*, 1-19. 10.1080/17483107.2018.1456566
- Portaro, Simona, Calabrò, Rocco Salvatore, Bramanti, Placido, et al. (2018). Telemedicine for Facio-Scapulo-Humeral Muscular Dystrophy: A multidisciplinary approach to improve

- quality of life and reduce hospitalization rate? *Disability and Health Journal*, 11(2), 306-309. 10.1016/j.dhjo.2017.09.003
- Meibos, A., Muñoz, K., Schultz, J., Price, T., Whicker, J., Caballero, A., & Graham, L. (2017). Counselling users of hearing technology: A comprehensive literature review. *International Journal of Audiology*, 56(12): 903-908; 10.1080/14992027.2017.1347291.
- Vincent C., Gagnon D.H., Dumont F. & ADMI Group. (2017). Pain, fatigue, function and participation among long-term manual wheelchair users partnered with a mobility service dog. *Disabil Rehabil Assist Technol*: 20:1-10; 10.1080/17483107.2017.1401127.
- Arthanat, S., Elsaesser, L., & Bauer, S. (2017). A survey of assistive technology service providers in the USA. *Disability and Rehabilitation: Assistive Technology*, 12(8), 789-800; 10.1080/17483107.2016.1265015.
- Yachnin, D., Gharib, G., Jutai, J., & Finestone, H. (2017). Technology-assisted toilets: Improving independence and hygiene in stroke rehabilitation. *Journal of Rehabilitation and Assistive Technologies Engineering*, 4; 10.1177/2055668317725686.
- Yachnin D., Finestone H., Chin A., & Jutai J. (2017). Can technology-assisted toilets improve hygiene and independence in geriatric rehabilitation? A cohort study. *Disabil Rehabil Assist Technol*: 10.1080/17483107.2017.1358303
- Sandri G., Bottini A., Franchi F., et al. (2017). Experimental use of 3d printing technology for the construction of devices as integration of occupational therapy intervention with rheumatoid arthritis patients (RA). *Annals of the Rheumatic Diseases* 2017; 76, 474.
- Andriske, L., Verikios, D., & Hitch, D. (2017). Patient and Therapist Experiences of the SaeboFlex: A Pilot Study. *Occupational Therapy International*, 2017, 6.
- Jamwal, R., Callaway, L., Ackerl, J., Farnworth, L., & Winkler, D. (2017). Electronic assistive technology used by people with acquired brain injury in shared supported accommodation: Implications for occupational therapy. *British Journal of Occupational Therapy*, 80(2), 89 – 98.
- Hoorn, S. T., Elbers, P., Girbes, A., & Tuinman, P. (2016). Communicating with conscious and mechanically ventilated critically ill patients: A systematic review. *Critical Care*, 20(1).
- Axelsson, S. W., & Wikman, A. M. (2016). Ready for eHealth. Older Swedes' Perceptions of eHealth Services: Using the PIADS Scale as a Predictor for Readiness. *Technologies (Basel)*, 4(3), 29.
- Martins, A. C., Pinheiro, J., Farias, B., & Jutai, J. (2016). Psychosocial Impact of Assistive Technologies for Mobility and Their Implications for Active Ageing. *Technologies (Basel)*, 4(3), 28.

- Orellano-Colón, E. M., Jutai, J., Santiago, A., Torres, V., Benítez, K., & Torres, M. (2016). Assistive Technology Needs and Measurement of the Psychosocial Impact of Assistive Technologies for Independent Living of Older Hispanics: Lessons Learned. *Technologies*, 4(3), 21.
- Callaway, L., Tregloan, K., Williams, G., & Clark, R. (2016). Evaluating Access and Mobility within a New Model of Supported Housing for People with Neurotrauma: A Pilot Study. *Brain Impairment [P]*, 17(1), 64-76.
- Dewar, Alexis R., et al. "Developing a measure of engagement with telehealth systems: The mHealth Technology Engagement Index." *Journal of telemedicine and telecare* (2016): 1357633X16640958.
- Garry, J., Casey, K., Cole, T. K., Regensburg, A., McElroy, C., Schneider, E., ... & Chi, A. (2016). A pilot study of eye-tracking devices in intensive care. *Surgery*, 159(3), 938-944.
- Pani, D., et al. "Home tele-rehabilitation for rheumatic patients: impact and satisfaction of care analysis." *Journal of telemedicine and telecare* (2016): 1357633X16632950.
- Salatino, C., Andrich, R., Converti, R. M., & Saruggia, M. (2016). An observational study of powered wheelchair provision in Italy. *Assistive technology*, 28(1), 41-52.
- Saunders, Gabrielle H., et al. "Health behavior theories as predictors of hearing-aid uptake and outcomes." *International journal of audiology* (2016): 1-10.
- Saunders, G. H., Frederick, M. T., Silverman, S. C., Nielsen, C., & Laplante-Lévesque, A. (2016). Health behavior theories as predictors of hearing-aid uptake and outcomes. *International journal of audiology*, 1-10.
- Sheehy, L., Taillon-Hobson, A., Sveistrup, H., Bilodeau, M., Fergusson, D., Levac, D., & Finestone, H. (2016). Does the addition of virtual reality training to a standard program of inpatient rehabilitation improve sitting balance ability and function after stroke? Protocol for a single-blind randomized controlled trial. *BMC neurology*, 16(1), 1.
- Taylor, P. N., Wilkinson Hart, I. A., Khan, M. S., & Slade-Sharman, D. E. (2016). The Correction of Dropped Foot Due to Multiple Sclerosis Using the STIMuSTEP Implanted Dropped Foot Stimulator. *International Journal of MS Care*.
- Wang, J., Ding, D., Teodorski, E. E., Mahajan, H. P., & Cooper, R. A. (2016). Use of Assistive Technology for Cognition Among People With Traumatic Brain Injury: A Survey Study. *Military medicine*, 181(6), 560-566.
- Holz, E. M., Botrel, L., Kaufmann, T., & Kübler, A. (2015). Long-term independent brain-computer interface home use improves quality of life of a patient in the locked-in state: a case study. *Archives of physical medicine and rehabilitation*, 96(3), S16-S26.

- Konrad-Martin, D., Reavis, K. M., Austin, D., Reed, N., Gordon, J., McDermott, D., & Dille, M. F. (2015). Hearing impairment in relation to severity of diabetes in a veteran cohort. *Ear and hearing, 36*(4), 381.
- Miller, L., van Wijck, F., Lamont, L., Preston, J., & Hair, M. (2015). Sensory dynamic orthoses in mild to moderate upper limb tremor in multiple sclerosis: A mixed methods feasibility study. *Clinical rehabilitation, 0269215515605356*.
- Pousada Garcia, T., Groba González, B., Nieto Rivero, L., Pereira Loureiro, J., Díez Villoria, E., & Pazos Sierra, A. (2015). Exploring the psychosocial impact of wheelchair and contextual factors on quality of life of people with neuromuscular disorders. *Assistive Technology, 27*(4), 246-256.
- Ward, A. L., Hammond, S., Holsten, S., Bravver, E., & Brooks, B. R. (2015). Power Wheelchair Use in Persons With Amyotrophic Lateral Sclerosis: Changes Over Time. *Assistive Technology, 27*(4), 238-245.
- Chae, S.Y., & Jo, S.J. (2014). Development and Validation of Korean Version of Psychosocial Impact of Assistive Devices Scale. *Assistive Technology, 26*(1), 45–50.
- Harada N. Fong S. Heiney C. Yentes J.M. Perell-Gerson K.L. Fang M.A. (2014). Evaluation of two cane instruments in older adults with knee osteoarthritis., 275–283.
- Hersh, M. (2014). Evaluation framework for ICT-based learning technologies for disabled people. *Computers & Education, 78*, 30–47.
- Kenny, S., & Gowran, R. J. (2014). Outcome measures for wheelchair and seating provision: a critical appraisal. *The British Journal of Occupational Therapy, 77*(2), 67–77.
- Nordstrom, B., Nyberg, L., Ekenberg, L., & Naslund, A. (2014). The psychosocial impact on standing devices. *Disability and Rehabilitation. Assistive Technology, 9*(4), 299-306.
- Saunders, G., Frederick, M., Chisolm, T., Silverman, S., Arnold, M., & Myers, P. (2014). Use of a frequency-modulated system for veterans with blast exposure, perceived hearing problems, and normal hearing sensitivity. *Seminars in Hearing, 35*(03), 227-238.
- Taylor, P., Wilkinson, I., Slade-Sharman, D., & Khan, M. (2014). A comparison of external and implanted FES for correction of dropped foot in MS *Multiple Sclerosis Journal, RIMS 2014 - Abstracts, 20*(7) p. 1001. doi:10.1177/1352458514533628
- Beyer, S., & Perry, J. (2013). Promoting independence through the use of assistive technology. *Tizard Learning Disability Review, 18*(4), 179–185.
- Borgestig, M., Falkmer, T., & Hemmingsson, H. (2013). Improving computer usage for students with physical disabilities through a collaborative approach: A pilot study. *Scandinavian Journal of Occupational Therapy, 20*(6), 463-470.

- Caligari, M., Godi, M., Guglielmetti, S., Franchignoni, F., & Nardone, A. (2013). Eye tracking communication devices in amyotrophic lateral sclerosis: Impact on disability and quality of life. *Amyotrophic Lateral Sclerosis & Frontotemporal Degeneration*, *14*(7-8), 546-552.
- Heckman, J. (2013). Adaptive motor sports: A new therapeutic modality in amputee rehabilitation. *Pm&r*, *5*(Supplement), p. S144-S145. doi:10.1016/j.pmrj.2013.08.045
- Ho, H.-C., Wu, Y.-H., Hsiao, S.-H., & Zhang, X. (2013). Acceptable noise level (ANL) and real-world hearing-aid success in Taiwanese listeners. *International Journal of Audiology*, *52*(11), 762–70.
- Inui, S., Inoue, T., & Itami, S. (2013). Effect of wigs on perceived quality of life level in androgenetic alopecia patients. *The Journal of Dermatology*, *40*(3), 223–5.
- Jutai, J. W., Fowler, S., Southall, K., Van Den Heuvel, E., & Long, A. (2013). Item development for the psychosocial impact of assistive devices scale for continence (C-PIADS). In *Assistive Technology Research Series* (Vol. 33, pp. 551–558).
- Orellano, E. M., & Jutai, J. W. (2013). Cross-cultural Adaptation of the Psychosocial Impact of Assistive Device Scale (PIADS) for Puerto Rican Assistive Technology Users. *Assistive Technology*, *25*(4), 194–203.
- Vos-Draper, T. (2013). Wireless seat interface pressure mapping on a smartphone: Feasibility study in users with SCI. *Archives of Physical Medicine and Rehabilitation*, *94*(10), p. e21-e22. doi:10.1016/j.apmr.2013.08.075
- Wiklund Axelsson, S., Nyberg, L., Näslund, A., & Melander Wikman, A. (2013). The Anticipated Positive Psychosocial Impact of Present Web-Based E-Health Services and Future Mobile Health Applications: An Investigation among Older Swedes. *International Journal of Telemedicine and Applications*, *2013*, 509198.
- Zahid, A., & Boyle, B. (2013). Using impact measurement to establish confidence in emergent assistive technology services - First phase translation of the PIADS outcome measurement tool for implementation in an arabic context. In *Assistive Technology Research Series* (Vol. 33, pp. 1071–1077).
- Ferriero, G., Caligari, M., Ronconi, G., & Franchignoni, F. (2012). When are high-tech communicators effective in parkinson's disease? *International Journal of Rehabilitation Research*, *35*(1), 75-77
- Ripat, Jacquie D., & Woodgate, Roberta, L. (2012) The role of assistive technology in self-perceived participation. *International Journal of Rehabilitation Research*. *35*(2), 170-177
- Saunders, G.H. & Forsline, A. (2012) Hearing–aid counselling: Comparison of single-session information counselling with single-session performance-perceptual counselling. *International Journal of Audiology*. *51*, 754-764.

- Brandt, A., Samuelsson, K., Toytari, O., & Salminen, A. (2011). Activity and participation, quality of life and user satisfaction outcomes of environmental control systems and smart home technology: A systematic review. *Disability and Rehabilitation: Assistive Technology*, 6(3), 189-206.
- Kim, D., Hazlett-Knudsen, R., Culver-Godfrey, H., Rucks, G., Cunningham, T., Portée, D., et al. (2011). How autonomy impacts performance and satisfaction: Results from a study with spinal cord injured subjects using an assistive robot. *Systems, Man and Cybernetics, Part A: Systems and Humans, IEEE Transactions on, PP(99)*, 1-13.
- Mann, G., Taylor, P., & Lane, R. (2011). Accelerometer-triggered electrical stimulation for reach and grasp in chronic stroke patients: A pilot study. *Neurorehabilitation and Neural Repair*, 25(8), 774-774-780.
- Mulvenna, M. D., Doyle, L., Wright, T., Zheng, H., Topping, P., Boyle, K., et al. (2011). Evaluation of card-based versus device-based reminiscing using photographic images. *Journal of Cyber Therapy and Rehabilitation*, 4(1), 63-72.
- Panella, L., Critto, O., Ceruti, R., & Brustia, G. (2011). Evaluation and criteria for the prescription of assistive technologies. [Valutazione e criteri per la prescrizione degli ausili] *Giornale Di Gerontologia*, 59(4), 251-253.
- Rigby, P., Ryan, S. E., & Campbell, K. A. (2011). Electronic aids to daily living and quality of life for persons with tetraplegia. *Disability and Rehabilitation: Assistive Technology*, 6(3), 260-267.
- Swaine, J., Nguyen, V., Romeo, M., & Vanwollingen, B. (2011). The Impact of Integrating Interface Pressure Mapping into Structured Pressure Care Self-Management:11610. *Australian Occupational Therapy Journal*, 58(Supplement 1), 36.
- Urdiales, C., Fernandez-Carmona, M., Peula, J. M., Cortes, U., Annichiaricco, R., Caltagirone, C., et al. (2011). Wheelchair collaborative control for disabled users navigating indoors. *Artificial Intelligence in Medicine*, 52(3), 177-191.
- Wang, R., Mihailidis, A., Dutta, T., & Fernie, G. (2011). Usability testing of multimodal feedback interface and simulated collision-avoidance power wheelchair for long-term-care home residents with cognitive impairments. *Journal of Rehabilitation Research and Development*, 48(7), 801-801-821.
- Auger, C., Demers, L., Gélinas, I., Routhier, F., Mortenson, W. B., & Miller, W. C. (2010). Reliability and validity of the telephone administration of the wheelchair outcome measure (WhOM) for middle-aged and older users of power mobility devices. *Journal of Rehabilitation Medicine: Official Journal of the UEMS European Board of Physical and Rehabilitation Medicine*, 42(6), 574-574-581.

- Barrett, Catherine, B.Sc, M.C.S.P., & Taylor, Paul, B.Sc, C.Eng. (2010). The effects of the odstock drop foot stimulator on perceived quality of life for people with stroke and multiple sclerosis. *Neuromodulation*, 13(1), 58-64.
- Van Lew, S., Cohen, H., & Singh, N. (2010). Electronic engagement: Using computer access, speech-generating devices, and environmental control units to support interventions for persons with disabilities. *OT Practice*, 15(19), 13-16.
- Ward, A., Gorelik, R., Brooks, B. R., & Mitsumoto, H. (2010). Power wheelchair mobility over time in ALS/MND: Psychosocial impact, functional usage, falls, pain relief, and cost. *Amyotrophic Lateral Sclerosis*, 11(S1), 132.
- Arthanat, S., Wu, Y., Bauer, S., Lenker, J., & Nochajski, S. (2009). Development of the usability scale for assistive technology-wheeled mobility: A preliminary psychometric evaluation. *Technology and Disability*, 21(3), 79-95.
- Auger, C., Demers, L., Glinas, I., Routhier, F., Jutai, J., Gurette, C., et al. (2009). Development of a French-Canadian version of the life-space assessment LSA-F: Content validity, reliability and applicability for power mobility device users. *Disability and Rehabilitation: Assistive Technology*, 4(1), 31-41.
- Bernd, T., Van Der Pijl, D., & De Witte, L. P. (2009). Existing models and instruments for the selection of assistive technology in rehabilitation practice. *Scandinavian Journal of Occupational Therapy*, 16(3), 146-158.
- Giesbrecht, E. M., Ripat, J. D., Quanbury, A. O., & Cooper, J. E. (2009). Participation in community-based activities of daily living: Comparison of a pushrim-activated, power-assisted wheelchair and a power wheelchair. *Disability and Rehabilitation: Assistive Technology*, 4(3), 198-207.
- Saunders, G. H., Lewis, M. S., & Forsline, A. (2009). Expectations, pre-fitting counselling, and hearing aid outcome. *Journal of the American Academy of Audiology*, 20(5), 320-334. *
- Stumbo, N. J., Martin, J. K., & Hedrick, B. N. (2009). Assistive technology: Impact on education, employment, and independence of individuals with physical disabilities. *Journal of Vocational Rehabilitation*, 30(2), 99-110.
- Burton, M., Nieuwenhuijsen, E., & Epstein, M. (2008). Computer-related assistive technology: Satisfaction and experiences among users with disabilities. *Assistive Technology*, 20(2), 99-106.
- Ding, D., Souza, A., Cooper, R. A., Fitzgerald, S. G., Cooper, R., Kelleher, A. et al. (2008). A preliminary study on the impact of pushrim-activated power-assist wheelchairs among individuals with tetraplegia. *American Journal of Physical Medicine & Rehabilitation*, 87(10), 821-829.

- Harris, F., & Sprigle, S. (2008). Outcomes measurement of a wheelchair intervention. *Disability and Rehabilitation Assistive Technology*, 3(4), 171-171-180.
- Huber, J., Jutai, J., Strong, J., & Plotkin, A. (2008). The psychosocial impact of closed-circuit televisions on persons with age-related macular degeneration. *Journal of Visual Impairment & Blindness*, 102(11), 690-690-701.
- Saladin, S. P., & Hansmann, S. E. (2008). Psychosocial variables related to the adoption of video relay services among deaf or hard-of-hearing employees at the Texas school for the deaf. *Assistive Technology*, 20(1), 36-47.
- Pesudovs, K., Burr, J. M., Harley, C., & Elliott, D. B. (2007). The development, assessment, and selection of questionnaires. *Optometry and Vision Science*, 84(8), 663-674.
- Pettersson, I., Ahlstrom, G., & Tornquist, K. (2007). The value of an outdoor powered wheelchair with regard to the quality of life of persons with stroke: A follow-up study. *Assistive Technology*, 19(3), 143-153.
- Saunders, G., Forsline, A., & Jacobs, P. (2007). The attitudes towards loss of hearing questionnaire (ALHQ): A comparison of paper and electronic formats. *Journal of the American Academy of Audiology*, 18(1), 66-66-77.
- Andrich, R., Gower, V., Caracciolo, A., Zanna, G. Del, & Rienzo, M. Di. (2006). The DAT project: A smart home environment for people with disabilities. In *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* (Vol. 4061 LNCS, pp. 492–499).
- Hsieh, Y., & Lenker, J. A. (2006). The psychosocial impact of assistive devices scale (PIADS): Translation and psychometric evaluation of a Chinese (Taiwanese) version. *Disability and Rehabilitation Assistive Technology*, 1(1-2), 49-49-57.
- McCluskey, A. (2006). An enhanced wheelchair-skills training program improved the competency of manual-wheelchair users. *Australian Occupational Therapy Journal*, 53(1), 56.
- Ripat, J. (2006). Function and impact of electronic aids to daily living for experienced users. *Technology and Disability*, 18(2), 79-87.
- Statham, M. M., & Pensak, M. L. (2006). Who should be a stapes surgeon? An otologist or a generalist? *Current Opinion in Otolaryngology & Head & Neck Surgery*, 14(5), 319-322.
- Veehof, M., Taal, E., Rasker, J., Lohmann, J., & Van De Laar, M. (2006). Possession of assistive devices is related to improved psychological well-being in patients with rheumatic conditions. *Journal of Rheumatology*, 33(8), 1679-1683.

- Best, K. L., Kirby, R. L., Smith, C., & MacLeod, D. A. (2005). Wheelchair skills training for community-based manual wheelchair users: A randomized controlled trial. *Archives of Physical Medicine and Rehabilitation, 86*(12), 2316-2323.
- Chandarana, S., Parnes, L., Agrawal, S., & Fung, K. (2005). Quality of life following small fenestra stapedotomy. *The Annals of Otology, Rhinology, and Laryngology, 114*(6), 472-477. *
- DeRosier, R., & Farber, R. S. (2005). Speech recognition software as an assistive device: A pilot study of user satisfaction and psychosocial impact. *Work: Journal of Prevention, Assessment & Rehabilitation, 25*(2), 125-134.
- Rigby, P., Ryan, S., Joos, S., Cooper, B., Jutai, J. W., & Steggles, E. (2005). Impact of electronic aids to daily living on the lives of persons with cervical spinal cord injuries. *Assistive Technology, 17*(2), 89-97.
- MacPhee, A. H., Kirby, R. L., Coolen, A. L., Smith, C., MacLeod, D. A., & Dupuis, D. J. (2004). Wheelchair skills training program: a randomized clinical trial of wheelchair users undergoing initial rehabilitation. *Archives of Physical Medicine and Rehabilitation, 85*(1), 41-50.
- Ripat, J., & Strock, A. (2004). Users' perceptions of the impact of electronic aids to daily living throughout the acquisition process. *Assistive Technology, 16*(1), 63-72.
- Saunders, G. H., & Jutai, J. W. (2004). Hearing specific and generic measures of the psychosocial impact of hearing aids. *Journal of the American Academy of Audiology, 15*(3), 238-248. *
- *See also "Editorial: Measuring Outcomes Measures" by Jerger J. (2004) for a commentary of this article.
- Strong, G. Jutai, J.W., Bevers, P., Hartley, M., & Plotkin, A. (2004). The psychosocial impact of closed-circuit television (CCTV) low vision aids. *Visual Impairment Research, 5*(3), 179-190.
- Day, H., & Campbell, K. A. (2003). Is telephone assessment a valid tool in rehabilitation research and practice? *Disability and Rehabilitation: An International, Multidisciplinary Journal, 25*(19), 1126-1131.
- Devitt, R., Chau, B., & Jutai, J. W. (2003). The effect of wheelchair use on the quality of life of persons with multiple sclerosis. *Occupational Therapy in Health Care, 17*(3-4), 63-79.
- Jutai, J., Day, H., Woolrich, W., & Strong, G. (2003). The predictability of retention and discontinuation of contact lenses. *Optometry: Journal of the American Optometric Association, 74*(5), 299-308.

- Day, H., Jutai, J., & Campbell, K. A. (2002). Development of a scale to measure the psychosocial impact of assistive devices: Lessons learned and the road ahead. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, 24(1-3), 31-37.
- Demers, L., Monette, M., Lapierre, Y., Arnold, D. L., & Wolfson, C. (2002). Reliability, validity, and applicability of the Quebec user evaluation of satisfaction with assistive technology (QUEST 2.0) for adults with multiple sclerosis. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, 24(1-3), 21-30.
- Demers, L., Monette, M., Descent, M., Jutai, J., & Wolfson, C. (2002). The psychosocial impact of assistive devices scale (PIADS): Translation and preliminary psychometric evaluation of a Canadian-french version. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, 11(6), 583-592.
- Jutai, J., & Day, H. (2002). Psychosocial impact of assistive devices scale (PIADS). *Technology and Disability*, 14(3), 107-111.
- Buning, M. E., Angelo, J. A., & Schmeler, M. R. (2001). Occupational performance and the transition to powered mobility: A pilot study. *American Journal of Occupational Therapy*, 55(3), 339-349.
- Day, H., Jutai, J., Woolrich, W., & Strong, G. (2001). The stability of impact of assistive devices. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, 23(9), 400-404.
- Eberhardt, S. P., Osborne, J., & Rahman, T. (2000). Classroom evaluation of the Arlyn Arm robotic workstation. *Assistive Technology*, 12(2), 132-143.
- Elliott, D. B. FAAO., Patla, A. E., Furniss, M., & Adkin, A. (2000). Improvements in clinical and functional vision and quality of life after second eye cataract surgery. *Optometry & Vision Science*, 77(1), 13-24.
- Jutai, J., Rigby, P., Ryan, S., & Stickel, S. (2000). Psychosocial impact of electronic aids to daily living. *Assistive Technology*, 12(2), 123-131.
- Lim, S. F., & Lenker, J. A. (2000). Evaluating the clinical utility of the PIADS with computer-based assistive technology devices users. *Technology for the New Millennium*, pp. 110-12.

Articles Citing the PIADS

- Paulisso, D., Cruz, D., Allegretti, A., Schein, R., Costa, J., Campos, L., ... Hilton, C. (2020). Cross-Cultural Adaptation and Face Validity of the Functional Mobility Assessment into Brazilian Portuguese. *Occupational Therapy International*, 2020, 8150718. <https://doi.org/10.1155/2020/8150718>

- Broomfield, K., Harrop, D., Judge, S., Jones, G., & Sage, K. (2019). Appraising the quality of tools used to record patient-reported outcomes in users of augmentative and alternative communication (AAC): a systematic review. *Quality of Life Research*, 28(10), 2669–2683. <https://doi.org/10.1007/s11136-019-02228-3>
- Deloria, R., & Wolbring, G. (2019). Neuro-Advancements and the Role of Nurses as Stated in Academic Literature and Canadian Newspapers. *Societies*, 9(3). <https://doi.org/10.3390/soc9030061>
- Recio-Rodríguez, Lugones-Sanchez, Agudo-Conde, González-Sánchez, Tamayo-Morales, Gonzalez-Sanchez, . . . Garcia-Ortiz. (2019). Combined use of smartphone and smartband technology in the improvement of lifestyles in the adult population over 65 years: Study protocol for a randomized clinical trial (EVIDENT-Age study). *BMC Geriatrics*, 19(1), 1-10.
- Tuersley, L. (2018). Development of the Wheelchair outcomes Assessment Tool for Children (WATCh): A patient-centred outcome measure for young wheelchair users. *PLoS One*, 13(12), E0209380.
- Francesco, G., Teresa, M., Valentina, B., and Francesco, L. (2019). A Co-Design Method for the Additive Manufacturing of Customised Assistive Devices for Hand Pathologies. *Journal of Integrated Design and Process Science*. DOI: 10.3233/jid-2018-0002
- Bier, N., Sablier, J., Briand, C., et al. (2018). Special issue on technology and neuropsychological rehabilitation: Overview and reflections on ways to conduct future studies and support clinical practice. *Neuropsychological Rehabilitation*, 28(5), 864-877.
- Southall, K et. al. (2017). Assessing the stigma content of urinary incontinence intervention outcome measures. *Journal of Rehabilitation and Assistive Technologies Engineering*, 4(1), 1-13.
- Chan, C., Miller, W., Querée, M., Noonan, V., & Wolfe, D. (2017). The development of an outcome measures toolkit for spinal cord injury rehabilitation. *The Canadian Journal of Occupational Therapy*, 84(2), 119-129.
- Bray, N., Noyes, J., Harris, N., & Rhiannon, T. E. (2017). Defining health-related quality of life for young wheelchair users: A qualitative health economics study. *PLoS One*, 12(6).
- Tucker, S. M., Walker, C. W., Taylor, K. L., Walker, K. A., & Morgan, K. (2017). Evaluation considerations in a community-based seating and mobility clinic. *OT Practice*, 2(1), 10-12.
- Torres, A., López, G., & Guerrero, L. (2016). Using Non-Traditional Interfaces to Support Physical Therapy for Knee Strengthening. *Journal of Medical Systems*, 40(9), 1-9.
- Vansteensel, M. et al. (2016). Brief Report: Fully Implanted Brain-Computer Interface in a Locked-In Patient with ALS. *The New England Journal of Medicine*, 375(21), 2060-2066.

- Chaurasia, M., et al. (2016). Modelling assistive technology adoption for people with dementia. *Journal of Biomedical Informatics*, 63, 235-248.
- Alves, A., & Matsukura, T. (2016). Theoretic models for recommendation and implementation of assistive technology 1. *Cadernos De Terapia Ocupacional Da UFSCar*, 24(3), 591-599.
- Czarnuch, S., Ricciardelli, R., & Mihailidis, A. (2016). Predicting the role of assistive technologies in the lives of people with dementia using objective care recipient factors. *BMC Geriatrics*, 16, BMC Geriatrics, 2016, Vol.16.
- Saunders, G. H., Frederick, M. T., Silverman, S. C., Nielsen, C., & Laplante-Lévesque, A. (2016). Description of adults seeking hearing help for the first time according to two health behavior change approaches: Transtheoretical Model (stages of change) and Health Belief Model. *Ear and hearing*, 37(3), 324-333.
- Werner, C., Ullrich, P., Geravand, M., Peer, A., & Hauer, K. (2016). Evaluation Studies of Robotic Rollators by the User Perspective: A Systematic Review. *Gerontology*.
- Andresen, E. M., Fried-Oken, M., Peters, B., & Patrick, D. L. (2015). Initial constructs for patient-centered outcome measures to evaluate brain-computer interfaces. *Disability and Rehabilitation: Assistive Technology*, 1-10.
- Carver, J., Ganus, A., Ivey, J. M., Plummer, T., & Eubank, A. (2015). The impact of mobility assistive technology devices on participation for individuals with disabilities. *Disability and Rehabilitation: Assistive Technology*, 1-10.
- McDonald, R., Sawatzky, B., & Franck, L. (2015). A comparison of flat and ramped, contoured cushions as adaptive seating interventions for children with neurological disorders. *Health Psychology and Behavioral Medicine*, 3(1), 69-81.
- Ng, J. H. Y., & Loke, A. Y. (2015). Determinants of hearing-aid adoption and use among the elderly: A systematic review. *International journal of audiology*, 54(5), 291-300.
- Singh, G., Lau, S. T., & Pichora-Fuller, M. K. (2015). Social support predicts hearing aid satisfaction. *Ear and hearing*, 36(6), 664-676.
- Swinnen, E., & Kerckhofs, E. (2015). Compliance of patients wearing an orthotic device or orthopedic shoes: A systematic review. *Journal of bodywork and movement therapies*, 19(4), 759-770.
- Zhang, S., McClean, S. I., Nugent, C. D., Donnelly, M. P., Galway, L., Scotney, B. W., & Cleland, I. (2014). A predictive model for assistive technology adoption for people with dementia. *IEEE Journal of Biomedical and Health Informatics*, 18(1), 375-83.

- Coignard, P., Departe, J. P., Remy Neris, O., Baillet, A., Bar, A., Drean, D., ... Le Guiet, J. L. (2013). ANSO study: Evaluation in an indoor environment of a mobile assistance robotic grasping arm. *Annals of Physical and Rehabilitation Medicine*, 56(9-10), 621–633.
- INUI, S., & ITAMI, S. (2013). Cell Biology and Disease of Hair Follicle (2). *Nishi Nihon Hifuka*, 75(5), 448–453.
- Kumar, A., Schmeler, M. R., Karmarkar, A. M., Collins, D. M., Cooper, R., Cooper, R. A., . . . Holm, M. B. (2013). Test-retest reliability of the functional mobility assessment (FMA): A pilot study. *Disability and Rehabilitation: Assistive Technology*, 8(3), 213-219.
- Lamontagne, M., Routhier, F., & Auger, C. (2013). Team consensus concerning important outcomes for augmentative and alternative communication assistive technologies: A pilot study. *Augmentative and Alternative Communication*, 29, 182-189.
- O'Neill, S. A., McClean, S. I., Donnelly, M. D., Nugent, C. D., Galway, L., Cleland, I., ... Craig, D. (2013). Development of a Technology Adoption and Usage Prediction Tool for Assistive Technology for People with Dementia. *Interacting with Computers*, 26(2), 169–176.
- Harvey, L. A., Chu, J., Bowden, J. L., Quirk, R., Diong, J., Batty, J., ... Barratt, D. (2012). How much equipment is prescribed for people with spinal cord injury in Australia, do they use it and are they satisfied 1 year later? *Spinal Cord*, 50(9), 676–81.
- Rohde, L. M., Bonder, B. R., & Triolo, R. J. (2012). Exploratory study of perceived quality of life with implanted standing neuroprostheses. *The Journal of Rehabilitation Research and Development*, 49(2), 265.
- Agree, E. M., & Freedman, V. A. (2011). A quality-of-life scale for assistive technology: Results of a pilot study of aging and technology. *Physical Therapy*, 91(12), 1780-1788.
- Burgstahler, S., Comden, D., Lee, S., Arnold, A., & Brown, K. (2011). Computer and cell phone access for individuals with mobility impairments: An overview and case studies. *NeuroRehabilitation*, 28(3), 183-197.
- Dewsbury, G., & Linsell, J. (2011). Smart home technology for safety and functional independence: The UK experience. *NeuroRehabilitation*, 28(3), 249-260.
- Donovan-Hall, M. K., Burridge, J., Dibb, B., Ellis-Hill, C., & Rushton, D. (2011). The views of people with spinal cord injury about the use of functional electrical stimulation. *Artificial Organs*, 35(3), 204-211.
- Giesbrecht, E., Ripat, J., Cooper, J., & Quanbury, A. (2011). Experiences with using a pushrim-activated power-assisted wheelchair for community-based occupations: A qualitative exploration. *The Canadian Journal of Occupational Therapy*, 78(2), 127-127-136.

- Hughes, A.-M., Burridge, J., Freeman, C. T., Donovan-Hall, M., Chappell, P. H., Lewin, P. L., ... Dibb, B. (2011). Stroke participants' perceptions of robotic and electrical stimulation therapy: a new approach. *Disability and Rehabilitation: Assistive Technology*, 6(2), 130–8.
- Hussain, S. (2011). Toes that look like toes: Cambodian children's perspectives on prosthetic legs. *Qualitative Health Research*, 21(10), 1427-1440.
- Murchland, S., Kernot, J., & Parkyn, H. (2011). Children's satisfaction with assistive technology solutions for schoolwork using the QUEST 2.1: Children's version. *Assistive Technology*, 23(3), 162-176.
- Ripat, J., & Woodgate, R. (2011). The intersection of culture, disability and assistive technology. *Disability and Rehabilitation: Assistive Technology*, 6(2), 87-96.
- Allin, S., Eckel, E., Markham, H., & Brewer, B. R. (2010). Recent trends in the development and evaluation of assistive robotic manipulation devices. *Physical Medicine and Rehabilitation Clinics of North America*, 21(1), 59-77.
- Berdeaux, G., Meunier, J., Arnould, B., & Viala-Danten, M. (2010). Measuring benefits and patients' satisfaction when glasses are not needed after cataract and presbyopia surgery: Scoring and psychometric validation of the freedom from glasses value scale (FGVS©). *BMC Ophthalmology*, 10(1)
- De Jonge, D., & McDonald, R. (2010). *Occupation-Centred Practice with Children*. (S. Rodger, Ed.) *Occupation-Centred Practice with Children: A Practical Guide for Occupational Therapists* (pp. 298–319). Oxford, UK: Wiley-Blackwell.
- Ismail, A. C., & Seneviratne, R. D. A. (2010). Adaptation and validation of a self-report measure to evaluate substance use among Sri Lankan adolescents. *Substance use & Misuse*, 45(1-2), 213-223.
- Peredo, D. E., Davis, B. E., Norvell, D. C., & Kelly, P. C. (2010). Medical equipment use in children with disabilities: A descriptive survey. *Journal of Paediatric Rehabilitation Medicine*, 3(4), 259-267.
- Baron, M., Schieir, O., Hudson, M., Steele, R., Janelle-Montcalm, A., Bernstein, J., et al. (2009). Evaluation of the clinimetric properties of the early inflammatory arthritis self-administered comorbidity questionnaire. *Rheumatology*, 48(4), 390-394.
- Borg, J., & Larsson, S. (2009). Assistive devices for people affected by leprosy: Underutilised facilitators of functioning? *Leprosy Review*, 80(1), 13-21.
- Demers, L., Fuhrer, M. J., Jutai, J., Lenker, J., Depa, M., & Ruyter, F. (2009). A conceptual framework of outcomes for caregivers of assistive technology users. *American Journal of Physical Medicine & Rehabilitation*, 88(8), 645-655.

- Tsai, T.-H., Nash, R. J., & Tseng, K. C. (2009). A five-layer users' need hierarchy of computer input device selection: a contextual observation survey of computer users with cervical spinal injuries (CSI). *Disability and Rehabilitation: Assistive Technology*, 4(3), 158–80.
- Wilkinson, I., Taylor, P., & Burridge, J. (2009). 074: Case report demonstrating feasibility of combining physiotherapy and functional electrical stimulation (FES) to improve mobility in patients who have recently left hospital after their first stroke. *International Journal of Stroke*, 4(Supplement 2), 31.
- Pouplin, S., & Bouteille, J. (2009). Assessment and new technology devices: Necessity of a specific assessment tool to evaluate the compensation of a motor handicap situation. [Évaluation et aides techniques nouvelles technologies: nécessité d'un outil spécifique pour évaluer la compensation d'une situation de handicap moteur] *IRBM*, 30(5-6), 240-243.
- Wilkinson, I., Taylor, P., & Burridge, J. (2009). Case report demonstrating feasibility of combining physiotherapy and functional electrical stimulation (FES) to improve mobility in patients who have recently left hospital after their first stroke. *International Journal of Stroke*, 4, 31.
- Baron, M., Schieir, O., Hudson, M., Steele, R., Kolahi, S., Berkson, L., et al. (2008). The clinimetric properties of the world health organization disability assessment schedule II in early inflammatory arthritis. *Arthritis & Rheumatism-Arthritis Care & Research*, 59(3), 382-390.
- Bickenbach, J. E. (2008). *The Engineering Handbook of Smart Technology for Aging, Disability, and Independence*. (A. S. Helal, M. Mokhtari, & B. Abdulrazak, Eds.) *The Engineering Handbook of Smart Technology for Aging, Disability, and Independence* (pp. 81–99). Hoboken, NJ, USA: John Wiley & Sons, Inc.
- Gaebler-Spira, D., & Desch, L. W. (2008). Prescribing assistive-technology systems: Focus on children with impaired communication. *Pediatrics*, 121(6), 1271-1280.
- Hersh, M. A., & Johnson, M. A. (2008). On modelling assistive technology systems - part I: Modelling framework. *Technology and Disability*, 20(3), 193-215.
- Hudson, M., Steele, R., Taillefer, S., Baron, M., & Canadian Scleroderma Res Grp. (2008). Quality of life in systemic sclerosis: Psychometric properties of the world health organization disability assessment schedule II. *Arthritis & Rheumatism-Arthritis Care & Research*, 59(2), 270-278.
- Thomas, B., Connelly, D., & Laliberte-Rudman, D. (2008). The Impact and Use of Walkers among Older Adults: A Pilot. *Physical & Occupational Therapy in Geriatrics*, 27(1), 36–72.
- Andrich, R., & Caracciolo, A. (2007). Analysing the cost of individual assistive technology programmes. *Disability and Rehabilitation: Assistive Technology*, 2(4), 207-234.

- Arthanat, S., Bauer, S. M., Lenker, J. A., Nochajski, S. M., & Wu, Y. W. B. (2007). Conceptualization and measurement of assistive technology usability. *Disability and Rehabilitation: Assistive Technology*, 2(4), 235-248.
- De Jonge, D., Scherer, M., & Rodger, S. (2007). *Assistive Technology in the Workplace*. Elsevier Inc.
- Elliott, D. B., Pesudovs, K., & Mallinson, T. (2007). Vision-related quality of life. *Optometry & Vision Science*, 84(8), 656-658.
- Fuhrer, M. J. (2007). Assessing the efficacy, effectiveness, and cost-effectiveness of assistive technology interventions for enhancing mobility. *Disability and Rehabilitation: Assistive Technology*, 2(3), 149-158.
- Hoenig, H., Giacobbi, P., & Levy, C. E. (2007). Methodological challenges confronting researchers of wheeled mobility aids and other assistive technologies. *Disability and Rehabilitation: Assistive Technology*, 2(3), 159-168.
- Iwabuchi, M., Hirabayashi, R., Nakamura, K., Fukumoto, R., & Draffan, E. A. (2007). A lifetime AT outcome measurement scale: The impact of a computer for people with muscular dystrophy. In *Assistive Technology Research Series* (Vol. 20, pp. 676–680).
- Mills, T. L., Holm, M. B., & Schmeler, M. (2007). Test-retest reliability and cross validation of the functioning everyday with a wheelchair instrument. *Assistive Technology*, 19(2), 61-77.
- Mortenson, W. B., Miller, W. C., & Miller-Pogar, J. (2007). Measuring wheelchair intervention outcomes: Development of the wheelchair outcome measure. *Disability and Rehabilitation: Assistive Technology*, 2(5), 275-285.
- Tam, C., Schwellnus, H., Eaton, C., Hamdani, Y., Lamont, A., & Chau, T. (2007). Movement-to-music computer technology: A developmental play experience for children with severe physical disabilities. *Occupational Therapy International*, 14(2), 99-112.
- Gamble, M. J., Dowler, D. L., & Orslene, L. E. (2006). Assistive technology: Choosing the right tool for the right job. *Journal of Vocational Rehabilitation*, 24(2), 73-80.
- Pettersson, I., Tornquist, K., & Ahlstrom, G. (2006). The effect of an outdoor powered wheelchair on activity and participation in users with stroke. *Disability and Rehabilitation: Assistive Technology*, 1(4), 235-243.
- Wright, F. V., & Jutai, J. W. (2006). Evaluation of the longer-term use of the David Hart walker orthosis by children with cerebral palsy: A 3-year prospective evaluation. *Disability and Rehabilitation: Assistive Technology*, 1(3), 155-166.

- Harris, A., Pinnington, L. L., & Ward, C. D. (2005). Evaluating the impact of mobility-related assistive technology on the lives of disabled people: A review of outcome measures. *British Journal of Occupational Therapy*, 68(12), 553-558.
- Holliday, P. J., Mihailidis, A., Rolfson, R., & Fernie, G. (2005). Understanding and measuring powered wheelchair mobility and manoeuvrability. Part I. reach in confined spaces. *Disability and Rehabilitation*, 27(16), 939-949.
- Levitt, H., Fausti, S., & Schein, J. (2005). Some interesting analogies. *Journal of Rehabilitation Research and Development*, 42(4), VII-VII, VIII, IX, X, XI, XII, XIII, XIV.
- Petty, L., McArthur, L., & Treviranus, J. (2005). Clinical report: Use of the Canadian occupational performance measure in vision technology. *The Canadian Journal of Occupational Therapy*, 72(5), 309-309-12.
- Rust, K. L., & Smith, R. O. (2005). Assistive technology in the measurement of rehabilitation and health outcomes: A review and analysis of instruments *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 84(10), 780-93; quiz 794-6.
- Saunders, G., Chisolm, T., & Abrams, H. (2005). Measuring hearing aid outcomes-not as easy as it seems. *Journal of Rehabilitation Research and Development*, 42(4), 157-157-68.
- Kirsch, N. L., Shenton, M., Spirl, E., Rowan, J., Schreckenghost, D., Simpson, R., et al. (2004). Web-based assistive technology interventions for cognitive impairments after traumatic brain injury: A selective review and two case studies. *Rehabilitation Psychology*, 49(3), 200-212.
- Mann, W., Llanes, C., Justiss, M., & Tomita, M. (2004). Frail older adults' self-report of their most important assistive device. *OTJR*, 24(1), 4-4+.
- Mountain, A. D., Kirby, R. L., & Smith, C. (2004). The wheelchair skills test, version 2.4: validity of an algorithm-based questionnaire version. *Archives of Physical Medicine and Rehabilitation*, 85(3), 416-423.
- Dekker, J., Rijken, M., Van Poppel, M., & De Bruin, A. (2003). The possession of technical aids among persons with a somatic chronic disease. *Disability and Rehabilitation*, 25(8), 393-398.
- Finlayson, M., & Hammel, J. (2003). Providing alternative financing for assistive technology: Outcomes over twenty months. *Journal of Disability Policy Studies*, 14(2), 109-109-118,125.
- Jacobs, P., Hailey, D., & Jones, A. (2003). Economic evaluation for assistive technology policy decisions. *Journal of Disability Policy Studies*, 14(2), 119-119-125.

- Lacoste, M., Weiss-Lambrou, R., Allard, M., & Dansereau, J. (2003). Powered Tilt/Recline Systems: Why and How Are They Used? *Assistive Technology*, *15*(1), 58–68.
- Tam, C., Rigby, P., Ryan, S. E., Campbell, K. A., Steggle, E., Cooper, B. A., & Goy, R. (2003). Development of the measure of control using electronic aids to daily living. *Technology and Disability*, *15*(3), 181–190.
- Ray, N. M., & Ryder, M. E. (2003). “Eabilities” tourism: an exploratory discussion of the travel needs and motivations of the mobility-disabled. *Tourism Management*, *24*(1), 57–72.
- Demers, L., Weiss-Lambrou, R., & Ska, B. (2000). Item analysis of the Quebec User Evaluation of Satisfaction with Assistive Technology (QUEST). *Assistive Technology*, *12*(2), 96–105.
- Jutai, J. (2002). Occupational therapy and assistive technology: The research challenge. *The Israel Journal of Occupational Therapy*, *11*(1) E3-E23
- Shone, S. M., Ryan, S., Rigby, P. J., & Jutai, J. W. (2002). Toward a comprehensive evaluation of the impact of electronic aids to daily living: Evaluation of consumer satisfaction *Disability and Rehabilitation*, *24*(1-3), 115-125.
- Fuhrer, M. J. (2001). Assistive technology outcomes research: Challenges met and yet unmet. *American Journal of Physical Medicine & Rehabilitation*, *80*(7), 528-535.
- Demers, L., Weiss-Lambrou, R., & Ska, B. (2000). Item analysis of the Quebec User Evaluation of Satisfaction with Assistive Technology (QUEST). *Assistive Technology*, *12*(2), 96–105.
- Fichten, C. S., Barile, M., Asuncion, J. V., & Fossey, M. E. (2000). What government, agencies, and organizations can do to improve access to computers for postsecondary students with disabilities: Recommendations based on Canadian empirical data. *International Journal of*
- Jutai, J. (2001). The psychology of assistive technology. *Rehabilitation Psychology*, *46*(3), 334-335.
- Walline, Jeffrey J. OD, MS, FAAO., Bailey, Melissa, D. BS, & Zadnok, Karla, OD, PhD, FAAO. (2000). Vision-specific quality of life and modes of refractive error correction. *Optometry & Vision Science*, *77*(12), 648-652.
- Jutai, J. (1999). Quality of life impact of assistive technology. *Rehabilitation Engineering*, *14*, 2-7
- Weiss-Lambrou, R., Tremblay, C., LeBlanc, R., Lacoste, M., & Dansereau, J. (1999). Wheelchair seating aids: How satisfied are consumers? *Assistive Technology*, *11*(1), 43–53. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-0033459498&partnerID=tZOtx3y1>

- Jutai, J. & Gryfe, P. (1998). Assistive Technologies – Client Perceptions of Impact on Quality of Life. *Rehabilitation and Community Care Management*, Fall
- Jutai, J. (1997). Promoting research in a medium-sized, university-affiliated health care centre. *SRA Journal*, 28(3), 27-27-34.
- Day, H., & Jutai, J. (1996). Measuring the psychosocial impact of assistive devices: The PIADS. *Canadian Journal of Rehabilitation*, 9(3), 159-168.
- Hammel, J. (1996). What's the outcome? Multiple variables complicate the measurement of assistive technology outcomes *Rehab Management*, 9(2), 97-99.
- Jutai, J., Ladak, N., Schuller, R., Naumann, S., & Wright, V. (1996). Outcomes measurement of assistive technologies: An institutional case study. *Assistive Technology*, 8(2), 110-120.

Dissertations/Theses

Ph.D. Theses Using the PIADS

- Yachnin, David, & Jutai, Jeffrey. (2017). *Technology-Assisted Toilets: An Assistive Technology for Improving Hygiene and Independence in the Bathroom*.
- Foley, G. (2017). *A powered wheelchair parking assistance reasoning co-pilot (PARC) system for cognitively impaired older adults*. Available from ProQuest Dissertations & Theses Global. (1931342967).
- Belov, A., Fu, G., Gururam, J., Hackenburg, F., Osman, Y., Purtilo, J., ... & Varghese, A. (2015). *A Kinect Based Indoor Navigation System for the Blind*.
- Diaz, F. (2014). *Using speech recognition software to improve writing skills* (Ph.D.). Available from ProQuest Dissertations & Theses Global. (1526495441).
- Schwartz, K. S. (2011). *The relationship between acceptable noise levels and hearing aid success measured using a multi-dimensional approach* (Ph.D.). Available from ProQuest Dissertations & Theses Global. (922671368).
- Wang, R. H. L. (2011). *Enabling power wheelchair mobility with long-term care home residents with cognitive impairments* (Ph.D.). Available from ProQuest Dissertations & Theses Global. (914704248).
- Auger, C. (2010). Évaluation des effets de l'utilisation des aides à la mobilité motorisée chez les personnes âgées de plus de 50 ans. University de Montreal (Canada). *ProQuest Dissertations and Theses*,

- Billari, S. L. (2009). Outcome assessment of audient foundation hearing aids at the James Madison university clinic. James Madison University (USA). *ProQuest Dissertations and Theses*,
- Lenker, J. (2005). Functional and psychosocial impact of computer-based assistive technology for adults with disabilities. State University of New York at Buffalo. *ProQuest Dissertations and Theses*,
- Woollard, F. (2005). The effect of mobility device use on strength, fatigue and quality of life in persons with multiple sclerosis. University of Pittsburgh. *ProQuest Dissertations and Theses*,
- Saladin, S. (2004). Psychosocial variables in the adoption of assistive technology among deaf and hard of hearing adults. The University of Texas at Austin. *ProQuest Dissertations and Theses*,

Ph.D. Theses Citing the PIADS

- Morris, M. L. (2017). *Dance, Disability, and Assistive Technology: Probing new interdisciplinary landscapes and re-imagining design* (Ph.D.). University of South Florida. Available from ProQuest Dissertations & Theses Global. (1937538419).
- Mortimer, B. B. (2014). *Satisfaction with computer assistive technology and work skills confidence among individuals with spinal cord injury: A quantitative analysis* (Ph.D.). Available from ProQuest Dissertations & Theses Global. (1626432568).
- Bachofer, C. S. (2013). *Long-term optical device use by young adults with low vision* (Ph.D.). Available from ProQuest Dissertations & Theses Global. (1419462542).
- Ripat, J. D. (2011). *Self-perceived participation amongst adults with spinal cord injuries: The role of assistive technology* (Ph.D.). Available from ProQuest Dissertations & Theses Global. (1266827365).
- Plummer, T. (2010). Participatory action research to examine the current state of practice in the wheelchair assessment and procurement process. Nova Southeastern University. *ProQuest Dissertations and Theses*,
- Barclay-Goddard, R. (2008). Health related quality of life over one year post stroke: Identifying response shift susceptible constructs. University of Manitoba (Canada). *ProQuest Dissertations and Theses*,
- Yamamoto, T. (2008). Interactive video communication technology and successful aging in place: Applying the selective optimization with compensation model. Oregon State University. *ProQuest Dissertations and Theses*,

Arthanat, S. (2007). Development of an instrument to measure usability of assistive technology devices. State University of New York at Buffalo). *ProQuest Dissertations and Theses*,

Hill, M. (2007). Acquiring assistive technology for vision and hearing impairments: The experience of end users as consumers in Canada. University of New Brunswick (Canada). *ProQuest Dissertations and Theses*,

Watson, A. (2007). The effect of assistive technology devices and services in a public school setting. Nova Southeastern University. *ProQuest Dissertations and Theses*,

M.Sc. Theses Using the PIADS

MacLellan, L. E. (2018). *Evaluating camera mouse as a computer access system for augmentative and alternative communication in cerebral palsy: A case study* (Order No. 10744243). Available from ProQuest Dissertations & Theses Global. (2024729386).

Huber, J. (2007). Longitudinal impact of newly acquired closed-circuit televisions (CCTV) on quality of life for low vision patients. University of Waterloo (Canada). *ProQuest Dissertations and Theses*.

Chelluri, C. (2006). Quality of life differences for persons using a second wheelchair. State University of New York at Buffalo. *ProQuest Dissertations and Theses*,

Dharne, M. (2006). Reliability and validity of assistive technology outcome measure (ATOM) version 2.0 for adults with physical disability using wheelchairs. State University of New York at Buffalo. *ProQuest Dissertations and Theses*,

Giesbrecht, E. (2006). Comparing satisfaction with occupational performance using a pushrim-activated power-assisted wheelchair and a power wheelchair among task-specific power wheelchair users. University of Manitoba (Canada). *ProQuest Dissertations and Theses*,

Liu, C. (2006). Validation of the Chinese (Taiwanese) psychosocial impact of assistive device scale with mobility device users living in Taiwan. State University of New York at Buffalo. *ProQuest Dissertations and Theses*.

Taji, R. (2006). The association between two quality of life measures for first time low vision device users. University of Waterloo (Canada). *ProQuest Dissertations and Theses*,

M.Sc. Theses Citing the PIADS

Antony, A. (2010). Qualitative analysis of factors characterizing success with speech recognition software for people with disabilities. State University of New York at Buffalo. *ProQuest Dissertations and Theses*,

- Perrier, M. (2009). Understanding driving after stroke: Safety outcomes and characteristics of those who return to driving. McGill University (Canada). *ProQuest Dissertations and Theses*,
- Fowler, E. (2008). Design, analysis, and development of cost effective canine wheelchairs. University of Louisville. *ProQuest Dissertations and Theses*,
- Kaiser, A. (2008). Experiences of parents with spinal cord injury and their use of aids and adaptations for childcare. University of Toronto (Canada). *ProQuest Dissertations and Theses*,
- Rao, K. (2006). Usability and impact of Braille and audio output technologies for students with visual impairments or blindness. State University of New York at Buffalo. *ProQuest Dissertations and Theses*,
- Wong, M. (2005). Evaluation of computer access systems for students with multiple and severe physical handicap: Using replicated single-case experimental design with ISO9241-9. Hong Kong Polytechnic University (Hong Kong). *ProQuest Dissertations and Theses*,
- MacPhee, A. (2002). Does a brief formalized period of additional wheelchair skills training improve outcomes? Dalhousie University (Canada). *ProQuest Dissertations and Theses*,

Conference Proceedings

Published

- Domingues, I., Pinheiro, J., Silveira, J., & Martins, A. C. (2019). Powered Wheelchair Impact—User-Centered Observational Study. In *Mediterranean Conference on Medical and Biological Engineering and Computing* (pp. 947-953). Springer, Cham.
- Hvalič-Touzery, S., Dolničar, V., Prevodnik, K., Škafar, M., & Petrovčič, A. The importance of patients' user experience with a telehealth system for their evaluation of its psychosocial impacts. *Smart Living Forum 2019*.
- Long, A., Southall, K., Fowler, S., Cotterill, N., Van den Heuvel, E., & Jutai, J. (2015). Towards item development for the psychosocial impact of assistive devices scale for continence (C-PIADS).
- Craven, M. P., De Filippis, M. L., Dening, T. (2014). Quality of Life Tools to Inform Co-design in the Development of Assistive Technologies for People with Dementia and Their Carers. *Ambient Assisted Living and Daily Activities, Lecture Notes In Computer Science Volume 8868*, 2014, pp.394-397. (6th International Work-Conference, IWAAL 2014, Belfast, UK)
- Kim, D. -, Hazlett, R., Godfrey, H., Rucks, G., Portee, D., Bricout, J., et al. (2010). On the relationship between autonomy, performance, and satisfaction: Lessons from a three-week user study with post-SCI patients using a smart 6DOF assistive robotic manipulator. *2010*

IEEE International Conference on Robotics and Automation (ICRA), Anchorage, AK. pp. 217-222.

- Steel, E., Gelderblom, G. J., & De Witte, L. (2010). Linking instruments and documenting decisions in service delivery guided by an ICF-based tool for assistive technology selection. (Ed. Vienna) *12th International Conference on Computers Helping People with Special Needs, ICCHP 2010*. pp 537-543
- Strong, G., Jutai, J., Plotkin, A., & Bevers, P. (2008). Competitive enablement: A consumer-oriented approach to device selection in device-assisted vision rehabilitation. (Ed.) Mann WC. *Aging, Disability and Independence: Selected Papers from the 4th International Conference on Aging, Disability and Independence 2008*. University of Florida. pp 175-195
- Tsui, K. M., Yanco, H. A., Feil-Seifer, D. J., & Matarić, M. J. (2008). Survey of domain-specific performance measures in assistive robotic technology. *8th Workshop on Performance Metrics for Intelligent Systems, PerMIS'08*, Gaithersburg, MD. pp. 116-123.
- Aquilano, M., Salatino, C., & Carrozza, M. C. (2007). Assistive technology: A new approach to evaluation. *2007 Ieee 10th International Conference on Rehabilitation Robotics, Vols 1 and 2*, pp 809-819.
- Amirabdollahian, F., Munih, M., Kouris, F., Laudanna, E., Stokes, E., & Johnson, G. (2005). The i-match project: A VR based system to allow matching of an optimum interface to a user of assistive technology. *2005. ICORR 2005. 9th International Conference on Rehabilitation Robotics*, pp. 526-529.
- Andrich, R., Pedroni, F., Vanni, G. (2003). Psychosocial impact of assistive devices: Italian localization of the PIADS instrument. In: G.M. Craddock, L.P. McCormack, R.B. Reilly, & H.T.P. Knops (Eds.), *Assistive technology – shaping the future*. Amsterdam: IOS Press. pp 917-921
- Jutai, J.W. & Bortolussi, J.A. (2003). Psychosocial impact of assistive technology : development of a measure for children. In: G.M. Craddock, L.P. McCormack, R.B. Reilly, & H.T.P. Knops (Eds.), *Assistive technology – shaping the future*. Amsterdam: IOS Press. pp 936-940
- Jutai, J. & Saunders, G. (2003). Psychosocial outcomes of hearing aids. In: G.M. Craddock, L.P. McCormack, R.B. Reilly, & H.T.P. Knops (Eds.), *Assistive technology – shaping the future*. Amsterdam: IOS Press. pp 510-514.
- Jutai, J., Bayley, M., Teasell, R., & Hartley, M. (2003). Psychosocial impact of assistive technology devices in stroke. In: G.M. Craddock, L.P. McCormack, R.B. Reilly & H.T.P. Knops (Eds.), *Assistive technology – shaping the future*. Amsterdam: IOS Press. pp 814-818
- No authorship indicated. (2001). Selected division 22 symposia and paper/poster presentations from the annual convention of the American psychological association: (august 24-28, 2001). *Rehabilitation Psychology*, 46(3), 322-322-350.

Jutai, J. & Gryfe, P. (1998). Impacts of assistive technology on clients on clients with ALS. *Proceedings of RESNA '98*, Minneapolis, 54-65

Unpublished

Jutai, J. (2001). Measuring the psychosocial impact of assistive technology. CSUN Annual Conference, "Technology and Persons with Disabilities", Los Angeles, CA March 19-24

Jutai, J., Hartley, M., Gryfe, P., & Day, H. (2001). Assistive devices for elderly people who have amyotrophic lateral sclerosis. *Proceedings of the International Conference on Technology and Aging*, Toronto, September.

Jutai, J., Hartley, M., Gryfe, P., & Day, H. (2001) Psychosocial impact of wheelchairs on elderly individuals who have a physical disability. *Proceedings of the International Conference on Technology and Aging*, Toronto, September.

Day, H., Jutai, J., & Strong, G. (1999). Visual aid retention and abandonment. *Proceedings of Vision '99*, International Conference on Low Vision, New York City, June.

Jutai, J. & Day, H. (1999). Understanding user acceptance and rejection of hearing aids. American Academy of Audiology, Miami Beach, Florida, April 18-May 2

Clinical Notes

Day, H., & Gryfe, P. (1999) PIADS: Measuring the impact of assistive technology on quality of life. *Clinical Notes*, Fall.

Editorials

Editorial: Measuring Outcome Measures. Jerger, J. (2004) *American Academy of Audiology*, 15(4).

Related Reprints on Assistive Technology Outcomes

Fok, D., Polgar, J. M., Shaw, L., & Jutai, J. W. (2011). Low vision assistive technology device usage and importance in daily occupations. *Work-a Journal of Prevention Assessment & Rehabilitation*, 39(1), 37-48.

Kaldenberg, J., Fok, D., Polgar, J., Miller, Shaw, L., & Jutai, J., W. (2011). Low vision assistive technology device usage and importance in daily occupations. *Work*, 39(1), 37-48.

- Shoemaker, L., Lenker, J., Fuhrer, M., Jutai, J., Demers, L., & DeRuyter, F. (2011). Re: Development and evaluation of a new taxonomy of mobility-related assistive technology devices. *American Journal of Physical Medicine & Rehabilitation*, 90(4), 344-344.
- Auger, C., Demers, L., Gélinas, I., Miller, W. C., Jutai, J. W., & Noreau, L. (2010). Life-space mobility of middle-aged and older adults at various stages of usage of power mobility devices. *Archives of Physical Medicine and Rehabilitation*, 91(5), 765-773.
- Lenker, J. A., Fuhrer, M. J., Jutai, J. W., Demers, L., Scherer, M. J., & DeRuyter, F. (2010). Treatment theory, intervention specification, and treatment fidelity in assistive technology outcomes research. *Assistive Technology*, 22(3), 129-138.
- Shoemaker, L. L., Lenker, J. A., Fuhrer, M. J., Jutai, J. W., Demers, L., & Deruyter, F. (2010). Development and evaluation of a new taxonomy of mobility-related assistive technology devices. *American Journal of Physical Medicine and Rehabilitation*, 89(10), 795-808.
- Jutai, J. W., Strong, J. G., & Russell-Minda, E. (2009). Effectiveness of assistive technologies for low vision rehabilitation: A systematic review. *Journal of Visual Impairment & Blindness*, 103(4), 210-222.
- Shoemaker, L. L., Lenker, J. A., Fuhrer, M. J., Jutai, J. W., Demers, L., & DeRuyter, F. (2009). Mobility-related assistive technology device classifications implications for outcomes research. *American Journal of Physical Medicine & Rehabilitation*, 88(12), 1020-1032.
- Shoemaker, L., Lenker, J., Fuhrer, M., Jutai, J., Demers, L., & DeRuyter, F. (2009). How well do extant classifications of mobility-related assistive devices support outcomes researchers? (vol 89, pg E46, 2008). *Archives of Physical Medicine and Rehabilitation*, 90(3), 532-532.
- Auger, C., Demers, L., Gelinas, I., Jutai, J., Fuhrer, M. J., & DeRuyter, F. (2008). Powered mobility for middle-aged and older adults: Systematic review of outcomes and appraisal of published evidence. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 87(8), 666-680.
- Demers, L., Fuhrer, M. J., Jutai, J. W., Scherer, M. J., Pervieux, I., & DeRuyter, F. (2008). Tracking mobility-related assistive technology in an outcomes study. *Assistive Technology*, 20(2), 73-83.
- Strong, G., Jutai, J., Plotkin, A., & Bevers, P. (2008). Competitive enablement: A consumer-oriented approach to device selection in device-assisted vision rehabilitation. *Aging, Disability and Independence*, 22, 175-195.
- Jutai, J., Coulson, S., Teasell, R., Bayley, M., Garland, J., Mayo, N., et al. (2007). Mobility assistive device utilization in a prospective study of patients with first-ever stroke. *Archives of Physical Medicine and Rehabilitation*, 88(10), 1268-1275.

- Scherer, M., Jutai, J., Fuhrer, M., Demers, L., & Deruyter, F. (2007). A framework for modelling the selection of assistive technology devices (ATDs). *Disability and Rehabilitation Assistive Technology*, 2(1), 1-8.
- Jutai, J. W., Fuhrer, M. J., Demers, L., Scherer, M. J., & DeRuyter, F. (2005). Toward a taxonomy of assistive technology device outcomes. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 84(4), 294-302.
- Jutai, J. W., Strong, J. G., Ariizumi, H., & Plotkin, A. (2005). *Feasibility of dynamic modelling of outcomes for low vision devices*
- Lenker, J. A., Scherer, M. J., Fuhrer, M. J., Jutai, J. W., & DeRuyter, F. (2005). Psychometric and administrative properties of measures used in assistive technology device outcomes research. *Assistive Technology : The Official Journal of RESNA*, 17(1), 7-22.
- Jutai, J. (2004). Assistive technology and stroke rehabilitation outcome: Achievements, challenges and opportunities. *Stroke*, 35(6), E192-E192.
- CASTOR Development Projects 2003c. Slideshow available at <http://www.atoutcomes.com>
- Fuhrer, M. J., Jutai, J. W., Scherer, M. J., & DeRuyter, F. (2003). A framework for the conceptual modelling of assistive technology device outcomes. *Disability and Rehabilitation*, 25(22), 1243-1251.
- Jutai, J. (2000). Website review: assistive technology outcomes (<http://www.utoronto.ca/atrc/reference/atoutcomes>). *Diagnostique* 25(4), 349-352
- McWilliam, C. L., Diehl-Jones, W. L., Jutai, J., & Tadrissi, S. (2000). Care delivery approaches and seniors' independence. *Canadian Journal on Aging-Revue Canadienne Du Vieillissement*, 19, 101-124.
- Wright, F. V., Belbin, G., Slack, M., & Jutai, J. (1999). An evaluation of the david hart walker orthosis: A new assistive device for children with cerebral palsy. *Physiotherapy Canada*, 51(4), 280-291.
- Rigby, P., Ryan, S., From, W., Walczak, E., & Jutai, J. (1996). A client-centred approach to developing assistive technology with children. *Occupational Therapy International*, 3(1), 67-79.

PIADS Available International Translations

Afrikaans
American Sign Language (ASL)
Arabic
Dutch
French
German
Hebrew
Hindi
Italian
Japanese
Polish
Portuguese
Romanian
Spanish
Spanish (Puerto Rican)
Swedish
Taiwanese
Thai
Xhosa