



Ofsted Registered No: 133600  
Registered Charity No: 1087801

**GRIMSBURY FAMILY ASSOCIATION**  
**Exclusion Procedure for illness or Communicable Disease**

**All the following have been advised via the NHS Guidelines. GFA follows these guidelines on illness and Communicable disease where possible children will be allowed in Nursery.**

**Notifiable disease \***

<b>Disease/Illness</b>	<b>Notes of exclusion</b>
Temperature	If the child has a high or low temperature abnormal to their own body temperature, which will be advised via the parents/carer's, then they will be requested to go home and seek medical advice. The child must only return to the early years when they are well enough.
Diarrhoea and/or vomiting	48 hours from last episode of diarrhoea or vomiting.
Chickenpox	Until all vesicles have crusted over. Crusted and dried scabs indicate that a child can safely attend. <b>Notify pregnant employees-report exposure to midwife/GP at any stage of exposure. Blood tests may be arranged to check for immunity. Shingles should also be reported.</b>
Scarlet Fever *	Notify the early years immediately. Children should not attend until they have sought medical advice and if taking antibiotics may return after 24 hours. Antibiotic treatment is recommended for the affected child.
Mumps *	Should not attend the setting for a minimum of 5 days from the first sign of infection.
Impetigo	Should not attend the setting until all sores are crusted or healed or 48 hours after starting antibiotic treatment.
Hand, foot and Mouth Disease	No exclusion but should not attend the setting if the child is unwell. <b>Contact HPT if large number of children are affected.</b>
Measles *	Should not attend the setting for 4 days from onset of rash. <b>Notify pregnant employees</b>
Slapped cheek/fifth disease. Parvovirus B19	No exclusion <b>Notify pregnant employees-before 20 weeks inform GP/Midwife.</b>
Headlice	No exclusion. Treatment is recommended only in cases where live lice have been seen.
conjunctivitis	Seek medical advice from the Dr. follow procedures at their direction. No exclusion is required. <b>Contact PHE centre if outbreak/cluster occurs.</b>
E.Coli *	Seek medical advice and follow the procedures stated via the Dr. children should be excluded for 48 hours from the



	last episode of diarrhoea. Further exclusion may be required for some children until they are no longer excreting and evidence of microbiological clearance.
Typhoid *	See medical advice and follow the procedures directed via the Dr
Tuberculosis *	Seek medical advice from the Dr and follow procedures that they request.
Whooping cough	5 days commencing antibiotic treatment or 21 days from onset of illness if no antibiotic treatment.
Cold sores (herpes)	Seek medical advice from your Dr and follow procedures that they request. Avoid direct contact with others.
ringworm	Seek medical advice from Dr. follow procedures requested by them. No exclusion if being treated.
Threadworm	Seek medical advice and follow procedures set out via the Dr. treatment is recommended for the child and household contacts.
scabies	Seek medical advice from Dr. follow procedures requested by them. No exclusion if being treated. Household and close contacts require treatment.
shingles	Exclude only if rash is weeping and cannot be covered.
Warts and verrucae	Verrucae must remain covered but no exclusion for either.
Glandular fever	None
Hepatitis A, B and C *	Seek medical advice and follow procedures set out via the Dr. Hepatitis A recommends exclusion until 7 days after onset of jaundice. Hepatitis B and C are bloodborne virus that are not infectious through casual contact. <b>Contact PHE centre for hepatitis A</b>
HIV/AIDS *	Seek medical advice and follow procedures set out via the Dr. No exclusion
Meningococcal *Meningitis/septicaemia	Seek medical advice and follow procedures set out via the Dr. exclusion should be until fully recovered.
MRSA	None Good hygiene practices must be followed.
Tonsillitis	Seek medical advice and follow procedures set out via the Dr
Athlete's foot	No recommended exclusion.
German measles (rubella) *	Exclusion for 4 days from onset of rash. <b>Notify pregnant employees-if come into contact GP/Midwife should be informed immediately to ensure investigation.</b>
Roseola (infantum)	A mild infection that may cause a skin rash. No exclusion required.
Flu (influenza)	Recommended exclusion until child is fully recovered.
Diphtheria *	Exclusion is essential. <b>Contact local HPT centre.</b>



**Children's immunisation schedule:**

<b>Two month old</b>	Diphtheria, tetanus, pertussis, polio and Hib Pneumococcal Rotavirus
<b>Three month old</b>	Diphtheria, tetanus, pertussis, polio and Hib Meningitis C Rotavirus
<b>Four month old</b>	Diphtheria, tetanus, pertussis, polio and Hib  Pneumococcal
<b>Between 12-13 months old</b>	Hib/meningitis C Measles, mumps and rubella Pneumococcal
<b>Two, three and four years old</b>	Influenza
<b>Three years and four months old or soon after</b>	Diphtheria, tetanus, pertussis, polio Measles, mumps, rubella.

<b>Reviewed by the Grimsbury family association</b>	November 2018
<b>Review date</b>	November 2019