

## IP Power Stone® 4000

### Two Outlet Remote AC-Power Controller



*Reboot network equipment BEFORE it becomes a problem...*

### Benefits

- Saves money by eliminating costly remote site visits
- Reduces equipment downtime
- Improves productivity
- Minimizes power consumption and extends product life
- Pays for itself with just one saved truck roll

### Applications

Routers  
Switches  
Modems  
POS Systems  
Kiosks  
ATM's  
Digital Video Recorders  
Digital Signage

### Product Overview

**The IP4000 Auto-Booter can instantly reboot a router and a modem when a network connection is lost.**

You can't afford to wait until the next morning to discover a remote router has been down all night. Downtime is not an option. Truck-rolls are costly. Remote troubleshooting is time consuming. In most cases, a power reboot is all you need to get up and running again.

The IP4000 is an affordable and cost effective way to re-set lost network connections BEFORE it becomes a problem.

The primary feature of the IP4000 is continuous auto-fault detection. The automatic monitoring feature pings up to six IP addresses and when connectivity failure is detected, it will automatically reboot one or both power outlets, typically connected to routers or modems. The Sequential Power Reset feature activates equipment in the correct order for optimal and consistent results. All without "Help Desk" intervention or a service truck roll.

For a more "hands-on" technique, troubleshoot and monitor connected devices via your favorite web browser on your tablet, computer, or Smartphone. Check current power status, reboot, power up/down, program, and check event logs.

The IP4000 can also be programmed to power cycle equipment on a regular **daily or weekly schedule** to prevent untimely lock-ups at problem sites.

If equipment lock-ups are not a problem, the IP4000 can provide a benefit by allowing equipment to be powered up only when needed. Schedule up to 20 power function events assignable to either or both of the two outlets. Power consumption is thereby reduced, equipment life is extended, and exposure to malicious hacker threats is minimized.

The IP4000's small footprint is ideal for bundling in control cabinets or where rack mounting is unavailable or not feasible.

### Features

MULTIPLE CONTROL OPTIONS

Via Auto-Pinging LAN or WAN

Via Web Browser

Via Scheduling - up to 20 schedules

Via Google® Talk messaging


REMOTELY CONTROL 2 OUTLETS

SEQUENTIAL POWER RESET

EVENT LOGGING/NOTIFICATION

SMALL FOOTPRINT

MULTIPLE SUPPORTED PROTOCOLS



The IP Power Stone® 4000 has a broad auto-sensing voltage range from 120-250V @ 10 amps. This makes it easy to use on power mains anywhere in the world, providing compatibility with global networks for international support. Call us for power socket options.

### Ask our technicians

Our staff of qualified technicians is available to answer any questions you may have about programming or installation. We are available before and after the sale to ensure your satisfaction and optimal performance for your application.

**Toll Free: 800.535.4651**


**International: +1 859.885.6363**

[techsupport@multi-link.net](mailto:techsupport@multi-link.net)

[sales@multi-link.net](mailto:sales@multi-link.net)

### TECHNICAL SPECIFICATIONS

<b>Part #</b>	IP4000	<b>LED's</b>	(2)Power Status; (1) Ethernet Status
<b>Controlled Outlets</b>	2 x North American AC Sockets	<b>Fuse</b>	10A Thermal fuse
<b>Operating temperatures</b>	0° to 60° C @ 10-90% Humidity	<b>Cables</b>	(1) 6' CAT-5 Cable; (1) 3-prong power
<b>Network Protocols Supported</b>	HTTP, TCP/IP, UDP, SMTP, Dynamic DNS, DNS Client, SNTP, BOOTP, DHCP	<b>AC Power</b>	120~250VAC/50 or 60Hz, 10 Amps
<b>Physical</b>	5" W x 5" L x 1.5" H, 1.5 lb	<b>IP Address Admin</b>	DHCP or Static
<b>Connections</b>	(1) RJ-45 10/100 Mbps Ethernet (3) AC Receptacles (IN/OUT) (1) USB Port (5v/500mA Charger)	<b>Warranty</b>	1 year



Copyright © Multi-Link, Inc. 2014. IP Power Stone® is a registered trademark of Multi-Link, Inc.