



Fir
Wood Exterior
Doors

706-693-0060
HarrisDM.com





6801
6-8 8-0



6175
6-8 8-0



6801
2W1H



6801
3W1H



6801
3W2H



9541 Dentil
Shelve

FLAT PANEL
SQUARE
STICKING



7501
6-8 7-0 8-0



7801
6-8 8-0



7501
2W2H



7501
2W3H



7501
2W4H



7501
3W4H



7044
6-8 8-0



7702
6-8 8-0



7044
2W2H



7044
2W3H



7044
PRAIRIE



7130
6-8 8-0



7002
6-8 7-0 8-0



7701
6-8 8-0



7002
1W3H



7002
1W5H



7002
2W2H



7002
2W3H



7002
2W34H



7002
PRAIRIE 9LT



7002
PRAIRIE 10LT



7002
CRAFTSMAN 2LT



7002
CRAFTSMAN 3LT



7031
6-8



7031
2W2H



7031
PRAIRIE



7031
2W3H



7031
3W3H



HARRISDM.COM
706-693-0060

4-9/16 primed Lifetech jbs,
pvc bm, bronze sill, orb bb hinges

FACADE REPLACEMENT DOOR UNITS

Replaces 10" x 3-0 x 10" with 10" transom
or
12" x 3-0 x 12" with 12" transom
Unit Size 60 5/8" x 93 1/4"




WATERBARRIER® TECHNOLOGY

WaterBarrier® combines a medium density overlay (MDO) over the exterior surface of the door with water-resistant glazing beads and bars for an exterior that's not only resistant to moisture, but provides a beautiful surface for paint. And when combined with any wood species on the inside, you can match your interior woodwork and keep the warmth and natural beauty that wood provides.

PROVEN TRACK RECORD OF PERFORMANCE

- The overlay in WaterBarrier technology is commonly used for street signs and concrete forms
- Minimizes the possibility of stile-and-rail separation
- Excellent durability and resists moisture absorption
- 5-year warranty, no overhang required

WATERBARRIER® TECHNOLOGY



7501




37504




37506




37508




7621/7631



37604/37614



37626/37636



37628/37638