

Harmonic Balancer Torque Specs		
Dorman #	Applications	Torque Spec
594-001	1990-88 3.8L (231) Buick, Chevrolet, Oldsmobile, Pontiac	219 lbs
594-002	1996-69 5.7L (350) Chevrolet, GMC Truck	75 lbs
594-003	1990-88 3.8L (231) Buick, Chevrolet, Oldsmobile, Pontiac	219 lbs
594-004	2000-95 3.8L (231) Buick, Chevrolet, Oldsmobile, Pontiac	110 lbs
594-005	1992-91 3.8L (231) Buick, Chevrolet, Oldsmobile, Pontiac	110 lbs
594-006	1986-77 5.7L (350) And 5.0L (302) Chevrolet, GMC Truck	70 lbs
594-007	1994-92 2.3L (140) Ford Tempo, Mercury Topaz	100 lbs
594-008	1994-77 2.8L (173), 3.1L (189 & 191) Buick, Chevrolet, Oldsmobile, Pontiac	76 lbs
594-009	1993-77 5.0L (305), 5.7L (350) Buick, Chevrolet, Oldsmobile, Pontiac, GMC Truck	70 lbs
594-010	1990-70 7.4L (454) Chevrolet, GMC Truck	85 lbs
594-011	1997-82 5.8L (351) Ford, Mercury, Ford Truck	70-90 lbs
594-012	1992-70 5.0L (305), 5.7L (350) Chevrolet, GMC Truck, Pontiac	70 lbs
594-013	1987-82 2.8L (173) Chevrolet, Pontiac, GMC Truck	70 lbs
594-014	1974-68 4.1L (250) Buick, Chevrolet, Pontiac, GMC Truck	60 lbs
594-015	1984-77 4.1L (250) Chevrolet, GMC Truck	60 lbs
594-016	1980-70 6.6L (400) Chevrolet, GMC Truck	60 lbs
594-017	1997-93 4.3L (265), 5.7L (350) Buick, Chevrolet, Pontiac, Cadillac	70 lbs
594-018	2000-1987 4.0L (242) Jeep	80 lbs
594-019	1981 5.0 (302) Ford Truck Exc. Calif	70-90 lbs
594-020	1986-82 2.8L (173) Buick, Chevrolet, Pontiac, Oldsmobile Stamped 4874	70 lbs
594-021	1993-72 5.2L (318), 5.6L (340) Dodge, Plymouth, Chrysler, Dodge Truck	135 lbs
594-022	1986-75 3.8L (232), 4.2l (258) American Motors, Jeep	80 lbs
594-023	1980-70 5.0 (302) Ford, Lincoln, Mercury, Ford Truck	70-90 lbs
594-024	1995-84 5.0L (302) Ford, Lincoln, Mercury	70-90 lbs
594-026	1993-91 7.4l (454) Chevrolet, GMC Truck	85 lbs
594-027	1992-87 2.5L (151) Buick, Chevrolet, Oldsmobile, Pontiac	162 lbs
594-028	1990-77 4.3L, 5.0L, 5.7L, 6.6L Buick, Cadillac, Oldsmobile	250 lbs
594-029	1976-75 4.1L (250) Buick, Pontiac, Chevrolet, GMC Truck	60 lbs
594-030	1972-69 6.5L (396), 6.6L (400, 402), 7.0l (427) Chevrolet, GMC Truck	85 lbs
594-031	1990-75 4.8l (292) Chevrolet, GMC Truck 2 Groove Pulley	70 lbs
594-032	1996-84 2.3L Volvo 240, 242, 244, 245, 740, 745, 760, 780, 940	na
594-033	2001-91 1.9L (116) Ford Escort, Mercury Tracer	81-96 lbs
594-034	1994-93 3.8L (231) Buick, Chevrolet, Oldsmobile, Pontiac	40 lbs

Dorman #	Applications	Torque Spec
594-037	2000-94 6.5L (395) Diesel Chevrolet, GMC Truck	37 lbs
594-042	1993-86 4.1L (250), 4.5l (273), 4.9l (300) Cadillac	118 lbs
594-043	2000-88 2.3L (138), 2.4L (146) Buick, Chevrolet, Oldsmobile, Pontiac	129 lbs +90 dgrs
594-044	1990-89 3.3L (204) Buick Century, Somerset & Oldsmobile Ciera, Calais	219 lbs
594-047	1995-85 4.3L (262) Chevrolet, Oldsmobile, GMC Truck	70 lbs
594-050	1999-96 3.0L Ford Taurus, Sable (Dohc)	77 lbs
594-051	1997-94 3.8L (232) Ford Windstar, Thunderbird, Mustang, Mercury Cougar	104-132 lbs
594-052	1999-94 1.5l Hyundai Scoupe, Accent (Sohc)	45 lbs
594-053	1999-95 1.5l Hyundai Accent (Dohc)	45 lbs
594-054	1995-90 1.5l Hyundai Excel, Scoupe, Mitsubishi Precis	45 lbs
594-055	1995-92 1.6L (1595cc) Hyundai Elantra, 1998-95 2.0L (1997cc) Hyundai Sonata	25 lbs
594-056	1996-95 3.0L (2972cc) Mitsubishi Montero Sport, 2000-94 3.5L (3497cc) Montero Sport	120 lbs
594-057	1994-85 2.0L (1985cc) SAAB 900 W/Turbo	130 lbs
594-058	1984-79 2.0L (1985cc) SAAB 900	160 lbs
594-059	1994-85 2.0L (1985cc) SAAB 900 Wo/Turbo	130 lbs
594-060	1990-86 2.0L (1985cc) SAAB 9000 W/Turbo	140 lbs
594-067	1997-94 2.2L (2156cc) Honda Accord, Odyssey, Acura CL	180 lbs
594-068	1996-1990 2.2L (2156cc), 2.3L (2259cc) Honda Accord, Prelude	30 lbs
594-069	1993 1.5L Hyundai Excel, Scoupe W/Beta 1.5l Engine Vin # To 921115	15 lbs
594-070	1993 1.5L Hyundai Excel & Scoupe W/Beta Engine Vin # From 921116- 930701	15 lbs
594-071	1998-90 3.0L (2972cc) Hyundai Sonata	115 lbs
594-072	1984-78 2.2L, 2.4L Toyota Celica, Corona, Toyota Pickup Truck	116 lbs
594-073	1995-85 2.4L Toyota Celica, 4Runner, Truck 22re, 22rec, 22rtec	14 lbs
594-074	1993-89 2.3L (2316cc) VOLVO 740, 745, 940 B234F	60 lbs
594-077	1989-80 4.9L (300) Ford F-Series Pickup Truck, Bronco, Econoline Van	203 nm
594-078	1995-89 3.0L (2958cc,2959cc) Toyota Pickup, T100, 4Runner V6	181 lbs
594-080	1995-80 7.5L (460) Ford F-Series Pickup Truck, Econoline Van	105 lbs
594-081	2000-92 4.6L (281) Ford, Lincoln, Mercury, Ford Truck	66 lbs
594-082	1999-96 3.4l (207) Ford Taurus	78 lbs
594-083	1981-75 5.8L (351) Ford, Lincoln, Mercury, Ford Truck 351m Engine	70-90 lbs
594-084	1997-86 3.0L (182) Ford Aerostar	122 lbs
594-085	1994-88 7.3L (445) Dsl Ford F350-100 Trucks, 1994-75 Econoline Dsl Vans	90 lbs
594-086	1991-75 3.0L (182) Aerostar, Ranger Pickup, 1994-92 3.0L Taurus, Sable	40 lbs
594-087	1993 3.3l (204) Buick Century, Somerset & Oldsmobile Ciera, Calais	150 lbs + 76 dgrs
594-101	1999-95 2.0l (122) Dodge Neon, Plymouth Stratus	150 lbs

Dorman #	Applications	Torque Spec
594-102	1990-86 2.9L Ford Bronco	130 lbs
594-103	2000-90 3.3L Chrysler, Dodge, Plymouth	40 lbs
594-106	1999-94 2.0/2.4L Mitsubishi Eclipse, Galant	45 lbs
594-107	1996-92 V8-5.7L (350cid) Vin P Chevrolet Corvette	77 lbs
594-108	2003-96 V6-3.0L (182cid) Ford Taurus, Sable	18 lbs
594-109	2003-95 V6-2.5L (152cid), V6-3.0L (182cid), Ford Contour, Escape, Mercury Cougar, Mystique	86 lbs
594-110	2002-96 V6-4.6l (281cid) Ford Mustang	na
594-111	2003-90 V6-4.0L (245cid) Ford Truck Explorer, Ranger, Mercury Mountaineer	na
594-112	2000-97 V8-5.4L (330cid) Ford Truck E-Series, E Super Duty, F Series Pickup, Lincoln Navigator	66 lbs
594-113	1970-66 V8-6.5L (396cid), 7.0L (427l) Chevrolet Bel Air, Biscayne, Camaro, Caprice, Chevelle, Corvette, El Camino, Impala, Malibu	70 lbs
594-114	1996 V8-5.7L (350cid) Vin 5 Chevrolet Corvette	75 lbs
594-115	2003-01 V8-5.7L (350cid) Vin G & S Chevrolet Corvette	240 lbs
594-116	1995-90 V8-5.7L (350cid) Vin J Chevrolet Corvette	148 lbs
594-117	1990-68 V8-5.7l (350cid), 6.6L (403), 7.5L (455cid) GM Buick, Cadillac, Oldsmobile, Pontiac; 1990-87 V8-5.0L (307cid) Cadillac Fleetwood (Vin 9)	70 lbs
594-118	2003-02 L4-2.0L (122cid) Ford Escort, Focus Vin P	66lbs
594-119	2000 V10-6.8l (415cid) Ford Truck Series E & F Super Duty, Excursion	66 lbs
594-120	2002-95 V6-2.5L (2497cc) Mazda 626, Millenia	122 lbs
594-121	2002-96 V8-5.7L (350cid) GM Truck, Cadillac Escalade; 1997 V6-4.3L (262cid) Vin W GMC G25/2500 Van	43 lbs
594-122	2003-96 V6-3.8L (231cid) Buick Park Avenue, Regal, Riviera; Oldsmobile LSS; Pontiac Bonneville, Grand Prix	111 lbs
594-123	1995-93 V6-3.2L (195cid) Ford Taurus	113-126 ft lb
594-124	2003-95 V8-7.3l (445cid) Ford Truck E Super Duty/350; F Series 250, 350, 450; F59 Stripped	212 lbs
594-125	2003-95 V6-3.0L (182cid) Ford Taurus; Ford Truck Aerostar, Ranger, Windstar; Mercury Sable	35 lbs
594-127	2002-98 V8-5.7L (350cid) Chevrolet Camaro; Pontiac Firebird	240 lbs
594-128	1993-82 V8-6.2L (379cid); V8-6.5L (395cid) Chevrolet/GMC Truck Suburban, P Series, C,K,R,V Series; Blazer, Jimmy (Diesel)	200 lbs
594-129	2003-99 H4-2.0L (1994cc); H4-2.2L (2212cc) Subaru Impreza, Legacy Outback	177 nm

Dorman #	Applications	Torque Spec
594-130	2000-87 3.0L Chrysler Caravan, Acclaim, Daytona, Dynasty, LeBaron, New Yorker, Shadow, Spirit, Town & Country, Voyager	40 lbs
594-131	1993-79 V8-5.9l (360cid); Chrysler Truck Model B, D,Ramcharger,Trail Duster; Manual Transmission	100 lbs
594-132	1993-79 V8-5.9L (360cid) Chrysler Town & Country, Diplomat, Van, Truck; Automatic Transmission	100 lbs
594-133	2003-94 V8-5.9L (360cid) Chrysler Truck Dakota, Durango, Ram, Van	40 lbs
594-134	1995-93 L4-4.2L (1991cc) Mazda MX-6,626	95 lbs
594-135	1998-75 V8-5.9L (360 CID) AMC Matador, Jeep Cherokee, Grand Cherokee, Wagoneer, Grand Wagoneer, J10, J20	210 lbs
594-137	1990-83 4-150, 2.5L American Motors Eagle, Jeep CJ Series, Cherokee, Comanche, Wagoneer, Wrangler	100 lbs
594-138	1991-87 L4-2.0L Toyota Camry; L4-2.0L 1989-87 3 SFE Celica; 1993-90 5 SFE Celica	80 lbs
594-139	2000-92 L4-2.2L & 2.0 Cyl. Toyota Camry, Celica, Solara RAV4	110 lbs
594-140	2000-94 V6/3.0L Lexus ES3200,Toyota Avalon, Camry, Sienna, Solara; Lexus	160 lbs
594-141	2000-95 L4-2.7L, Toyota Truck, 4 Runner & Tacoma	260 nm
594-142	1979-78 200,3.3L; 1984-80 229,3.8L; 1990-85 262,4.3L GM Chevrolet, Pontiac, GMC	70 lbs
594-143	1999-95 L4, 1.6L, 1597 Nissan Sentra, 200SX	132 lbs
594-144	1992-1999 V6, 3.0L, 2972cc Mitsubishi Diamante, 3000GT	136 lbs
594-145	1976-1973 Ford Medium Truck , M450	na
594-146	1976-1973 .8, 5.9, 6.4L, 360/390 CID, Ford Truck F100, F150, F250	100 lbs
594-147	1993-82 V6, 2.8/3.1L 173/189 CID, GM Buick Century, Skylark, Chev Camaro, Celebrity,S10 Blazer, S10 Pickups, GMC S15Jimmy/Pickups/ Somona, Oldsmobile Cutlass Ciera, Omega, Pontiac 6000, Firebird, Phoenix	70 lbs
594-148	1993-2000 V6, 3.1/3.4L 189/207CID, GM Mid Sized Passenger Car	76 lbs
594-149	1995-1990 V6-3.8L Ford Taurus, Lincoln Continental, Mercury Sable	165 lbs
594-150	1986-1987 V6, 3.8L, 231 CID, GM Buick Electra, Riviera, Olds 88, 98, Pontiac Bonneville, Toronado	219 lbs
594-152	1987-1996 L6-4.9L, 300CID, Ford Bronco, E-150 , E-250, E-350, F-150, F250, F350	130-150 lbs
594-153	2000-97 V6-3.0L 181 CID, Cadillac Catera	15 lbs
594-154	1997-94 V6-2.5L, SAAB 900; 1998 V6-3.0L, SAAB 9-3	185 lbs
594-155	2000-96 V8-5.0L, 302CID, Ford Explorer; Mercury Mountaineer	110-130 lbs
594-156	1992-70 GM Truck, Chevrolet, GMC, Pontiac	70 lbs
594-158	1978-68 V8-5.7L/350 cid, 6.6L/400 cid,7.0L/428 cid, 7.5L/455 cid, GM Pontiac, Buick, Olds	70 lbs
594-159	2000-93 L5-2.3/2.4L, 231CID/243CID, Volvo 70 Series (C,S,V) & 850	133-180 lbs

Dorman #	Applications	Torque Spec
594-161	1993-95 6 cyl., 3.8L GM Full Size Passenger Car w/ Supercharge	110 lbs + 76 dgrs
594-162	1993-97 Honda Passport, Isuzu Rodeo	123 lbs
594-164	1989-94 V6-3.0L, 2972cc Mitsubishi Montero, Mighty Max	108-116 lbs
594-166	2002-98 H4-2.5L, Subaru, Forester, Impreza, Legacy	22 lbs
594-168	1994-90 L4-1.8L, Plymouth Laser, Mitsubishi Eclipse	105 lbs
594-169	1997-93 V6-3.3L, 201CID, Dodge Intrepid, Concord, Vision	40 lbs
594-170	2002-94 V8-6.5L, 395CID GM Truck- Diesel	200 lbs
594-174	1994-85 1.8L Subaru w/o Turbo Loyale & XT Coupe, All models, sedan & 4 cyl. W/ overhead cam	89-107 lbs
594-175	1999-95 2.5L, Subaru, Type 2	177 lbs+10 dgrs
594-176	2002-97 V6-3.5L 3497cc, Mitsubishi Diamante	93 lbs
594-177	1999-95 L4-2.0L, Mitsubishi Eclipse w/o Turbo	45 lbs
594-178	2000-96 V6-3.8L Ford Windstar	118 lbs
594-180	1992-91 3.0L Ford Probe	29-41 lbs
594-181	2003-96 V6-262; 4.3L Chevrolet Blazer, Bravada, 1500 PU, Chev./GMC Van, Envoy, S10,S15	43 lbs
594-182	1997-93 4AFE Toyota: Celica, Corolla	87 lbs
594-183	2001-93 6 Cyl-230; 3.2L/3.5L CHY:300M, Concord, Intrepid, LHS, New Yorker, Prowler, Vision	70 lbs
594-184	2003-95 1.8L/2.0L 4 CYL MAZDA: Mazda 626, Protégé	69-95 lbs
594-185	2002-00 L4-2.0L CHY/PLY: Neon, PT Cruiser	100 lbs
594-186	2000-95 6-153; 2.5L CHY/DODGE Cirrus, Sebring, Stratus	134 lbs
594-187	2002-98 4cyl, 2.3L Honda Accord, CL	22-58 lbs
594-188	2001-96 6cyl, 3.0L Nissan, Infiniti	36 lbs
594-189	2003-97 8cyl-280, 4.6L FORD Truck Expedition, F150-250, E150-250	89 lbs
594-190	2002-96 L4-116, 1.9L Saturn	159 lbs
594-191	2002-99 V8-287, 4.7L; Chrylser: Jeep, Dodge Truck	130 lbs
594-192	2003-01 1.7L HONDA SOHC,Civic, EL	14 lbs
594-193	1997-95 4 CYL MAZDA Mazda 626 (Manual Trans.)	na
594-195	1997-94 V8-281, 4.6L ; GM: Cadillac Concord, Develle; Oldsmobile Aurora	37 lbs