

# Magnesium Taurate 400

## DESCRIPTION

Magnesium Taurate 400 tablets, provided by Douglas Laboratories®, deliver 400 mg of elemental magnesium in their bioavailable taurate forms.

## FUNCTIONS

Magnesium is a mineral with a fundamentally important physiological function in the body. However, typical diets in the U.S. and other industrialized countries often provide less than adequate amounts of magnesium.

Supplementation with bioavailable taurate salts of this mineral can help bridge the gap between dietary intake and optimal requirement.

Magnesium plays an essential role in a wide range of fundamental cellular reactions. More than 300 enzymes require magnesium as a cofactor. Complexed with adenosine triphosphate (ATP), the main carrier of metabolic energy in the body, magnesium is essential for all biosynthetic processes: glycolysis, formation of cyclic adenosine monophosphate (cAMP), energy-dependent membrane transport, transmission of genetic code for protein synthesis, and muscle function. Magnesium is also involved in maintaining already normal heart function and blood pressure.

Two thirds of the body's magnesium content is located in the skeleton. Recent scientific studies show that magnesium supplementation of ovariectomized animals, a model for postmenopausal women, not only promotes bone formation while increasing its dynamic strength, but also prevents bone resorption.

## INDICATIONS

Magnesium Taurate may be a useful nutritional supplement for individuals who wish to increase their dietary intake of magnesium.

## FORMULA (#83071)

### 4 Tablets Contain:

Magnesium..... 400 mg  
(from magnesium taurate complex)

## SUGGESTED USE

Adults take 4 tablets daily or as directed by physician.

## SIDE EFFECTS

No adverse effects have been reported.

## STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

## REFERENCES

- Creedon A, Flynn A, Cashman K. The effect of moderately and severely restricted dietary magnesium intakes on bone composition and bone metabolism in the rat. *Br J Nutr* 1999;82:63-71.
- Gyamlani G, Parikh C, Kulkarni AG. Benefits of magnesium in acute myocardial infarction: timing is crucial. *Am Heart J* 2000;139:703.
- Kawano Y, Matsuoka H, Takishita S, et al. Effects of magnesium supplementation in hypertensive patients: assessment by office, home, and ambulatory blood pressures. *Hypertension* 1998;32:260-5.
- Mizushima S, Cappuccio FP, Nichols R, et al. Dietary magnesium intake and blood pressure: a qualitative overview of the observational studies. *J Hum Hypertens* 1998;12:447-53.
- Moorkens G, Manuel y Keenoy B, Vertommen J, et al. Magnesium deficit in a sample of the Belgian population presenting with chronic fatigue. *Magnes Res* 1997;10:329-37.
- Ng SY. Hair calcium and magnesium levels in patients with fibromyalgia: a case center study. *J Manipulative Physiol Ther* 1999;22:586-93.
- Rubenowitz E, Axelsson G, Rylander R. Magnesium and calcium in drinking water and death from acute myocardial infarction in women. *Epidemiology* 1999;10:31-6.
- Toba Y, Kajita Y, Masuyama R, et al. Dietary magnesium supplementation affects bone metabolism and dynamic strength of bone in ovariectomized rats. *J Nutr* 2000;130:216-20.

Werbach MR. Nutritional strategies for treating chronic fatigue syndrome. Altern Med Rev 2000;5:93-108.  
Yang CY, Chiu HF, Tsai SS, et al. Calcium and magnesium

in drinking water and risk of death from prostate cancer. J Toxicol Environ Health 2000;60:17-26.

†These statements have not been evaluated by the Food and Drug Administration.  
This product is not intended to diagnose, treat, cure, or prevent any disease.

**Manufactured by  
Douglas Laboratories  
600 Boyce Road  
Pittsburgh, PA 15205  
800-245-4440**

**You trust Douglas Laboratories.  
Your patients trust you.**



© 2010 Douglas Laboratories. All Rights Reserved