

POOL FENCING PANELS & GATES

Blitz Glass offers a large range of clear toughened glass pool panels allows you to select an installation configuration to cover nearly all your glass fencing requirements.


Panels are produced under strict quality conformance requirements to ensure that the toughened glass complies to AS/NZS 2208 : 1996 Safety Glazing Materials in Buildings as determined by AS1288 : 2006, AS 1926.1 2007.

Glass panels are available for fully frameless pool fencing, semi frameless pool fencing, hinge panels, glass gates and a range of speciality panels for specific installation requirements.

FULLY FRAMELESS GLASS POOL PANELS

 <p>12 mm thick clear toughened 2 mm radius corners Suits friction spigots No hole toughened glass Superior edge finishing Grade "A" toughened glass Australian Standards Compliant AS/NSS2208 Corner protectors in packing</p>	Glass Panel Sizes (All Panels @ 1200mm High)			
	100mm	700mm	1150mm	1600mm
	200mm	750mm	1200mm	1650mm
	300mm	800mm	1250mm	1700mm
	400mm	850mm	1300mm	1750mm
	450mm	900mm	1350mm	1800mm
	500mm	950mm	1400mm	1850mm
	550mm	1000mm	1450mm	1900mm
	600mm	1050mm	1500mm	1950mm
	650mm	1100mm	1550mm	2000mm

SEMI FRAMELESS GLASS POOL PANELS

 <p>10 mm thick clear toughened 2 mm radius corners Suits Australis Range of Posts No hole toughened glass Superior edge finishing Grade "A" toughened glass Australian Standards Compliant AS/NSS2208 Corner protectors in packing</p>	Glass Panel Sizes (All Panels @ 1200mm High)			
	384mm	1034mm	1384mm	1734mm
	484mm	1084mm	1434mm	1784mm
	584mm	1134mm	1484mm	1834mm
	684mm	1184mm	1534mm	1884mm
	784mm	1234mm	1584mm	1934mm
	884mm	1284mm	1634mm	1984mm
	984mm	1334mm	1684mm	

Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

GLASS HINGE PANELS & GATES

Master Gate Range		Polaris Soft Close Gate Range	
Master Hinge Panels	Master Range Gates	Polaris Hinge Panels	Polaris Range Gates
500mm Hinge Panel	750mm Gate	1000mm Hinge Panel	800mm Wide Gate **
1000mm Hinge Panel	800mm Gate	1100mm Hinge Panel	900mm Wide Gate **
1100mm Hinge Panel	834mm Gate	1200mm Hinge Panel	
1200mm Hinge Panel	850mm Gate	1300mm Hinge Panel	**Glass or Wall option
1300mm Hinge Panel	890mm Gate	1400mm Hinge Panel	
1400mm Hinge Panel	900mm Gate	1500mm Hinge Panel	
1500mm Hinge Panel	950mm Gate	1600mm Hinge Panel	
1600mm Hinge Panel	1000mm Gate	1800mm Hinge Panel	
1800mm Hinge Panel			

SPECIALITY PANELS

Stand Off Panels	Retaining Wall Panels	Channel Glass
Used as a denial panel matching to the pool fence.	Used to cater for stepping points to meet compliance.	At 1350mm high it can be installed into the ground.
900 * 1450mm Stand Off	1400mm > 1200mm	800 * 1350mm
1000 * 1450mm Stand Off	1600mm > 1200mm	1000 * 1350mm
1100 * 1450mm Stand Off	1800mm > 1200mm	1200 * 1350mm
1200 * 1450mm Stand Off		1300 * 1350mm
		1400 * 1350mm
		1500 * 1350mm
		1600 * 1350mm
		1000 (Standard Gate)
		1000 (Polaris Gate)

Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

Fully Frameless Glass Panel Details

Order Code	Width	Height	SQM	Weight	Suggested Spigot Placement		
					Left Side	Middle	Right
FF0100	0100	1200	1.2	3.6kg			
FF0200	0200	1200	2.4	7.2kg	50	100	50
FF0300	0300	1200	3.6	10.8kg	100	100	100
FF0400	0400	1200	6.6	19.8kg	100	200	100
FF0450	0450	1200	7.2	21.6kg	100	250	100
FF0500	0500	1200	7.8	23.4kg	100	300	100
FF0550	0550	1200	8.4	25.2kg	100	350	100
FF0600	0600	1200	9.0	27.0kg	100	400	100
FF0650	0650	1200	10.8	32.4kg	100	450	100
FF0700	0700	1200	11.4	34.2kg	100	500	100
FF0750	0750	1200	12.0	36.0kg	150	450	150
FF0800	0800	1200	12.6	37.8kg	150	500	150
FF0850	0850	1200	13.2	39.6kg	150	550	150
FF0900	0900	1200	13.8	41.4kg	150	600	150
FF0950	0950	1200	14.4	43.2kg	150	650	150
FF1000	1000	1200	15.6	46.8kg	150	700	150
FF1050	1050	1200	16.2	48.6kg	150	750	150
FF1100	1100	1200	18.0	54.0kg	200	800	200
FF1150	1150	1200	18.6	55.8kg	200	750	200
FF1200	1200	1200	19.2	57.6kg	200	800	200
FF1250	1250	1200	19.8	59.4kg	200	850	200
FF1300	1300	1200	21.0	63.0kg	200	900	200
FF1350	1350	1200	22.2	66.6kg	200	950	200
FF1400	1400	1200	22.8	68.4kg	250	900	250
FF1450	1450	1200	23.4	70.2kg	250	950	250
FF1500	1500	1200	24.0	72.0kg	250	1000	250
FF1550	1550	1200	1.2	3.6kg	250	1050	250
FF1600	1600	1200	2.4	7.2kg	250	1100	250
FF1650	1650	1200	3.6	10.8kg	250	1150	250
FF1700	1700	1200	6.6	19.8kg	250	1200	250
FF1750	1750	1200	7.2	21.6kg	250	1250	250
FF1800	1800	1200	7.8	23.4kg	300	1200	300
FF1850	1850	1200	8.4	25.2kg	300	1250	300
FF1900	1900	1200	9.0	27.0kg	300	1300	300
FF1950	1950	1200	10.8	32.4kg	300	1350	300
FF2000	2000	1200	11.4	34.2kg	300	1400	300

Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

Semi Frameless Glass Panel Details

Order Code	Width	Height	SQM	Weight
SF0384	0384	1200	4.61	11.52kg
SF0484	0484	1200	5.81	14.52kg
SF0584	0584	1200	7.01	17.52kg
SF0684	0684	1200	8.21	20.52kg
SF0784	0784	1200	9.41	23.52kg
SF0884	0884	1200	10.61	26.52kg
SF0984	0984	1200	11.81	29.52kg
SF1034	1034	1200	12.41	31.02kg
SF1084	1084	1200	13.01	32.52kg
SF1134	1134	1200	13.61	34.02kg
SF1184	1184	1200	14.21	35.52kg
SF1234	1234	1200	14.81	37.02kg
SF1284	1284	1200	15.41	38.52kg
SF1334	1334	1200	16.01	40.02kg
SF1384	1384	1200	16.61	41.52kg
SF1434	1434	1200	17.21	43.02kg
SF1484	1484	1200	17.81	44.52kg
SF1534	1534	1200	18.41	46.02kg
SF1584	1584	1200	19.01	47.52kg
SF1634	1634	1200	19.61	49.02kg
SF1684	1684	1200	20.21	50.52kg
SF1734	1734	1200	20.81	52.02kg
SF1784	1784	1200	21.41	53.52kg
SF1834	1834	1200	22.01	55.02kg
SF1884	1884	1200	22.61	56.52kg
SF1934	1934	1200	23.21	58.02kg
SF1984	1984	1200	23.81	59.52kg


Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

Frameless Hinge Panels



12 mm thick clear toughened
2 mm radius corners
Suits master range hardware
4xØ14mm holes.


Order code	Width	Height	Sqm	Weight
FHP-0500	500mm	1200mm	0.60	18kg
FHP-1000	1000mm	1200mm	1.20	36kg
FHP-1100	1100mm	1200mm	1.32	40kg
FHP-1200	1200mm	1200mm	1.44	43kg
FHP-1300	1300mm	1200mm	1.56	47kg
FHP-1400	1400mm	1200mm	1.68	50kg
FHP-1500	1500mm	1200mm	1.80	54kg
FHP-1600	1600mm	1200mm	1.92	58kg
FHP-1800	1800mm	1200mm	2.16	65kg

With 8 Hinge Panel options to suit Master Range hinge hardware and an extensive range of gate panels your glass gate installation configurations should be satisfied.



The master Range Hinge Panels to be used with the standard Master Range Glass to Glass Hinge. (GHG2G)

Polaris Hinge Panels (12mm)



With 8 Hinge Panel options to suit Master Range Hinge hardware and an extensive range of gate panels your glass installation configurations should be satisfied,

12mm thick clear toughened
5mm radius corners
Suits Polaris 110 series
and 120 series hinges
2x hinge cut outs

Use with glass to
glass Polaris Soft
Close hinges



Suggested Spigot Replacement

Refer to Recommended Spigot Placement based on the width of the panel as outlined on page 16.

Order Code	Width	Height	Sqm	Weight
12NPH-1000	1000mm	1200mm	1.20	36kg
12NPH-1100	1100mm	1200mm	1.32	40kg
12NPH-1200	1200mm	1200mm	1.44	43kg
12NPH-1300	1300mm	1200mm	1.56	47kg
12NPH-1400	1400mm	1200mm	1.68	50kg
12NPH-1500	1500mm	1200mm	1.80	54kg
12NPH-1600	1600mm	1200mm	1.92	58kg
12NPH-1800	1800mm	1200mm	2.16	65kg


Phone: (07) 5493 9779

Fax: (07) 3319 7373


Email: admin@blitzglass.com.au

www.blitzglass.com.au


Retaining wall panels (12mm)



ORDER CODE 12NRP-1400HT



ORDER CODE 12NRP-1600HT



ORDER CODE 12NRP-1800HT


To be compliant to pool fencing requirements, raked panels may be needed.

Our raked panels are higher at one side of the glass which enables step points or changes in height to be overcome. Blitz Glass has 1200mm wide panels with 3 heights available. The modular raked panels are at a large cost saving to custom made raked glass and also enable jobs to be completed immediately.


Please take care to refer to relevant Standards to ensure our raked panels are suitable for your needs as each installation situation/compliance requirement is unique.

Order code	Width	Height	Sqm	Weight
12NRP-1400HT	1200mm	1400mm	1.60	48kg
12NRP-1600HT	1200mm	1600mm	1.76	53kg
12NRP-1800HT	1200mm	1800mm	1.92	58kg


Overcome different levels along fence line



Overcome landscaping as a toe hold along fence line



Overcome stepping point issues around fence line



Consider using RIGI clamps to provide extra rigidity for bracing to adjacent panels



12 mm thick clear toughened

5 mm radius corners

Suits friction spigots

No hole toughened glass

Superior edge finishing

Grade "A" toughened glass

Australian Standards
copliant AS/NSS2208

Corner protectors in packing


Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

Stand off / Denial Panels



Stand off or Denial Panels can be side fixed to provide a compliance solution.

At 1450mm high they are designed to sidefix in an allow the height to match the 1200mm high panels as part of the standard pool fence.

Order code	Width	Height	Sqm	Weight	Centre
SOP-0900	900mm	1450mm	1.30	39kg	600
SOP-1000	1000mm	1450mm	1.45	43.5kg	700
SOP-1100	1100mm	1450mm	1.60	48kg	800
SOP-1200	1200mm	1450mm	1.75	52.1	900

Phone: (07) 5493 9779


Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au

Cleargaze Channels Glass Panels

For the minimalist look, Cleargaze channel glass is an ideal solution. Glass is grouted directly into the ground which removes the need for spigots. When preparing for new concrete pours, a slot can be left into which glass panels are inserted and then grouted in. For existing concrete areas, suitable concrete cutting can provide the required slot. Glass is 1350mm high to ensure the top of glass remains at 1200mm or more above finished floor level.




Order code	Width	Height	Sqm	Weight
12CG-0800	800mm	1350mm	1.08	32kg
12CG-1000	1000mm	1350mm	1.35	41kg
12CG-1100	1100mm	1350mm	1.49	45kg
12CG-1200	1200mm	1350mm	1.62	49kg
12CG-1300	1300mm	1350mm	1.76	53kg
12CG-1400	1400mm	1350mm	1.89	57kg
12CG-1500	1500mm	1350mm	2.03	61kg
12CG-1600	1600mm	1350mm	2.16	65kg

12 mm thick clear toughened
5 mm radius corners

Cleargaze Channels Glass Hinge Panels

To compliment the Cleargaze panel range, a 1000mm wide hinge panel is available to suit the Master Range and Polaris hinges. The hinge panel may be used in conjunction with multiple gate sizes to achieve your desired configuration.

Hinge panel to suits Master Range Gate




12mm thick clear toughened
5mm radius corners
Suits master range hardware
4x Ø14mm holes

* Refer to page 63 for installation details

Order Code	Sqm	Weight
12CGH-1000	1.35	41kg

Hinge panel to suits Polaris Gate



12mm thick clear toughened
5mm radius corners
Suits Polaris hardware
2x hinge cut outs

Order Code	Sqm	Weight
12CGPH-1000	1.35	41kg

Phone: (07) 5493 9779

Fax: (07) 3319 7373

Email: admin@blitzglass.com.au

www.blitzglass.com.au