

HUBS & DRUMS QUICK GUIDE



Wheelco

*Customer Driven
Since 1961*

GENUINE PRESET HUB ASSEMBLIES

Steer, Drive & Trailer Hub Assemblies

Extended-life wheel seal protects internal components

Our hubs include extended-life wheel seals. They control depth, provide maximum sealing efficiency, and protect internal components against leaks and contamination.

Precision-stamped tone ring (optional)

As an integral component for ABS equipped vehicles, we install precision stamped tone rings to our PreSet hub assemblies.

PreSet Spacer provides a fixed, dimensional bearing adjustment


Our precision-ground spacers provide fixed, dimensional bearing adjustments, which are more precise than conventional hubs.

Fill hole simplifies installation of lubricants

PreSet hub assemblies come standard with fill holes, so lubricants of all types can be installed easily and efficiently.

Tapered roller bearings deliver exceptional life

PreSet hub assemblies incorporate inner and outer tapered roller bearings, which are designed with very special tolerances selected to extend the life of the bearings inside.



POPULAR HUBS, ASSEMBLIES & KITS

PART NUMBER	DESCRIPTION	APPLICATION	FEATURES
10082207	ConMet PreSet® Hub Assembly	Steer	Features & Benefits <ul style="list-style-type: none"> • Available in Aluminum and Ductile Iron • Pre-Adjusted Bearings • Reduce Downtime and Installation Costs • 3 Year /350,000 Mile Limited Warranty*
10082217	ConMet PreSet® Hub Assembly	Drive	
10082225	ConMet PreSet® Hub Assembly	TN Trailer	
10082227	ConMet PreSet® Hub Assembly	TN Trailer	
10082229	ConMet PreSet® Hub Assembly	TP Trailer	
10082231	ConMet PreSet® Hub Assembly	TP Trailer	Features & Benefits <ul style="list-style-type: none"> • Precision-machined Castings • Manual Bearings • Bearing cups installed
10082251	ConMet Standard Hub	TN Trailer	
10082252	ConMet Standard Hub	TN Trailer	
10082256	ConMet Standard Hub	TN Trailer	Included In Service Kit <ul style="list-style-type: none"> • ConMet Premium Wheel Seal • ConMet Premium Bearings (Inner & Outer) • ConMet Premium Bearing Spacer • 3 Year Warranty*
10081727	ConMet PreSet® Hub Service Kit	FF Front	
10081728	ConMet PreSet® Hub Service Kit	FL Front	
10081729	ConMet PreSet® Hub Service Kit	R Drive	
10081731	ConMet PreSet® Hub Service Kit	TP Trailer	
10081518	ConMet PreSet® Hub Seal & Spacer Kit	FF PreSet	Included In Seal & Spacer Kit <ul style="list-style-type: none"> • ConMet Premium Wheel Seal • ConMet Premium Bearing Spacer
10081519	ConMet PreSet® Hub Seal & Spacer Kit	FL PreSet	
10081520	ConMet PreSet® Hub Seal & Spacer Kit	R Drive PreSet	
10081521	ConMet PreSet® Hub Seal & Spacer Kit	TN PreSet	
10081522	ConMet PreSet® Hub Seal & Spacer Kit	TP PreSet	

Sioux Falls, SD
800.952.3674

Mitchell, SD
888.996.8415

Watertown, SD
888.590.7080

St. Cloud, MN
888.704.4242

St. Paul, MN
651.459.1487

Savage, MN
952.373.8130

HEAVY DUTY DRUMS

POPULAR BALANCED DRUMS

PART NUMBER	DESCRIPTION	APPLICATION	PRODUCT INFO & SPECS (LBS & IN)		
53123512002	Meritor STEELITE X30™ Steel Disc Drum	Steer	Mounting: Outboard Weight: 63.99lbs Brake Shoe Size: 15 x 4	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1.28	
89996B	Motor Wheel Stemco Steel Disc Drum	Drive & Trailer	Mounting: Outboard Weight: 89lbs Brake Shoe Size: 16.5 x 7	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 0.96	
54244-018	KIC Cast Disc Drum	TN Trailer	Mounting: Outboard Weight: 89lbs Brake Shoe Size: 12 x 8	Bolt Cir Dia: 10.83 No of Bolt Holes: 8 Bolt Hole Dia: 1	
54293-018	KIC Cast Disc Drum	TP Trailer	Mounting: Outboard Weight: 79lbs Brake Shoe Size: 15 x 4	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1.28	
56864B	Webb Cast Disc Drum	TN Trailer	Mounting: Outboard Weight: 104.42lbs Brake Shoe Size: 16.5 x 7	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1.08	
51528B	Webb Advantage Cast Disc Drum	TN Trailer	Mounting: Outboard Weight: 69lbs Brake Shoe Size: 15 x 4	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1.31	
52200F	Webb Advantage Cast Disc Drum	TN Trailer	Mounting: Inboard Weight: 109lbs Brake Shoe Size: 16.5 x 7	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 0.81	
55152B	Webb Advantage Cast Disc Drum	FF Front	Mounting: Outboard Weight: 120lbs Brake Shoe Size: 16.5 x 6	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1.31	
55710B	Webb Advantage Cast Disc Drum	FL Front	Mounting: Outboard Weight: 97lbs Brake Shoe Size: 16.5 x 5	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1.31	
56855B	Webb Advantage Cast Disc Drum	R Drive	Mounting: Outboard Weight: 120lbs Brake Shoe Size: 16.5 x 8.62	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1	
56893F	Webb Advantage Cast Disc Drum	TP Trailer	Mounting: Outboard Weight: 112lbs Brake Shoe Size: 16.5 x 7	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 0.81	
56895B	Webb Advantage Cast Disc Drum	FF PreSet	Mounting: Outboard Weight: 108.39lbs Brake Shoe Size: 16.5 x 7	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 0.81	
57518F	Webb Advantage Cast Spoke Drum	FL PreSet	Mounting: Inboard Weight: 101lbs Brake Shoe Size: 15 x 4	Bolt Cir Dia: 11 No of Bolt Holes: 5/6 Bolt Hole Dia: .78/.66	
3922X	Gunite Cast Disc Drum	TN Trailer	Mounting: Outboard Weight: 105lbs Brake Shoe Size: 16.5 x 7	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1	
66864B	Webb Cast Disc Drum	TP Trailer	Mounting: Outboard Weight: 109.625lbs Brake Shoe Size: 16.5 x 7	Bolt Cir Dia: 11.25 No of Bolt Holes: 10 Bolt Hole Dia: 1	



SHOP OUR NEW AND INNOVATIVE PRODUCTS.

WHEELCO.COM