

PROPOSAL
HENRY COUNTY
DEPARTMENT OF HIGHWAYS
2018 RESURFACING PROGRAM

Timothy J. Schumm, PE, PS, County Engineer
Robert E. Hastedt, County Commissioners
Glenn A. Miller, County Commissioner
Thomas H. VonDeylen, County Commissioner

LETTING – July 3, 2018 at 10:00 A.M.

DO NOT SUBMIT MORE THAN ONE PROPOSAL FOR EACH BID

Submitted By: _____

Street: _____

Post Office: _____

State: _____ Zip Code: _____

Telephone Number: _____ Fax Number: _____

E-Mail Address: _____

2018 Resurfacing Program

INDEX

NOTICE TO CONTRACTORS (LEGAL NOTICE)	1
NOTICE TO BIDDERS (INSURANCE)	2
INDEMNIFICATION/HOLD HARMLESS	3
TESTING/QUALITY CONTROL	3
MAINTAINING TRAFFIC	4
UTILITIES	4
CONTROL POINTS	4
GENERAL NOTES	4
SPECIFICATIONS	5
SPECIFIC PROJECT NOTES	5
AWARD OF PROJECT	6
PROJECT COMPLETION DATE	7
GUARANTEE	7
PREPARATION OF PROPOSAL	7
BID PROPER	7
BID GUARANTEE	8
ADDRESS	8
TIME	8
PLACE	8
OHIO PRODUCTS	9
COMPLIANCE NOTES	9
PROJECT PROPOSAL	10 – 16
WRITTEN CONTRACT	17
BID GUARANTY AND CONTRACT BOND FORMS	18 - 19
NON-COLLUSION AFFIDAVIT	20
VERIFICATION OF “NO FINDING FOR RECOVERY”	21
AFFIDAVIT IN COMPLIANCE WITH SECTION 3517.17 OF O.R.C.	APPENDIX A
EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS	APPENDIX B

2018 Resurfacing Program

LEGAL NOTICE NOTICE TO CONTRACTORS

Notice is hereby given that sealed proposals will be received at the Office of the Board of County Commissioners, Henry County, Ohio until Tuesday, July 3, 2018 at 10:00 A.M. for furnishing all services, labor, materials and equipment necessary for the improvement of the following described roads:

SECTION

(Henry County) County Road L From State Route 109 to County Road 6
(Richfield Township) Township Road 3 From State Route 281 to Township Road J
(Flatrock Township) Township Road 19 From State Route 281 to Township Road J
(Washington Township) Township Road 2 From Township Road T3 to County Road S3
(Washington Township) Township Road U From Township Road 5B to Township Road 6
(Village of Liberty Center) East Young Street From State Route 109 to End
(Village of Liberty Center) Edison Lane From Maple Street to Wabash Street
(Village of Holgate) Kaufman Street From Elm Street to State Route 18

PROJECT LENGTH: 6.84 Miles

PROJECT TYPE: Asphalt Concrete Leveling, Resurfacing and Related Roadway Improvements

Bidding documents and specifications will be issued at the Office of the County Engineer. One display set will be available for inspection at the Office of the County Engineer. The bidding documents are also available at the Henry County Engineer's website, www.henrycountyengineer.com under the link "Bid Request Listing".

A portion of the project will be funded by the State Capital Improvements Program as administered by the Ohio Public Works Commission.

All Contractors and Subcontractors involved with the project will, to the extent practicable use Ohio products, materials, services and labor in the implementation of their project. Additionally, Contractor compliance with the equal employment opportunity requirements of the Ohio Administrative Code Chapter 123, the Governor's Executive Order of 1972 and the Governor's Executive Order 84-9 shall be required.

Domestic steel use requirements as specified in Section 153.011 of the Revised Code apply to this project. Copies of Section 153.011 of the Revised Code can be obtained from any of the offices of the Department of Administrative Services.

Each bidder is required to file with his bid a bid guaranty in the form of either:

- 1) A bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid.

Bid guaranty must be provided as guarantee that if the contract be awarded on such bid, the bidder will enter into a contract and the performance of it will be properly secured. The successful bidder, if using a 10% bid guaranty, shall be required to provide a contract performance and payment bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid.

Estimated total cost of the improvements is \$668,600.00

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on said project.

The contract will be awarded to the lowest and best bidder.

The said Board reserves the right to reject any or all bids.

BY ORDER OF
THE BOARD OF COUNTY COMMISSIONERS
HENRY COUNTY, OHIO
By: Kristi Schultheis, Clerk

INSURANCE

Bidders that are pre-qualified with the Ohio Department of Transportation as per Item 102.01 of ODOT's "Construction and Materials Specifications" at least ten (10) days before the date of the bid opening have demonstrated that they maintain proper insurance coverage and may waive the insurance requirement of these specifications.

Those bidders that are not pre-qualified with the Ohio Department of Transportation must show proof, with Certificate of Insurance, the following insurance requirements.

The CONTRACTOR shall purchase and maintain such insurance as will protect him from claims set forth below which may arise out of result from the CONTRACTOR'S execution of the WORK, whether such execution be by himself or by any SUBCONTRACTOR or by anyone directly or indirectly employed by any of them, or by anyone for whose acts any or them may be liable:

Claims under Worker's Compensation, disability benefit and other similar employee benefit acts;

Claims under damage because of bodily injury, occupational sickness or disease, or death of his employees;

Claims for damages insured by usual personal injury liability coverage which are sustained (1) by any person as a result of an offense directly or indirectly related to the employment of such person by the CONTRACTOR, or, (2) by any other person; and

Claims for damages because of injury to or destruction of tangible property, including loss of use resulting therefrom.

Certificates of insurance acceptable to the OWNER shall be filed with the OWNER prior to the commence of the WORK. The County, its elected officials and employees shall be named as additional insureds with respect to all activities under any contract resulting from this bidding. These certificates shall contain a provision that coverage afforded under policies will not be canceled unless at least thirty (30) days prior WRITTEN NOTICE has been given to the OWNER. The CONTRACTOR must replace certificates for any insurance expiring prior to the effective end date under any contract resulting from this bidding.

The CONTRACTOR shall procure and maintain, at his own expense, during the CONTRACT TIME, liability insurance as hereinafter specified.

CONTRACTOR'S General Public Liability and Property Damage Insurance including vehicle coverage issued to the CONTRACTOR and protecting him from all claims from personal injury, including death, and all claims for destruction of or damage to property, arising out of or in connection with any operations under the CONTRACT DOCUMENTS, whether such operations be by himself or by any SUBCONTRACTOR under him, or anyone directly or indirectly employed by the CONTRACTOR **OR** BY A SUBCONTRACTOR under him. Insurance shall be written with a limit of liability of not less than \$1,000,000 for all damages arising out of bodily injury, including death, at any time resulting therefrom, sustained by any one person in any one accident; and a limit of liability of not less than \$1,000,000 aggregate for any damages

2018 Resurfacing Program

sustained by two or more persons in any one accident. Insurance shall be written with a limit of liability of not less than \$1,000,000.00 for all property damage sustained by any one person in any one accident; and a limit of liability of not less than \$1,000,000.00 aggregate for any such damage sustained by two or more persons in any one accident.

The CONTRACTOR shall procure and maintain, at his own expense, during the CONTRACT TIME, in accordance with the provisions of the laws of the state in which the work is performed. Worker's Compensation insurance, including occupational disease provisions, for all of his employees at the site of the PROJECT and in case any work is sublet, the CONTRACTOR shall require such SUBCONTRACTOR similarly to provide Worker's Compensation Insurance, including occupational disease provisions for all the latter's employees unless such employees are covered by the protection afforded by the CONTRACTOR. In case any class of employees engaged in hazardous work under this contract at the site of the PROJECT are not protected under Worker's Compensation statute, the CONTRACTOR shall provide, and shall cause each SUBCONTRACTOR to provide, adequate and suitable insurance for the protection of his employees not otherwise protected. A copy of the CONTRACTOR'S valid Worker's Compensation certificate shall be submitted with this bid.

INDEMNIFICATION/HOLD HARMLESS

The CONTRACTOR shall indemnify and hold harmless the County, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the CONTRACTOR, any SUBCONTRACTOR, any person directly or indirectly employed by any of them or any person for whose acts any of them may be liable.

TESTING/QUALITY CONTROL

The Henry County Engineer reserves the right to engage an independent testing laboratory to obtain product and material samples, verify compaction of backfill, etc., to determine conformance with specifications of all materials used at the project site. Materials deemed unacceptable shall be dealt with in accordance to ODOT Spec. 106.07 and related specifications sections.

"Unless otherwise designated, tests required on materials and products in accordance with AASHTO, ASTM or methods on file in the office of the Director will be made by and at the expense of the CONTRACTOR."

All aggregate used in conjunction with this project must be from an ODOT prequalified source.

Asphalt concrete mixtures specified shall be composed of aggregate, asphalt binder and modifiers (where specified) meeting the Ohio Department of Transportation requirements.

The CONTRACTOR, prior to producing asphalt for this contract, shall submit a job mix formula that meets contract requirements and has previously been approved for use on ODOT work.

Acceptance of the mix will be based on the owner representative's observation that production and quality control operations are resulting in an acceptable product.

2018 Resurfacing Program

Should any retesting be required to settle a dispute, such testing will be at the CONTRACTOR'S expense.

MAINTAINING TRAFFIC

Local traffic only shall be maintained for access to and from homesites and businesses. Lights, signs and barricades shall be provided by the CONTRACTOR and placed in accordance with the Ohio Manual of Uniform Traffic Control Devices. Maintaining traffic in accordance with the above provisions shall be included for payment in the lump sum Item 614, Maintaining Traffic.

Temporary pavement marking shall be placed upon the centerline of the surface course at approximately 50 foot intervals on all roadways 16' and greater in width unless otherwise stated. The temporary marking shall be paid for under Item 823, Asphalt Concrete Surface Course.

UTILITIES

Prior to any construction requiring excavation activity, the CONTRACTOR shall contact the Ohio Utility Protection Service (OUPS) at 1-800-362-2764 for location of any underground utilities at least two (2) working days prior to any activity. Non-OUPS members must be called directly.

CONTROL POINTS

Before actual construction operations begin, the Engineer will reference all existing monuments, railroad spikes, iron bolts, etc. in the survey line. Upon completion of the pavement surfacing, the Engineer will re-establish all control points in the new pavement.

GENERAL NOTES

Unless otherwise noted one (1") inch deep "formed" construction joints as directed by the Engineer shall be constructed at all pavement termini locations and at all interruptions to the continuous placement of 823 material (weather, end of day, etc.) A separate bid item has been included for "formed construction joints" at the pavement termini locations on all projects. All construction joint locations will be field painted prior to bidding.

All projects shall include radius, intersection, drive approach and mailbox approach pavement as shown on the plans or as directed by the Engineer. Unless otherwise directed, the CONTRACTOR shall construct an apron one (1') foot wide at unpaved driveways and mailbox approaches. Apron length at driveways shall equal driveway width plus ten (10') feet. Apron length at mailbox approaches shall be seventy-five (75') feet centered on the mailbox. All quantities for approach work are included in the listed project bid items.

The CONTRACTOR shall provide the Engineer a minimum of 48 hours advance notice prior to the commencement of any work.

Tonnage lath shall be provided by the Engineer at a minimum of 500' intervals. Additionally areas requiring layout for location of formed construction joints, feather areas, planning and profile correction

2018 Resurfacing Program

will be provided by the Engineer. Construction stakes on projects requiring pavement realignment, layout for widening, shoulder limits, drainage structures, ditch grades, pavement grades, etc. shall be by the Contractor and shall be paid for under Item 623 - Construction Layout Stakes.

The CONTRACTOR shall confine his work area within the proposed work limits as shown on the plans.

SPECIFICATIONS

Asphalt Specifications

The Standard Specifications of the State of Ohio Department of Transportation dated January 1, 2016 together with any modifications to same as stated herein or on the plans will govern these improvements.

Item 823 Intermediate course where specified, shall be placed to restore crown to the pavement. All 823 Intermediate Course material shall be placed as directed by the Engineer prior to placement of any 823 Surface Course material on a road by road basis. No construction traffic shall be permitted over the material until sufficient cooling has occurred to support such traffic. Unless otherwise noted or directed by the Engineer Item 823 Intermediate (Leveling) Course shall be placed at a minimum compacted depth of one and one-quarter (1 1/4") inch with a designed cross-section slope of one-quarter (1/4") inch per foot. Item 823 Surface Course shall be placed at a minimum compacted depth of one and one-quarter (1 1/2") inches with a designed cross-section slope of one-quarter (1/4") inch per foot unless specified otherwise.

All 823 materials shall to the extent practicable, be placed at full width. Material shall be placed to provide the designed 1/4 inch/foot cross-section slope and to correct longitudinal deficiencies with a forty (40') foot automatically controlled leveling ski. Instead of full width paving, the Contractor may use hot joint construction using multiple pavers.

Item 407 Bituminous Tack Coat shall be applied to all existing pavement and intermediate courses at the rate of 0.05 gallons per square yard unless otherwise noted.

The asphalt binder grade for all 823 material used shall be PG 64-22. Both the 823 Intermediate Leveling Course and the 823 Surface Course shall be Type 1.

The course aggregates used in the asphalt mixes shall be from crushed stone or gravel. The fine aggregates used in the mix designs shall be of natural sand or sand manufactured from stone or gravel. There shall be **NO** slag materials allowed in any mix design.

SPECIFIC PROJECT NOTES

Henry County Road L – State Route 109 to County Road 6 – Road L is 19 feet wide, 15,772 feet in length, and is to be resurfaced with a 1.5" 823 Surface Course.

Richfield Township Road 3 From State Route 281 to Township Road J – Road 3 is 16.5 feet wide, 5,288 feet in length, and is to be resurfaced with a 1.5" 823 Surface Course. A 300 foot section of Road 3 is to be widen by 2 feet on the west side starting approximately 2,100 feet north from the construction joint

2018 Resurfacing Program

on State Route 281. The widening will continue north for 300 feet, the beginning and end of the widening to be tapered to existing roadway width. The widening will consist of 5" of 301 asphalt. Contact Engineer with questions of exact location of widening.

Flatrock Township Road 19 – State Route 281 to Township Road J – Road 19 has an average width of 17.25 feet, 5,034 feet in length, and is to be resurfaced with a 1.5" of 823 Surface Course. A 200 foot section of pavement is to be repaired starting at the construction joint at State Route 281 then south 200' along Road 19. The pavement repair will consist of milling/excavating out 1.5" of asphalt and be replaced with 1.5" of 823 surface course.

Washington Township Road 2 – Township Road T3 to County Road S3 – Road 2 is 10.5 feet wide, 5,300 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course.

Washington Township Road U – Township Road 5B to Township Road 6 – Road U is 16 feet wide, 2,697 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course.

(Village of Liberty Center) East Young Street from State Route 109 to End – East Young Street is 14 feet wide, 540 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course. Young Street is to milled/excavate per item 254 approximately 2.75" and the intermediate and surface course to be placed at the thickness stated above in the area of pavement planing.

(Village of Liberty Center) Edison Lane from Maple Street to Wabash Street – Edison Lane is 10 feet wide, 540 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course. Edison Lane is to milled/excavate per item 254 approximately 2.75" and the intermediate and surface course to be placed at the thickness stated above in the area of pavement planing.

(Village of Holgate) Kaufman Street from Elm Street to State Route 18 – Kaufman Street varies in width, is 980 feet in length, and is to be resurfaced with a 1.5" of 823 Surface Course. Kaufman Street is to milled/excavate per item 254 approximately 1.5" and the surface course to be placed at the thickness stated above in the area of pavement planing.

Work shall be tracked for each political subdivision (identified with specific letters in the reference number) and invoices shall specific for each political subdivision's project. All invoices must be sent to the County Engineer, not the political subdivision. There are six (6) political subdivision this proposal covers. (Henry County, Richfield Township, Flatrock Township, Washington Township, the Village of Liberty Center, and the Village of Holgate.

AWARD OF PROJECT

The bid will be tabled at the formal opening; award of the project will be made at the time designated by the Board of County Commissioners following a review to verify compliance with all bid requirements.

2018 Resurfacing Program

PROJECT COMPLETION DATE

All work shall be completed on or before October 31, 2018. For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the CONTRACTOR, not as a penalty but as liquidated damages; provided however that due account shall be taken of any adjustment of the completion date granted by the Board of County Commissioners of Henry County.

Once a roadway is closed for commencement of the PROJECT, the CONTRACTOR shall proceed without undue delay to complete the PROJECT in a timely manner and avoid prolonged interruption of traffic. Delays in the work following an initial start which are not attributable to weather or seasonal conditions shall be considered days beyond completion and the CONTRACTOR will have deducted from any monies due him according to the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation.

A work day will be counted as lost if the CONTRACTOR'S efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

GUARANTEE

The CONTRACTOR shall guarantee for a period of one (1) year from the date of completion of the proposed work that it is free from all defects due to faulty materials or workmanship. The CONTRACTOR shall promptly make corrections as may be necessary by reason of such defects. The Engineer will give notice of observed defects with reasonable promptness. In the event that the CONTRACTOR should fail to make repairs, adjustments or other work which may be made necessary by such defects, the Engineer may do so and charge the CONTRACTOR the cost thereby incurred.

PREPARATION OF PROPOSAL

The blank spaces in the proposal must be filled in correctly, where indicated, and written in ink.

BID PROPER

The bidder is required to fill in, in the "Unit Price Bid" column, a unit price for additions opposite each item for which there is a quantity given in the "Approximate Unit Quantities" column. The gross sum of the totals in the "Total Amount Bid" column shall equal the sum (shown on Page 11-19 of this proposal) bid for the work.

The totals given on Page 10 are only for the convenience of the Henry County Commissioners in reading bids.

The unit prices specified in the "Unit Price Bid" column will govern the award of the Contract. The unit prices bid shall remain in effect and held firm during the term of this contract.

The CONTRACTOR shall make extensions in the "Total Amount Bid" column and also add up the

2018 Resurfacing Program

totals. However, the unit prices specified, together with the approximate quantities shall determine the total amount of the bid. If there is an error made in the extension by the bidder, the total shall be changed as only the unit prices shall govern.

The quantities in the "Approximate Unit Quantities" column are those given in the Engineer's approximate estimate and are those which will be used in determining the total amount of each proposal for this improvement and for the purpose of determining the lowest bidder. It is understood that these quantities are approximate only. The bidder must give a unit price for each item listed. Failure to do so will render the bid informal at the discretion of the Henry County Board of Commissioners.

BID GUARANTY

Payable to the Board of County Commissioners.

Each bidder is required to file with his bid a bid guaranty in the form of either:

1) a bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid; or

2) a certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid, payable to the Board of County Commissioners.

Bid guaranty must be provided as guarantee that if the contract be awarded on such bid, the bidder will enter into a CONTRACT and the performance of it will be properly secured. The successful bidder if using a 10% bid guaranty, shall be required to provide a contract performance and payment bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid.

ADDRESS

Proposals must be sealed and addressed to: Board of Commissioners
1853 Oakwood Avenue
Napoleon, OH 43545

and envelope marked: 2018 Resurfacing Program and with the name and address of the bidder.

TIME

Bids are to be opened at 10:00 A.M., Tuesday, July 3, 2018.

PLACE

Office of the Board of County Commissioners
1853 Oakwood Avenue
Napoleon, OH 43545

2018 Resurfacing Program

OHIO PRODUCTS

CONTRACTORS and SUBCONTRACTORS shall, to the extent practicable, use Ohio products, materials, services and labor in connection with the project. Domestic steel use requirements as specified in Section 153.011 of the Revised Code apply to this project. Copies of Section 153.011 of the Revised Code can be obtained from any of the office of the Department of Administrative Services.

COMPLIANCE NOTES

PREVAILING WAGE RATES AS PER SECTION 4115 OF THE OHIO REVISED CODE SHALL PREVAIL ON THIS PROJECT.

A COPY OF THE APPLICABLE WAGE RATES MAY BE OBTAINED FROM THE STATE OF OHIO WAGE AND HOUR DIVISION VIA THE INTERNET AT THE FOLLOWING WEB SITE: <http://www.com.ohio.gov/laws>

SHOULD THE BIDDER NOT HAVE ACCESS TO THE INTERNET, A COMPLETE SET OF THE APPLICABLE WAGE RATES ARE AVAILABLE AT THE OFFICE OF THE HENRY COUNTY ENGINEER. A COPY WILL BE PROVIDED IF REQUESTED.

THE SUCCESSFUL BIDDER WILL BE PROVIDED A HARD COPY OF THE PREVAILING WAGE RATES AS A PART OF THE CONTRACT DOCUMENTS.

ANY RATE CHANGES RECEIVED FROM THE STATE WAGE AND HOUR DIVISION DURING THE TERM OF THE CONTRACT WILL BE PROVIDED IN HARD COPY TO THE CONTRACTOR.

THE HENRY COUNTY ENGINEER IS AN EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER.

THE CONTRACTOR SHALL CONFORM TO ALL APPLICABLE PROVISIONS OF 153.59 AND 153.60 OF THE OHIO REVISED CODE WITH RESPECT TO DISCRIMINATION AND INTIMIDATION ON ACCOUNT OF RACE, CREED, SEX HANDICAP, OR COLOR.

THE CONTRACTOR IS REMINDED THAT COMPLETE COMPLIANCE WITH ALL APPLICABLE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION STANDARDS CURRENTLY IN EFFECT IS MANDATORY ON ALL WORK COMPLETED UNDER THIS PROPOSAL/CONTRACT.

DOMESTIC STEEL USE REQUIREMENTS AS SPECIFIED IN REVISED CODE APPLY TO THIS PROJECT. COPIES OF SECTION 153.011 OF THE REVISED CODE CAN BE OBTAINED FROM ANY OF THE OFFICES OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES.

2018 Resurfacing Program

TO: The Board of County Commissioners and
Engineer of Henry County Ohio

The undersigned, having full knowledge of the sites, plans and specifications for the following improvements and the conditions of this proposal hereby agrees to furnish all services, labor and materials and equipment necessary to complete the entire project according to the plans, specifications and completion time, and to the acceptance of the Board of County Commissioners and Engineer of Henry County, and to accept the unit prices specified for each item as full compensation for the work in this proposal.

The total amount of the bid, based on the approximate quantities given and the unit prices specified by the bidder amounts to the sum of

DOLLARS (\$_____).

UNIT PRICE CONTRACT

The undersigned further agrees to accept the following "Unit Bid Prices" in compensation for any additions or deductions caused by any changes or alternations in the specifications of the work. The unit prices shall remain in effect and held firm during the term of this contract.

The "Gross Sum" of the totals in the "Total" column shall equal the sum (Given Above) bid for the work.

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		
(Henry County) County Road L From State Route 109 to County Road 6 Length: 15,772 feet or 2.99 miles Width: 19 Feet (Approx. 33,485 S.Y. including radius and driveway work) Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
1	407	1,675	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
2	823	1,396	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.5 inches	\$	\$	\$	\$
3	Spec.	11	EA	Formed Construction Joint (391 L.F.)	\$	\$	\$	\$
4	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
5	624	1	L.S.	Mobilization	\$	\$	\$	\$
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Total County Road L					\$			

(Richfield Township) Township Road 3 From State Route 281 to Township Road J Length: 5288 Feet or 1 Mile(s) Width: 16.5 Feet (Approx. 9750 S.Y. including radius, driveway work, partial widening) Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course 617 Berm @ 2 Feet Wide Each Side								
7	407	490	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
8	203	12	C.Y.	Excavation (2' Widening West Side, Depth of 5", 100% of material layed over as additional embankment). See Bid Packet for Details.				
9	204	67	S.Y.	Subgrade Compaction				
10	301	12	C.Y.	Bituminous Aggregate Base, (5" average compacted depth, includes 407 tack coat on vertical face)				
11	823	407	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.5 inches	\$	\$	\$	\$

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		
12	617	98	C.Y.	Stabilized crushed aggregate berm in place and compacted at the average depth of 1.5 inches				
13	Spec.	2	EA	Formed Construction Joint (145 L.F.)	\$	\$	\$	\$
14	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
15	624	1	L.S.	Mobilization	\$	\$	\$	\$
16	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Total Township Road 3					\$			

(Flatrock Township) Township Road 19 From State Route 281 to Township Road J								
Length: 5034 Feet or 0.95 Mile(s)								
Width: Average of 17.25 Feet (Approx. 9700 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
617 Berm @ 1.5 Feet Wide Each Side								
17	407	485	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
18	823	405	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.5 inches	\$	\$	\$	\$
19	253	480	S.Y.	Pavement Repair (Excavation 1.5" deep and replace with 823 Asphalt, 1.5" compacted depth, includes 407 tack coat on vertical face). Price includes removal of cuttings. See Bid Packet for Details.	\$	\$	\$	\$
20	617	70	C.Y.	Stabilized crushed aggregate berm in place and compacted at the average depth of 1.5 inches				
21	Spec.	3	EA	Formed Construction Joint (125 L.F.)	\$	\$	\$	\$
22	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
23	624	1	L.S.	Mobilization	\$	\$	\$	\$
24	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Total Township Road 19					\$			

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		

(Washington Township) Township Road 2 From Township Road T3 to County Road S3								
Length: 5300 Feet or 1 Mile(s)								
Width: Average of 10.5 Feet (Approx. 6200 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
617 Berm @ 1.5 Feet Wide Each Side								
25	407	620	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
26	823	216	C.Y.	Asphalt concrete intermediate course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.25 inches	\$	\$	\$	\$
27	823	259	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.5 inches				
28	617	148	C.Y.	Stabilized crushed aggregate berm in place and compacted at the average depth of 1.5 inches	\$	\$	\$	\$
29	Spec.	2	EA	Formed Construction Joint (75 L.F.)	\$	\$	\$	\$
30	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
31	624	1	L.S.	Mobilization	\$	\$	\$	\$
32	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Total Township Road 2					\$			

(Washington Township) Township Road U From Township Road 5B to Township Road 6								
Length: 2697 Feet or 0.51 Mile(s)								
Width: 16 Feet (Approx. 4830 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
617 Berm @ 1.5 Feet Wide Each Side								
33	407	480	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
34	823	168	C.Y.	Asphalt concrete intermediate course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.25 inches	\$	\$	\$	\$

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		
35	823	202		Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.5 inches				
36	617	75	C.Y.	Stabilized crushed aggregate berm in place and compacted at the average depth of 2 inches	\$	\$	\$	\$
37	Spec.	4	EA	Formed Construction Joint (125 L.F.)	\$	\$	\$	\$
38	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
39	624	1	L.S.	Mobilization	\$	\$	\$	\$
40	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Total Township Road U					\$			

(Liberty Center) East Young Street From State Route 109 to End								
Length: 540 Feet or 0.1 Mile(s)								
Width: 14 Feet (Approx. 900 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
41	407	90	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
42	254	900	SY	Pavement Planing (Approx. 2.75" Deep). Price includes removal of cuttings	\$	\$	\$	\$
43	823	32	C.Y.	Asphalt concrete intermediate course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.25 inches	\$	\$	\$	\$
44	823	38	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.5 inches				
45	Spec.	3	EA	Formed Construction Joint (48 L.F.)	\$	\$	\$	\$
46	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
47	624	1	L.S.	Mobilization	\$	\$	\$	\$
48	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
East Young Street Total					\$			

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		

(Liberty Center) Edison Lane From Maple Street to Wabash Street								
Length: 540 Feet or 0.1 Mile(s)								
Width: 10 Feet (Approx. 570 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
49	407	60	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
50	254	570	SY	Pavement Planing (Approx. 2.75" Deep). Price includes removal of cuttings	\$	\$	\$	\$
51	823	20	C.Y.	Asphalt concrete intermediate course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.25 inches	\$	\$	\$	\$
52	823	24	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.5 inches	\$	\$	\$	\$
53	Spec.	2	EA	Formed Construction Joint (24 L.F.)	\$	\$	\$	\$
54	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
55	624	1	L.S.	Mobilization	\$	\$	\$	\$
56	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Edison Lane Total					\$			

(Village of Holgate) Kaufman Street From Elm Street to State Route 18								
Length: 980 Feet or 0.19 Mile(s)								
Width: Varies (Approx. 4050 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
57	407	203	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
58	254	4,050	C.Y.	Pavement Planing (Approx. 1.5" Deep). Price includes removal of cuttings				
59	823	169	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.5 inches	\$	\$	\$	\$

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		
60	Spec.	3	EA	Formed Construction Joint (200 L.F.)	\$	\$	\$	\$
61	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
62	624	1	L.S.	Mobilization	\$	\$	\$	\$
63	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Kaufman Street Total					\$			

Total of Entire Bid

\$ _____

2018 Resurfacing Program

(Name of Corporation)

* Please staple certified check, cashier's check, letter of credit, or bid guarantee bond here *

(This page must be executed, in the appropriate place, prior to submission of this bid.)

WRITTEN CONTRACT

On acceptance of the Proposal for said work, I/we do hereby bind myself/ourselves this ____ day of _____, 2018, to enter into a written contract with the HENRY COUNTY BOARD OF COMMISSIONERS within ten (10) days from the notice of award.

IF AN INDIVIDUAL, SIGN BELOW:

(Name) (Post Office Address)

IF AN INDIVIDUAL DOING BUSINESS UNDER A TRADE NAME, SIGN BELOW:

(Trade Name) (Post Office Address)

Sole Owner

By: _____

IF A PARTNERSHIP, SIGN BELOW:

(Name of Partnership) (Post Office Address)

By _____
(Post Office Address)

(Partner) (Post Office Address)

(Partner) (Post Office Address)

(Partner) (Post Office Address)

IF A JOINT BID, SIGN BELOW:

(Name) (Name)

By _____ By _____

(Post Office Address) (Post Office Address)

IF A CORPORATION, SIGN BELOW:

Incorporated under the laws of the State of _____

By _____ (Signature)

Title of Officer Signing

2018 Resurfacing Program

**BID GUARANTY AND
CONTRACT BOND**

(Section 153.571, Ohio Revised Code)

KNOW ALL MEN BY THESE PRESENTS, that we, the undersigned _____

(Name and Address)

as Principal and _____

(Name of Surety)

_____ as Surety, are hereby held and firmly bound unto _____ Ohio
as Obligee in the penal sum of the dollar amount of the bid submitted by the Principal to the Obligee on
_____ to undertake the project known as: _____

The penal sum referred to herein shall be the dollar amount of the Principal's bid to the Obligee, Incorporating any additive or deductive alternate proposals made by the Principal on the date referred to above to the Obligee, which are accepted by the Obligee. In no case shall the penal sum exceed the amount of _____ dollars (\$_____).

(if the above line is left blank, the penal sum will be the full amount of the Principal's bid, including alternates. Alternatively, if completed, the amount stated must not be less than the full amount of the bid, including alternates, in dollars and cents. A percentage is not acceptable.) For payment of the penal sum well and truly to be made, we hereby jointly and severally bind ourselves, our heirs, executors, administrators, successors, and assigns.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, that whereas the above named Principal has submitted a bid on the above referred to project;

NOW, THEREFORE, if the Obligee accepts the bid of the Principal and the Principal fails to enter into a proper contract in accordance with the bid, plans, details, specifications, and bills of material; and in the event the Principal pays to the Obligee the difference not to exceed ten percent of the penalty hereof between the amount specified in the bid and such larger amount for which the Obligee may in good faith contract with the next lowest bidder to perform the work covered by the bid; or in the event the Obligee does not award the contract to the next lowest bidder and resubmits the project for bidding, the Principal will pay the Obligee the difference not to exceed ten percent of the penalty hereof between the amount specified in the bid, or the costs, in connection with the resubmission, of printing and mailing notices to prospective bidders, whichever is less, then his obligation shall be null and void, otherwise to remain in full force and effect. If the Obligee accepts the bid of the Principal, within ten days after the awarding of the contract, enters into a proper contract in accordance with the bid, plans, details, specifications, and bills of material, which said contract is made a part of this bond the same as though set forth herein; and

IF THE SAID Principal shall well and faithfully perform each and every condition of such contract; and indemnify the Obligee against all damage suffered by failure to perform such contract according to the provisions thereof and in accordance with the plans, details, specifications, and bills of material therefor; and shall pay all lawful claims of subcontractors, materialmen, and laborers, for labor performed and materials furnished in the carrying forward, performing, or completing of said contract; we agreeing and assenting that this undertaking shall be for the benefit of any materialism or laborer having a just claim, as well as for the Obligee herein; then this obligation shall be void; otherwise the same shall remain in full force and effect; it being expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall in no event exceed the penal amount of this obligation as herein stated.

THE SAID Surety hereby stipulates and agrees that no modifications, omissions, or additions, in or to the terms of said contract or in or to the plans and specifications therefore shall in any wise affect the obligation of said Surety on its bond, and it does hereby waive notice of any such modifications, omissions or additions to the terms of the contract or to the work or to the specifications.

SIGNED AND SEALED This _____ day of _____, 2018.

2018 Resurfacing Program

PRINCIPAL:

By: _____

Title: _____

Surety: _____

By: _____

(Attorney-in-Fact)

SURETY COMPANY ADDRESS:

Street

City State Zip

Telephone

SURETY AGENT'S ADDRESS:

Agency Name

Street

City State Zip

Telephone

NOTE: Failure by any party to sign Bid Guaranty and Contract Bond shall result in rejection of bid.

NON-COLLUSION AFFIDAVIT

State of Ohio

County of _____ : ss.

I, _____, _____
(Name of Party Signing Affidavit) (Title)

being duly sworn, do depose and say:

That _____
(Insert name of individual, Co-partnership, or Corporation)

its agents, officers or employees have not directly or indirectly entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal.

(Signature)

(Title)

Sworn to and subscribed before me this _____ day of _____,
2018.

Notary Public in and for

_____ County, Ohio

(Seal)

My commission expires:

_____, 20____

2018 Resurfacing Program

VERIFICATION OF "NO FINDING FOR RECOVERY"

No political subdivision shall award a contract for goods, services, or construction to a person against whom a Finding for Recovery has been issued by the Auditor of State, if the Finding for Recovery is unresolved.

The undersigned, by their signature and title, document that no "Finding for Recovery" is outstanding for the bidder.

By:

Title:

Prior to award of a contract, Henry County shall verify and report to the Engineer and the Bidder that the Bidder does not appear in the State Auditor's database for "Findings of Recovery".

APPENDIX A

STATE OF OHIO

HENRY COUNTY

The undersigned personally appeared before me, as an individual or as a representative of

_____ for a contract for _____
(Name of Entity) (Type of Product or Service)

to be let by the County of Henry, who, being duly cautioned and sworn, makes the following statement with respect to prohibited activities constituting a conflict of interest or other violations under Ohio Revised Code Section 3517.13, and further states that the undersigned has the authority to make the following representation on behalf of himself or herself or of the business entity:

1. That none of ***the*** following has **individually** made since April 4, 2007 and that, if awarded a contract for the purchase of goods or services in excess of \$10,000, none of the following **individually** will make, beginning on the date the contract is awarded and extending until one year following the conclusion of the contract, as an individual, one or more campaign contributions totaling in excess of \$10,000, to any elected official of the County of Henry or their individual campaign committees:
 - a. Myself;
 - b. Any partner or owner or shareholder of the partnership (if applicable);
 - c. Any owner of more than 20% of the corporation or business trust (if applicable);
 - d. Each spouse of any person identified in (a) through (c) of this section;
 - e. Each child seven years of age to seventeen years of age of any person identified in divisions (a) through (c) of this section (only applicable to contributions made on or after April 4, 2007)

2. That none of the following have **collectively** made since April 4, 2007, and that, if awarded a contract for the purchase of goods or services in excess of \$10,000, none of the following **collectively** will make, beginning on the date the contract is awarded and extending until one year following the conclusion of the contract, one or more campaign contributions totaling in excess of \$10,000, to any elected official of the County of Henry or their individual campaign committees:
 - a. Myself;
 - b. Any partner or owner or shareholder of the partnership (if applicable);
 - c. Any owner of more than 20% of the corporation or business trust (if applicable);
 - d. Each spouse of any person identified in (a) through (c) of this section;
 - e. Each child seven years of age to seventeen years of age of any person identified in divisions (a) through (c) of this section (only applicable to contributions made on or after April 4, 2007)

Signature _____

Title _____

Sworn to before me and subscribed in my presence this _____ day of _____, 20_____.

Notary Public _____

My Commission expires _____

APPENDIX B

**STATE OF OHIO EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS
AND BID CONDITIONS FOR
OPWC-ASSISTED CONSTRUCTION PROJECTS**

NOTICE TO CONTRACTORS:

The provisions of the Ohio Administrative Code 123:2-3-02 regarding Equal Employment Opportunity on State Construction Contracts and State-assisted Construction Contracts, and the Ohio Administrative Code 123:2-3-02 regarding Equal Employment Opportunity and Female Utilization Goals are applicable to this project, and each contractor will be required to comply in all aspects to the provisions of said executive orders.

CERTIFICATE OF COMPLIANCE FOR EEO PURPOSES:

All prime contract bidders on the project must submit prior to the execution of a contract a copy of a valid Certificate of Compliance for Equal Employment Opportunity purposes as issued by the State Equal Employment Opportunity Coordinator.

>>> Does this bidder have a valid Certificate of Compliance? ___Yes ___No

>>> If “No” to the above, will this bidder be able to obtain a valid Certificate of Compliance prior to the execution of a contract? ___Yes ___No

Bidder must provide a “Yes” answer to one or the other of the above questions.

BIDDER’S AFFIRMATIVE ACTION REQUIREMENTS:

Each prime contract bidder must submit an Affirmative Action Program regarding equal employment opportunity to and receive approval from the State Equal Employment Opportunity Coordinator prior to the bid opening, **OR** the prime contract bidder must evidence within its bid the adoption of the Minority Manpower Utilization Goals and Timetables set forth in “Appendix A” and the Specific Affirmative Action Steps set forth in “Appendix B” of the State Equal Employment Opportunity Bid Conditions.

>>> The prime contract bidder has prepared and submitted an Affirmative Action Program to the State Equal Employment Opportunity Coordinator and that program has been approved by the State Equal Employment Opportunity Coordinator prior to the bid opening ? ___Yes ___No

O R

>>> With this bid response, the prime contract bidder hereby adopts the Minority Manpower Utilization Goals and Timetables set forth in Appendix “A” and the Specific Affirmative Action Steps set forth in Appendix “B” of the State Equal Employment Opportunity Bid Conditions ? ___Yes ___No

Bidder must provide a “Yes” answer to one or the other of the above affirmative action alternatives.

BIDDER'S EEO COVENANTS:

Throughout its performance of any contract awarded to it on this State-assisted project, the prime contract bidder agrees to the following covenants:

(1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, national origin, ancestry or sex. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, national origin, ancestry or sex. Such action shall include, but is not limited to, the following: Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship.

The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

(2) The contractor will in all solicitations or advertisements for employees placed by or on behalf of the prime contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, national origin, ancestry or sex.

(3) The contractor will send to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding, a notice to be provided by the State Administering Agency advising the said labor union or workers' representatives of the contractor's commitments under this covenant and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

(4) The contractor will comply with all provisions of the Ohio Department of Administrative Services, Division of Public Works' Regulations on Equal Employment Opportunity (hereinafter DPW Regulations) and with the implementing rules, regulations and applicable orders of the State Equal Employment Opportunity Coordinator.

(5) The contractor agrees to fully cooperate with the State Administering Agency, the State Equal Employment Opportunity Coordinator and with any other official or agency, or the State or Federal government which seeks to eliminate unlawful employment discrimination, and with all other State and Federal efforts to assure equal employment practices under its contract and the contractor shall comply promptly with all requests and directions from the State Administering Agency, the State Equal Employment Opportunity Coordinator and any of the State of Ohio officials and agencies in this regard, both before and during construction.

(6) Full cooperation as expressed in clause (5), above, shall include, but not be limited to, being a witness and permitting employees to be witnesses and complainants in any proceeding involving questions of unlawful employment practices, furnishing all information and monthly utilization work hour reports (OAC 123:2-9-01) required by the DPW Regulations and by the rules, regulations and orders of the State Equal Employment Opportunity Coordinator pursuant thereto, and permitting access to its books, records, and accounts by the State Administering Agency and the State Equal Employment Opportunity Coordinator for purposes of investigation to ascertain compliance with such rules, regulations and orders. Specifically, contractors will submit workforce utilization reports to the State Equal Opportunity Coordinator by the 10th of each month.

(7) In the event of the contractor's noncompliance with the nondiscrimination clauses of its contract or with any of the said rules, regulations, or orders, its contract may be canceled, terminated, or suspended in whole or in part and the contractor may be declared ineligible for further State Contracts or State-assisted Construction Contracts in accordance with procedures authorized in the DPW Regulations and such other sanctions may be instituted and remedies invoked, as provided in said DPW Regulations or by rule, regulation, or order of the State Equal Employment Opportunity Coordinator, or as otherwise provided by law.

In the event that its contract is terminated for a material breach of DPW Regulations, the contractor shall become liable for any and all damages which shall accrue to the State Administering Agency and Applicant and the State of Ohio as a result of said breach.

(8) The contractor will require the inclusion of language reflecting these same eight covenants within every subcontract or purchase order it executes in the performance of its contract unless exempted by rules, regulations or orders of the State Equal Employment Opportunity Coordinator issued pursuant to O.A.C. 123:2-3-02 so that these provisions will be binding upon each subcontractor or vendor. The contractor will take such actions as the Administering Agency may direct as a means of enforcing such provisions, including sanctions for noncompliance; provided, however, that in any litigation with a subcontractor, vendor or other party as a result of such direction by the State Administering Agency, the contractor may be requested to protect the interests of the State.

>>> The prime contract bidder hereby adopts the foregoing covenants ? ___Yes ___No

BIDDER'S CERTIFICATION:

The undersigned, being a duly authorized officer of the prime contract bidder, does hereby certify to and agree with the foregoing statements and covenants regarding its subscription to the State's Equal Employment Opportunity Requirements for State-assisted Construction Contracts.

_____/_____/_____
Signature of Authorized Officer Date

Title

>>> **PLEASE NOTE:** Only a bidder possessing a valid certificate will be awarded a contract pursuant to Chapter 153 of the Revised Code by an owner referred to in section 153.01 of the Revised Code. Application shall be made at least ten working days prior to the date that the bidder expects to receive the certificate. The bidder's failure to elect one of the two Bidder's Affirmative Action Requirements, adopt the Bidder's EEO Covenants, and complete the foregoing certification may cause the bidder's proposal to be rejected as being non-responsive to the State's Equal Employment Opportunity Requirements and in non-compliance with the State Equal Employment Opportunity Bid Conditions. In addition, the bidder must, prior to the execution of a contract, submit to the local subdivision a valid Certificate of Compliance for Equal Employment Opportunity Purposes