

PROPOSAL
HENRY COUNTY
DEPARTMENT OF HIGHWAYS
2018 RESURFACING PROGRAM

Timothy J. Schumm, PE, PS, County Engineer
Robert E. Hastedt, County Commissioners
Glenn A. Miller, County Commissioner
Thomas H. VonDeylen, County Commissioner

ADDENDUM #1

Changes are underlined, bold, and in red

I ACKNOWLEDGE THAT I HAVE REVIEWED THIS ADDENDUM AND THAT IT IS CONSIDERED IN THE BID

Submitted By: _____

2018 Resurfacing Program

on State Route 281. The widening will continue north for 300 feet, the beginning and end of the widening to be tapered to existing roadway width. The widening will consist of 5" of 301 asphalt. Contact Engineer with questions of exact location of widening.

Flatrock Township Road 19 – State Route 281 to Township Road J – Road 19 has an average width of 17.25 feet, 5,034 feet in length, and is to be resurfaced with a 1.5" of 823 Surface Course. A 200 foot section of pavement is to be repaired starting at the construction joint at State Route 281 then **north** 200' along Road 19. The pavement repair will consist of milling/excavating out 1.5" of asphalt and be replaced with 1.5" of 823 surface course.

Washington Township Road 2 – Township Road T3 to County Road S3 – Road 2 is 10.5 feet wide, 5,300 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course.

Washington Township Road U – Township Road 5B to Township Road 6 – Road U is 16 feet wide, 2,697 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course.

(Village of Liberty Center) East Young Street from State Route 109 to End – East Young Street is 14 feet wide, 540 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course. Young Street is to milled/excavate per item 254 approximately 2.75" and the intermediate and surface course to be placed at the thickness stated above in the area of pavement planing.

(Village of Liberty Center) Edison Lane from Maple Street to Wabash Street – Edison Lane is 10 feet wide, 540 feet in length, and is to be resurfaced with a 1.25" of 823 Intermediate Course and a 1.5" of 823 Surface Course. Edison Lane is to milled/excavate per item 254 approximately 2.75" and the intermediate and surface course to be placed at the thickness stated above in the area of pavement planing.

(Village of Holgate) Kaufman Street from Elm Street to State Route 18 – Kaufman Street varies in width, is 980 feet in length, and is to be resurfaced with a 1.5" of 823 Surface Course. Kaufman Street is to milled/excavate per item 254 approximately 1.5" and the surface course to be placed at the thickness stated above in the area of pavement planing.

Work shall be tracked for each political subdivision (identified with specific letters in the reference number) and invoices shall specific for each political subdivision's project. All invoices must be sent to the County Engineer, not the political subdivision. There are six (6) political subdivision this proposal covers. (Henry County, Richfield Township, Flatrock Township, Washington Township, the Village of Liberty Center, and the Village of Holgate.

AWARD OF PROJECT

The bid will be tabled at the formal opening; award of the project will be made at the time designated by the Board of County Commissioners following a review to verify compliance with all bid requirements.

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		
35	823	202	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied, spread, and compacted at the average depth of 1.5 inches				
36	617	75	C.Y.	Stabilized crushed aggregate berm in place and compacted at the average depth of 2 inches	\$	\$	\$	\$
37	Spec.	4	EA	Formed Construction Joint (125 L.F.)	\$	\$	\$	\$
38	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
39	624	1	L.S.	Mobilization	\$	\$	\$	\$
40	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Total Township Road U					\$			

(Liberty Center) East Young Street From State Route 109 to End								
Length: 540 Feet or 0.1 Mile(s)								
Width: 14 Feet (Approx. 900 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
41	407	90	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
42	254	900	SY	Pavement Planing (Approx. 2.75" Deep). Price includes removal of cuttings	\$	\$	\$	\$
43	823	32	C.Y.	Asphalt concrete intermediate course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.25 inches	\$	\$	\$	\$
44	823	38	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.5 inches				
45	Spec.	3	EA	Formed Construction Joint (48 L.F.)	\$	\$	\$	\$
46	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
47	624	1	L.S.	Mobilization	\$	\$	\$	\$
48	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
East Young Street Total					\$			

Ref. No.	Item No.	Quant.	Units	Item	ITEMIZED PROPOSAL			
					Unit Price		Total Unit Price Bid	TOTAL AMOUNT BID
					Labor	Materials		

(Liberty Center) Edison Lane From Maple Street to Wabash Street								
Length: 540 Feet or 0.1 Mile(s)								
Width: 10 Feet (Approx. 570 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
49	407	60	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
50	254	570	SY	Pavement Planing (Approx. 2.75" Deep). Price includes removal of cuttings	\$	\$	\$	\$
51	823	20	C.Y.	Asphalt concrete intermediate course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.25 inches	\$	\$	\$	\$
52	823	24	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.5 inches	\$	\$	\$	\$
53	Spec.	2	EA	Formed Construction Joint (24 L.F.)	\$	\$	\$	\$
54	614	1	L.S.	Maintaining Traffic	\$	\$	\$	\$
55	624	1	L.S.	Mobilization	\$	\$	\$	\$
56	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$	\$	\$
Edison Lane Total					\$			

(Village of Holgate) Kaufman Street From Elm Street to State Route 18								
Length: 980 Feet or 0.19 Mile(s)								
Width: Varies (Approx. 4050 S.Y. including radius and driveway work)								
Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course								
57	407	203	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$	\$	\$
58	254	4,050	SY	Pavement Planing (Approx. 1.5" Deep). Price includes removal of cuttings				
59	823	169	C.Y.	Asphalt concrete surface course PG 64-22 (Light Traffic), Type 1 applied in area of pavement planing, spread, and compacted at the average depth of 1.5 inches	\$	\$	\$	\$