

Clarity Mobile Ventures, LLC
 651 World Way
 Los Angeles CA 90045-5815
 PH: 1-888-268-4440
 FX: 877-305-6981
 CLIA# 05D2201086
 Lab Director: Wayne Cai, MD

SARS-CoV-2 PCR



Account: SEAD Test Location	Patient: Test Patient	Sample ID: LAX-3134
Address: 3600 Cardinal Blvd	DOB: 04/23/1991	Collected: 11/16/2020 09:00 PM
City: Daytona Beach	Gender: M	Accessioned: 11/17/2020 11:28 AM
State: FL	Address: 3600 Cardinal Blvd	Completed: 11/17/2020 11:31 AM
Zip: 32118	City/State/Zip: Daytona Beach FL, 32118	Tech:
Physician: WAYNE CAI	Phone: 12015648811	
NPI: 1790749935	Passport:	

Test Pathogen Group	Test Pathogen Name	Result	Reference Range	Flag
Coronavirus Targets	RT-PCR SARS-COV-2 (COVID-19) (BIORAD)	NEGATIVE	NEGATIVE	

This test was developed and its performance characteristics determined by Clarity Mobile Labs. Clarity Mobile Labs is approved by CLIA and accredited by COLA as a high complexity Laboratory. The U.S. FDA has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use under the Emergency Use Authorization declaration. The results are not intended to be used as the sole means of clinical diagnosis or patient management decisions. A negative or not detected result does not exclude the presence of CoVID-19 and is subject to the detection limit of the assay.

For more information please visit the following website: <https://www.cdc.gov/coronavirus/2019-ncov/downloads/Factsheet-for-Patients-2019-nCoV.pdf>