

# Safety Data Sheet

## U.P.S.

### SECTION 1- PRODUCT IDENTIFICATION

**PRODUCT NAME** : U.P.S.  
**SYNONYMS** : Product is a mixture: No synonyms are available.  
**PRODUCT USE** : Moderately Acidic Material  
**SUPPLIER** : HYDRAMASTER CORP.  
**SUPPLIER'S ADDRESS** : 11015 47TH AVE W, MUKILTEO, WA 98275  
(425) 776-7272  
**EMERGENCY RESPONSE PHONE NUMBER** : PERS: 1-800-633-8253

### SECTION 2 – HAZARD IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS U.S. – CLASSIFICATION** : H302 Harmful if swallowed.  
H315 Causes skin irritation  
H319 Causes serious eye irritation

**LABEL ELEMENTS** : **GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according to the Globally Harmonized System (GHS).

**HAZARD PICTOGRAMS** :



**SIGNAL WORD** : WARNING

**HAZARD STATEMENTS (GHS-US)** : Not established

: H302 Harmful if swallowed.  
: H315 Causes skin irritation.  
: H319 Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS (GHS-US)** : P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.  
: P103 Read label before use.  
: P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
: P264 Wash skin and contaminated clothing thoroughly after handling.  
: P270 Do not eat, drink or smoke when using this product.  
: P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.  
: P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.  
: P305+351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
: P332+P313 If skin irritation occurs: Get medical advice/attention.  
: P337+P313 If eye irritation persists: Get medical advice/attention.  
: P501 Dispose of contents/container in accordance with local /regional / national / international regulations.

**CLASSIFICATION SYSTEM** : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.  
**NFPA RATINGS (SCALE 0-4)** : Health = 2, Fire = 0, Reactivity = 0

# Safety Data Sheet

## U.P.S.

**HMIS RATINGS (SCALE 0-5)** : Health = 2, Fire = 0, Reactivity = 0

### SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

**CHEMICAL CHARACTERISTIC** : Mixtures  
**DESCRIPTION** : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Hydroxyacetic acid	0.1-1	79-14-1	201-180-5	Skin Irrit Cat 1B, Eye Dam Cat 1, Acute Tox Aquatic Cat3, Acute Tox Inhal & Oral Cat 4
Alkyl dimethyl benzyl ammonium chloride	1-5	68424-85-1	Not Established	Acute Oral Tox. Cat 4, Skin Irr. Cat 4
Octyl Decyl dimethyl ammonium chloride	1-5	32426-11-2	Not Established	Acute Oral Tox. Cat 4, Skin Irr. Cat 4
Diocetyl dimethyl ammonium chloride	0.1-1	5538-94-3	Not Established	Acute Oral Tox. Cat 4, Skin Irr. Cat 4
Didecyl dimethyl ammonium chloride	0.1-1	7173-51-5	Not Established	Acute Oral Tox. Cat 4, Skin Irr. Cat 4
Nonylphenol Ethoxylate	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B
Ethanol	0.1-1	64-17-5	200-578-6	Flam Liq Cat 2, STOT SE Cat 2 Acute Tox Aquatic Cat 2

Cat = Category, Corr = Corrosion, Irrit = Irritant, Dam = Damage, Tox = Toxicity, Inhal = Inhalation, STOT RE = Specific Target Organ Toxicity Repeated Exposure.

Also contains less than one percent non-hazardous biodegradable fragrance.

### SECTION 4 – FIRST AID MEASURES

**DESCRIPTION OF FIRST AID MEASURES**

**GENERAL** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

**EYE CONTACT** : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.

**SKIN CONTACT** : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. If irritation persists, get immediate medical attention.

**SWALLOWING (INGESTION)** : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**INHALATION** : Remove to fresh air. If symptoms persist, get immediate medical attention.

**OTHER INSTRUCTIONS** : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

### SECTION 5 – FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA** : Water spray, fog, carbon dioxide, foam, dry chemical

**EXPLOSION HAZARDS** : Product is not explosive.

**REACTIVITY (FIRE)** : Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosive hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.

**SPECIAL INSTRUCTIONS TO FIRE FIGHTERS**

**PRECAUTIONARY MEASURES** : Exercise caution when fighting any chemical fire.

**FIREFIGHTING INSTRUCTIONS** : Use water spray or fog for cooling exposed containers.

# Safety Data Sheet

## U.P.S.

- PROTECTION DURING FIREFIGHTING** : Do not enter fire area without proper protective equipment, including respiratory protection.
- HAZARDOUS COMBUSTION PRODUCTS** : Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides. Nitrogen oxides. Carbon oxides (CO, CO<sub>2</sub>). Explosive Hydrogen gas.
- OTHER INFORMATION (FIRE)** : Do not allow run-off from fire fighting to enter drains or water courses.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

- PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES** : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.
- METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP** : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

### SECTION 7 – HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING** : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.
- CONDITIONS FOR SAFE STORAGE** : Store in a dry, cool and well ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat and incompatible materials (Strong acid, Strong oxidizers).



### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- TLV (THRESHOLD LIMIT VALUE)** : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL
Hydroxyacetic acid	Not Established	Not Established	Not Established
Alkyl dimethyl benzyl ammonium chloride	Not Established	Not Established	Not Established
Octyl decyl dimethyl ammonium chloride	Not Established	Not Established	Not Established
Diocetyl dimethyl ammonium chloride	Not Established	Not Established	Not Established
Didecyl dimethyl ammonium chloride	Not Established	Not Established	Not Established
Nonylphenol, Ethoxylate	Not Established	Not Established	Not Established
Ethanol (Ethyl alcohol)	1000 ppm	Not Established	1000 ppm

- EYE PROTECTION** : Wear chemical splash goggles or face shield.
- SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
- RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

# Safety Data Sheet

## U.P.S.

<b>VENTILATION</b>	:	Ensure adequate ventilation.
<b>ADDITIONAL MEASURES</b>	:	Emergency eyewash and safety shower facilities should be available in the immediate work area.
<b>REQUIRED WORK/HYGIENE</b>	:	Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE</b>	:	Clear liquid with mild odor
<b>ODOR</b>	:	Mild odor
<b>ODOR THRESHOLD</b>	:	Not available
<b>PH</b>	:	5-6
<b>MELTING POINT/FREEZING POINT</b>	:	Not available
<b>BOILING POINT</b>	:	Approx. 212° F.
<b>FLASH POINT</b>	:	Non flammable, non combustible
<b>EVAPORATION RATE</b>	:	Not available
<b>FLAMMABILITY</b>	:	Non flammable-Non combustible
<b>LOWER FLAMMABILITY LIMIT</b>	:	Not available
<b>UPPER FLAMMABILITY LIMIT</b>	:	Not available
<b>VAPOR PRESSURE</b>	:	Not available
<b>VAPOR DENSITY (AIR=1)</b>	:	Not available
<b>RELATIVE DENSITY</b>	:	0.99
<b>SOLUBILITY IN WATER</b>	:	Soluble in water
<b>PARTITION COEFFICIENT n-OCTANOL/WATER</b>	:	Not available
<b>AUTOIGNITION TEMPERATURE</b>	:	Not available
<b>DECOMPOSITION TEMPERATURE</b>	:	Not available

### SECTION 10 – STABILITY AND REACTIVITY

<b>REACTIVITY</b>	:	Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosion hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.
<b>STABILITY</b>	:	Stable under recommended storage conditions.
<b>HAZARDOUS CONDITIONS TO AVOID</b>	:	Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials. Incompatible materials.
<b>INCOMPATIBLE MATERIALS</b>	:	Chlorinated products such as bleach, alkaline materials, metals, metal powder, carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with chemicals such as chlorine bleach, cyanides, sulfides and carbides.
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	:	Carbon oxides (CO, CO <sub>2</sub> ). Thermal decomposition generates: Corrosive vapors. Toxic gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides. Potassium oxides.

### SECTION 11 – TOXICOLOGICAL INFORMATION

<b>TOXICOLOGICAL INFORMATION</b>	:	<b>Hydroxyacetic Acid</b>
<b>ACUTE TOXICITY</b>	:	LD50 Oral (rat): 1357 mg/kg. LC50 Inhalation (male rat): 2.52 mg/L.
<b>SKIN CORROSION AND EYE DAMAGE</b>	:	Corrosive
<b>CARCINOGENICITY</b>	:	No data available.

# Safety Data Sheet

## U.P.S.

<b>TOXICOLOGICAL INFORMATION</b>	<b>Ammonium Chloride Mixture</b>
<b>ACUTE TOXICITY</b>	: LD50 values: Oral LD50: 405 mg/kg (rat). LC50 dermal: 740 mg/kg.
<b>CARCINOGENICITY</b>	: US ACGIH Threshold Limit Values: A3 carcinogen: Ethanol (64-17-5) Group A3 confirmed animal carcinogen with unknown relevance to humans.
<b>ACUTE TOXICITY</b>	: Very Toxic to aquatic organisms Information available upon request. Please contact Wesmar Co. Technical Service Department.
<b>PERSISTENCE AND BIODEGRADABILITY</b>	: This product is biodegradable.
<b>BIOACCUMULATION</b>	: No data available.
<b>TOXICOLOGICAL INFORMATION</b>	<b>Nonylphenol, Ethoxylated</b>
<b>ACUTE TOXICITY</b>	: LD50 Oral (rat): 1,378 mg/kg,
<b>INHALATION LC50</b>	: No data available.
<b>DERMAL LD50</b>	: LD50 Dermal (rat): > 5,000 mg/kg.
<b>PRIMARY SKIN IRRITATION</b>	: (Rabbit) Moderate to severely irritating.
<b>PRIMARY EYE IRRITATION</b>	: (Rabbit) Severely irritating.
<b>TOXICOLOGICAL INFORMATION</b>	<b>Ethanol</b>
<b>ACUTE TOXICITY</b>	: LD50 Oral (rat): 7060 mg/kg. LC50 Inhalation (rat) 4hr: 124.7 mg/L.
<b>CARCINOGENICITY</b>	: IARC, NTP and OSHA: Listed
<b>TARGET ORGAN EFFECTS</b>	: Acute: Central nervous system. Chronic: Liver

### SECTION 12 – ECOLOGICAL INFORMATION

<b>ECOLOGICAL INFORMATION</b>	<b>Hydroxyacetic Acid</b>
<b>AQUATIC TOXICITY FISH</b>	: LC50/48 h/Lepomis macrochirus (Bluegill sunfish): 93 mg/L.
<b>BIOACCUMULATION</b>	: No data available.
<b>PERSISTENCE AND DEGRADABILITY</b>	: Readily biodegradable, according to appropriate OECD test.
<b>ECOLOGICAL INFORMATION</b>	<b>Ammonium Chloride Mixture</b>
<b>ECOTOXICITY</b>	: Very Toxic to aquatic organisms Information available upon request. Please contact Wesmar Co. Technical Service Department.
<b>BIODEGRADABILITY</b>	: This product is biodegradable.
<b>BIOACCUMULATIVE POTENTIAL</b>	: No data available.
<b>ECOLOGICAL INFORMATION</b>	<b>Nonylphenol Ethoxylate</b>
<b>ECOTOXICITY</b>	: LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar products. LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.
<b>BIODEGRADABILITY</b>	: Readily biodegradable.
<b>PERSISTENCE AND DEGRADABILITY</b>	: No data available.
<b>BIOACCUMULATIVE POTENTIAL</b>	: No data available.
<b>ECOLOGICAL INFORMATION</b>	<b>Ethanol</b>
<b>ECOTOXICITY</b>	: 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L
<b>MOBILITY</b>	: This material is expected to have very high mobility in soil. It does not absorb to most soil types.
<b>PERSISTENCE AND</b>	: Biodegrades quickly

# Safety Data Sheet

## U.P.S.

### DEGRADABILITY

**BIOACCUMULATIVE POTENTIAL** : Bio-concentration is not expected to occur.

### SECTION 13 – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL RECOMMENDATIONS** : This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

**ECOLOGY-WASTE MATERIALS** : This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

### SECTION 14 – TRANSPORTATION INFORMATION

**DOT/IMDG/ IATA PROPER SHIPPING NAME** : N/A

**HAZARD CLASS AND LABEL** : N/A

**UN NUMBER** : N/A

**PACKAGING GROUP** : N/A

**EPA REPORTABLE QUANTITY (RQ)** : N/A

**MARINE POLLUTANT** : N/A

**EMERGENCY RESPONSE GUIDE** : N/A

### SECTION 15 – REGULATORY INFORMATION

#### U.S. FEDERAL REGULATORY INFORMATION:

**LISTED CARCINOGEN** : Not listed

**TSC STATUS** : The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.)

**SARA SECTION 302** : None

**SARA SECTION 311/312 HAZARD CLASS** : Immediate (acute) health hazard.

**SARA SECTION 313** : Not Listed

**NFPA HEALTH** : 2

**NFPA FLAMMABILITY** : 0

**NFPA REACTIVITY** : 0

#### EUROPEAN UNION REGULATORY INFORMATION:

**EC CLASSIFICATION** : Xi: Irritant.

**DSD/DPD RISK (R) PHRASES** : R38: Causes skin irritation.  
R22: Harmful if swallowed.

**DSD/DPD SAFETY (S) PHRASES** : S1/2: Keep locked up and out of reach of children.  
S18: Handle and open containers with care.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S37/39: Wear suitable, gloves and eye/face protection.  
S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.  
S61: Avoid release to the environment.  
S64: If swallowed, rinse mouth with water if victim is conscious.

**DSD/DPD HAZARD SYMBOL** : Xi: Irritant



# Safety Data Sheet

## U.P.S.

### CANADIAN REGULATORY INFORMATION

- WHMIS CATEGORY** : Class D2B: Materials that cause other toxic effects (TOXIC).  
**DOMESTIC SUBSTANCES LIST (DSL)** : Listed  
**INGREDIENT DISCLOSURE LIST** : Listed, This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the information required by the CPR.



### SECTION 16 – OTHER INFORMATION

- DISCLAIMER** : The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
- CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.  
**EINECS** : European Inventory of Existing Commercial Chemical Substances  
**IMDG** : International Maritime Code for Dangerous Goods  
**IARC** : International Agency for Research on Cancer  
**IATA** : International Air Transportation Association  
**ACGIH** : American Conference of Governmental Industrial Hygienists  
**NFPA** : National Fire Protection Association (USA)  
**NTP** : National Toxicology Program  
**SARA** : Superfund Amendments and Reauthorization Act  
**TSCA** : Toxic Substances Control Act  
**HMIS** : Hazardous Materials Identification System (USA)  
**WHMIS** : Workplace Hazardous Materials Information System  
**LC50** : Lethal concentration, 50 percent  
**LD50** : Lethal dose, 50 percent  
**STOT** : Systemic Target Organ Toxicity  
**DATE PREPARED** : JAN 12, 2015  
**DATE REVISED** : MARCH 28, 2018