

# SAFETY DATA SHEET

## GRUNGESLAYER

### SECTION 1- PRODUCT IDENTIFICATION

**PRODUCT NAME** : GRUNGESLAYER  
**SYNONYMS** : Product is a mixture: No synonyms are available.  
**PRODUCT USE** : Moderately Alkaline Material  
**SUPPLIER** : HYDRAMASTER CORP.  
**SUPPLIER'S ADDRESS** : 11015 47TH AVE W, MUKILTEO, WA 98275  
(425) 776-7272  
**EMERGENCY RESPONSE PHONE** : PERS: 1-800-633-8253


### SECTION 2 – HAZARD IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS – US CLASSIFICATION** : H290 Metal corrosion Category 1  
: H314 Skin Corrosion Category 1B  
: H318 Serious Eye Damage Category 1B  
: H412 Aquatic Acute Category 3

**LABEL ELEMENTS** : **GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according to the Globally Harmonized System (GHS).

**HAZARD PICTOGRAMS** :



**SIGNAL WORD** : **DANGER**

**GHS LABEL ELEMENTS** : The product is classified and labeled according to the Globally Harmonized System (GHS).

**GHS PHYSICAL HAZARDS** : H290 May be corrosive to metals.  
: H314 Causes severe skin burns and eye damage.  
: H318 Causes serious eye damage.  
: H412 Harmful to aquatic life with long lasting effects.

**GHS PRECAUTIONARY HAZARDS** : P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P264 Wash skin and contaminated clothing thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.  
P301+P330 IF SWALLOWED. Rinse mouth. Do NOT induce vomiting.  
+P331  
P303+P361 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
+P353  
: P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
+P338  
: P305+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position.  
: P310 Immediately call a POISON CENTER or doctor/physician.  
: P330 Rinse mouth if ingested.  
: P405 Store locked up.  
: P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

# SAFETY DATA SHEET

## GRUNGESLAYER

**OSHA HAZARDS** : Target Organ Effect (Glycol Ether DPM)  
**TARGET ORGANS** : Kidney, Liver, Nerves (Glycol Ether DPM).  
**CLASSIFICATION SYSTEM** : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.  
**NFPA RATINGS (SCALE 0-4)** : Health = 2, Fire = 0, Reactivity = 0  
**HMIS RATINGS (SCALE 0-5)** : Health = 2, Fire = 0, Reactivity = 0

### SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

**CHEMICAL CHARACTERISTIC** : Mixtures  
**DESCRIPTION** : Mixture of the substances listed below with nonhazardous additions.

| COMPONENT                            | PERCENT | CAS #                     | EINECS #  | GHS CLASSIFICATION  |
|--------------------------------------|---------|---------------------------|-----------|---|
| Sodium Hydroxide                     | 1-5     | 1310-73-2                 | 215-185-5 | Metal Corr Cat 1, Skin Corr. Cat. 1A<br>Eye Dam. Cat. 1, Aquatic Acute Cat 3  |
| Sodium Tripolyphosphate              | 10-20   | 7758-29-4                 | 231-838-7 | Skin & Inhalation Irrit. Cat 4  |
| Trisodium Phosphate Dodecahydrate    | 10-20   | 10101-89-0                | 231-509-8 | Acute Oral Tox Cat 4, Skin Irrit Cat 2<br>Eye Irrit Cat 2A  |
| Sodium Metasilicate                  | 10-20   | 6834-92-0                 | 229-912-9 | Skin Corr: Cat 1C, Eye Corr. Cat 1  |
| Dipropylene glycol methyl ether      | 1-5     | 34590-94-8                | 252-104-2 | Eye Irrit: Cat 2B   |
| Propylene Glycol Butyl Ether         | 1-5     | 5131-66-8 &<br>18821-83-7 | 225-878-4 | Skin Irrit. Cat 2, Eye Irrit. Cat 2A<br>--  |
| Ethylenediamine Tetraacetate Na salt | 1-5     | 64-02-8                   | 200-573-9 | Skin Irrit Cat 2, Eye Dam Cat 2A  |
| D-Limonene (Citrus Terpenes)         | 1-5     | 5989-27-5                 | 227-813-5 | Flam Liq Cat 3, Acute Tox Oral Cat 5,<br>Skin Irrit Cat 2, Eye Irrit Cat 2A,<br>Skin Sens Cat 1, Acute Tox Aquatic Cat1 |

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity  
Single exposure.

### SECTION 4 – FIRST AID MEASURES

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.  
**EYE CONTACT** : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get immediate medical attention.  
**SKIN CONTACT** : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.  
**SWALLOWING (INGESTION)** : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.  
**INHALATION** : Remove to fresh air. Get immediate medical attention.  
**OTHER INSTRUCTIONS** : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

### SECTION 5 – FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA** : Dry chemical, foam, water or carbon dioxide.  
**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS** : In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.  
**UNUSUAL FIRE AND** : No further relevant information is available.

# SAFETY DATA SHEET

## GRUNGESLAYER

### EXPLOSION HAZARDS

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

- PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES** : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.
- METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP** : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

#### SECTION 7 – HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING** : Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.
- CONDITIONS FOR SAFE STORAGE** : Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.



#### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- TLV (THRESHOLD LIMIT VALUE)** : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

| COMPONENT                            | OSHA PEL – TWA                      | ACGIH – TLV        | ACGIH – STEL                 |
|--------------------------------------|-------------------------------------|--------------------|------------------------------|
| Sodium Hydroxide                     | 2 mg/m <sup>3</sup> (Ceiling)       | 2mg/m <sup>3</sup> | 2mg/m <sup>3</sup> (Ceiling) |
| Sodium Tripolyphosphate              | Not Established                     | Not Established    | Not Established              |
| Trisodium Phosphate                  | Not Established                     | Not Established    | Not Established              |
| Sodium Metasilicate                  | 8hr Recommended: 3mg/m <sup>3</sup> | Not Established    | Not Established              |
| Dipropylene glycol methyl ether      | Not Established                     | Not Established    | Not Established              |
| Propylene Glycol Butyl Ether         | Not Established                     | Not Established    | Not Established              |
| Ethylenediamine Tetraacetate Na salt | Not Established                     | Not Established    | Not Established              |
| D-Limonene (Citrus Terpenes)         | Not Established                     | Not Established    | Not Established              |

- EYE PROTECTION** : Wear chemical splash goggles or face shield.
- SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
- RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- VENTILATION** : Ensure adequate ventilation.
- ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.
- REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

# SAFETY DATA SHEET

## GRUNGESLAYER

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

|                                       |                                 |
|---------------------------------------|---------------------------------|
| APPEARANCE                            | : Free flowing powder.          |
| ODOR                                  | : Mild odor.                    |
| ODOR THRESHOLD                        | : Not available                 |
| PH                                    | : 12.0 ± 0.5 (1% SOLUTION)      |
| MELTING POINT/FREEZING POINT          | : Not available                 |
| BOILING POINT                         | : NOT EST.                      |
| FLASH POINT                           | : > 200° F.                     |
| EVAPORATION RATE                      | : Not available                 |
| FLAMMABILITY                          | : Non flammable-Non combustible |
| LOWER FLAMMABILITY LIMIT              | : Not available                 |
| UPPER FLAMMABILITY LIMIT              | : Not available                 |
| VAPOR PRESSURE                        | : Not available                 |
| VAPOR DENSITY (AIR=1)                 | : Not available                 |
| RELATIVE DENSITY                      | : 0.85 ± 0.05                   |
| SOLUBILITY IN WATER                   | : Soluble in water              |
| PARTITION COEFFICIENT n-OCTANOL/WATER | : Not available                 |
| AUTOIGNITION TEMPERATURE              | : Not available                 |
| DECOMPOSITION TEMPERATURE             | : Not available                 |

### SECTION 10 – STABILITY AND REACTIVITY

|                                  |  |
|----------------------------------|--|
| STABILITY                        | : Stable under recommended storage conditions.         |
| HAZARDOUS CONDITIONS TO AVOID    | : No decomposition if used according to specifications |
| INCOMPATIBLE MATERIALS           | : Keep away from strong acids.                         |
| HAZARDOUS DECOMPOSITION PRODUCTS | : No dangerous decomposition products known.           |

### SECTION 11 – TOXICOLOGICAL INFORMATION

|                           |  |
|---------------------------|--|
| TOXICOLOGICAL INFORMATION | : <b>Sodium Hydroxide</b>  |
| ACUTE TOXICITY            | : Draize test, rabbit, eye: 400 ug Mild;<br>Draize test, rabbit, eye: 1% Severe;<br>Draize test, rabbit, eye: 50 ug/24H Severe;<br>Draize test, rabbit, eye: 1 mg/24H Severe;<br>Draize test, rabbit, skin: 500 mg/24H Severe                        |
| EYE CONTACT               | : Causes severe eye damage.  |
| SKIN CONTACT              | : Causes skin burns. Onset of symptoms may be delayed following exposure.  |
| INHALATION                | : Corrosive to respiratory tract.  |
| INGESTION                 | : Corrosive to respiratory tract.  |
| CARCINOGENICITY           | : The components of this product are not classified as carcinogenic by OSHA, NTP IARC or CA Prop 65  |
| TOXICOLOGICAL INFORMATION | : <b>Sodium Tripolyphosphate</b>   |
| ACUTE TOXICITY            | : Oral - rat LD50 - 5,400 mg/kg; practically non-toxic<br>Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic<br>Eye Irritation - rabbit - 3.3/110.0; slightly irritating<br>Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating |

# SAFETY DATA SHEET

## GRUNGESLAYER

Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)

|  |   |   |
|--|---|---|
| <b>TOXICOLOGICAL INFORMATION</b>           | : | <b>Trisodium Phosphate Dodecahydrate</b>  |
| <b>ACUTE TOXICITY</b>                      | : | Oral - rat LD50: 6,500 mg/kg; practically nontoxic<br>Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic<br>Eye Irritation - rabbit (4-hr exp.): corrosive<br>Skin Irritation - rabbit: 3.3/8.0; moderately irritating |
| <b>TOXICOLOGICAL INFORMATION</b>           | : | <b>Sodium Metasilicate</b>  |
| <b>ACUTE TOXICITY</b>                      | : | LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)   |
| <b>CHRONIC TOXICITY</b>                    | : | No data were available regarding chronic exposure, reproductive or teratological effects, or carcinogenicity for sodium metasilicate.   |
| <b>CARCINOGENICITY</b>                     | : | This product is not classified as a carcinogen by NTP, IARC or OSHA.  |
| <b>TOXICOLOGICAL INFORMATION</b>           | : | <b>Dipropylene Glycol Methyl Ether</b>  |
| <b>ACUTE TOXICITY</b>                      | : | LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed.<br>Eyes: Rabbit: Mild Irritation: 25 hours.   |
| <b>CARCINOGENICITY</b>                     | : | No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.   |
| <b>TOXICOLOGICAL INFORMATION</b>           | : | <b>Propylene Glycol Butyl Ether</b>   |
| <b>ACUTE TOXICITY</b>                      | : | LD 50 Rat: 2,200 mg/kg  |
| <b>ACUTE INHALATION TOXICITY</b>           | : | No data available   |
| <b>ACUTE DERMAL TOXICITY</b>               | : | LD 50 Rabbit: 3,100 mg/kg   |
| <b>TOXICOLOGICAL INFORMATION</b>           | : | <b>Ethylenediamine Tetraacetate</b>   |
| <b>ACUTE TOXICITY</b>                      | : | LD50 Oral (rat): 630 - 1,260 mg/kg,   |
| <b>INHALATION LC50</b>                     | : | No data available   |
| <b>DERMAL LD50</b>                         | : | No data available   |
| <b>OTHER INFORMATION ON ACUTE TOXICITY</b> | : | No data available   |
| <b>TOXICOLOGICAL INFORMATION</b>           | : | <b>D-Limonene (Citrus Terpenes)</b>   |
| <b>ACUTE TOXICITY</b>                      | : | LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation (mice): > 1,000 mg/kg.  |
| <b>IRRITATION</b>                          | : | Prolonged or repeated exposure can cause drying or dermatitis of skin.  |
| <b>BIOACCUMULATION</b>                     | : | No appreciable bio-concentration is expected in the environment.  |
| <b>CARCINOGENICITY</b>                     | : | This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.   |

### SECTION 12 – ECOLOGICAL INFORMATION

|                                      |   |  |
|--------------------------------------|---|--|
| <b>ECOLOGICAL INFORMATION</b>        | : | <b>Sodium Hydroxide</b>  |
| <b>ECOTOXICITY</b>                   | : | Immobilization EC50/48h/Daphnia-40.38 mg/l. LC50 /96h/Mosquito fish-125 mg/l.  |
| <b>ENVIRONMENTAL PHYSICAL</b>        | : | No information found.  |
| <b>OTHER</b>                         | : | No relevant information available.   |
| <b>PERSISTENCE AND DEGRADABILITY</b> | : | No relevant information available.   |
| <b>BIOACCUMULATIVE POTENTIAL</b>     | : | No relevant information available.   |
| <b>NOTES</b>                         | : | Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of this product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized. Rinse off larger amounts into drains or the aquatic environment |

# SAFETY DATA SHEET

## GRUNGESLAYER

may lead to increased pH-values. A high pH-value harms aquatic organisms.

|  |   |  |
|--|---|--|
| <b>ECOLOGICAL INFORMATION</b>                                  | : | <b>Sodium Tripolyphosphate</b>   |
| <b>ECOTOXICITY</b>   | : | Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr. LC 50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides and mysid schrimp). [FMC I89-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna) [FMC I89-1084]   |
| <b>PERSISTENCE and DEGRADABILITY</b>                           | : | No data available.   |
| <b>ENVIRONMENTAL FATE</b>                                      | : | Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk. |
| <b>ECOLOGICAL INFORMATION</b>                                  | : | <b>Trisodium Phosphate Dodecahydrate</b>   |
| <b>ECOTOXICITY</b>   | : | Invertebrate: 48-hr EC50 Daphnia magna: >1000 mg/L; Practically Nontoxic. Warm-water Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. Coldwater Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic. No definitive algal toxicity data was available for this material.   |
| <b>ENVIRONMENTAL FATE</b>                                      | : | Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk. |
| <b>ECOLOGICAL INFORMATION</b>                                  | : | <b>Sodium Metasilicate</b>   |
| <b>ECOTOXICITY (Aquatic Toxicity)</b>                          | : | This material has exhibited moderate toxicity to aquatic organisms.  |
| <b>BIODEGRADATION</b>  | : | This material is inorganic and not subject to biodegradation.  |
| <b>PERSISTENCE</b>   | : | This material is believed to persist in the environment.   |
| <b>BIOCONCENTRATION</b>  | : | This material is not expected to bio-concentrate in organisms.   |
| <b>ECOLOGICAL INFORMATION</b>                                  | : | <b>Dipropylene Glycol Methyl Ether</b>   |
| <b>ECOTOXICITY (aquatic and terrestrial, where available):</b> | : |  |
| <b>ACUTE FISH TOXICITY</b>                                     | : | LC50 / 96 hours Fathead Minnow - >10,000 mg/L  |
| <b>TOXICITY TO DAPHNIA</b>                                     | : | EC50 / 48 hours Water flea - 1,919 mg/L  |
| <b>PERSISTENCE AND DEGRADABILITY</b>                           | : | No data available.   |
| <b>BIOACCUMULATIVE POTENTIAL</b>                               | : | No data available.   |
| <b>ECOLOGICAL INFORMATION</b>                                  | : | <b>Propylene Glycol Butyl Ether</b>  |
| <b>ECOTOXICITY: TOXICITY TO FISH</b>                           | : | No data available  |
| <b>TOXICITY TO DAPHNIA</b>                                     | : | No data available  |
| <b>TOXICITY TO ALGAE</b>                                       | : | No data available  |
| <b>TOXICITY TO BACTERIA</b>                                    | : | No data available  |
| <b>ECOLOGICAL INFORMATION</b>                                  | : | <b>Ethylenediamine Tetraacetate</b>  |
| <b>ECOTOXICITY</b>   | : | No data available.   |
| <b>PERSISTENCE AND DEGRADABILITY</b>                           | : | No data available.   |
| <b>BIOACCUMULATIVE POTENTIAL</b>                               | : | No data available.   |
| <b>ECOLOGICAL INFORMATION</b>                                  | : | <b>D-Limonene (Citrus Terpenes)</b>  |
| <b>ECOTOXICITY</b>   | : | There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have  |

# SAFETY DATA SHEET

## GRUNGESLAYER

shown that certain bacteria and fungi have the ability to degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water

- MOBILITY** : Citrus Terpenes volatilize rapidly.  
**PERSISTENCE AND DEGRADABILITY** : Readily biodegradable.  
**BIOACCUMULATIVE POTENTIAL** : Bio-concentration is not expected to occur.

### SECTION 13 – DISPOSAL CONSIDERATIONS

- WASTE DISPOSAL** : This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

### SECTION 14 – TRANSPORTATION INFORMATION

- DOT/IMDG/ IATA PROPER SHIPPING NAME** : UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE)  
**HAZARD CLASS AND LABEL** : 8 (CORROSIVE)  
**UN NUMBER** : UN3262  
**PACKAGING GROUP** : PGII  
**EPA REPORTABLE QUANTITY (RQ)** : 1000 LBS. (Sodium Hydroxide)  
**MARINE POLLUTANT** : Not listed.  
**EMERGENCY RESPONSE GUIDE** : ERG-154

Note: Small sizes may be excepted from some Hazardous Material shipping regulations.

### SECTION 15 – REGULATORY INFORMATION

**U.N. GHS CLASSIFICATION & LABELING INFORMATION:** See Section 2 for GHS Hazard Information

#### U.S. FEDERAL REGULATORY INFORMATION:

- LISTED CARCINOGEN** : Not listed.  
**TSCA STATUS** : The ingredients of this product are listed in TSCA inventory (40CFR 710.)  
**SARA SECTION 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.  
**SARA SECTION 312** : Chronic health hazard (Glycol Ether DPM).  
**SARA SECTION 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.  
**NFPA HEALTH** : 2  
**NFPA FLAMMABILITY** : 0  
**NFPA REACTIVITY** : 0

#### EUROPEAN UNION REGULATORY INFORMATION:

- EC CLASSIFICATION** : Non Hazardous  
**DSD/DPD RISK (R) PHRASES** : R22: Harmful if swallowed.  
R36/38: Irritating to eyes and skin.

# SAFETY DATA SHEET

## GRUNGESLAYER

**DSD/DPD SAFETY (S) PHRASES** : S1/2: Keep locked up and out of reach of children.  
S24/25: Avoid contact with eyes and skin.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.  
S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.  
S61: Avoid release to the environment.  
S62: If swallowed, do not induce vomiting.  
S64: If swallowed, rinse mouth with water if victim is conscious.



**DSD/DPD HAZARD SYMBOL** : Xi: Irritant

### CANADIAN REGULATORY INFORMATION:

**WHMIS CATEGORY** : D2B: Materials that cause other toxic effects (TOXIC).  
**DOMESTIC SUBSTANCES LIST (DSL)** : Listed  
**INGREDIENT DISCLOSURE LIST** : Listed



### SECTION 16 – OTHER INFORMATION

**DISCLAIMER** : The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramasster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.  
**EINECS** : European Inventory of Existing Commercial Chemical Substances  
**IMDG** : International Maritime Code for Dangerous Goods  
**IARC** : International Agency for Research on Cancer  
**IATA** : International Air Transportation Association  
**ACGIH** : American Conference of Governmental Industrial Hygienists  
**NFPA** : National Fire Protection Association (USA)  
**NTP** : National Toxicology Program  
**SARA** : Superfund Amendments and Reauthorization Act  
**TSCA** : Toxic Substances Control Act  
**HMIS** : Hazardous Materials Identification System (USA)  
**WHMIS** : Workplace Hazardous Materials Information System  
**LC50** : Lethal concentration, 50 percent  
**LD50** : Lethal dose, 50 percent  
**STOT** : Systemic Target Organ Toxicity  
**DATE PREPARED** : MAR 1, 2014  
**DATE REVISED** : DEC 19, 2019