



# PRODUCT DATA SHEET

## Op-T-Hib CI-2802 Corrosion Inhibitor

### Description

**CI 2802** is a water soluble formulation suitable for use in workovers and well stimulation operations. It is effective in the presence of both H<sub>2</sub>S and CO<sub>2</sub> gases and also protects against corrosion due to trace levels of dissolved oxygen and microbial activity when using fresh or aerated sources of water.

### Features and Benefits

- Water soluble
- Winterized formula
- Low foaming tendency

### Properties

Form:	Liquid	Water Solubility:	Soluble
Color:	Clear brown	Alcohol Solubility:	Soluble
Flash Point:	11°C (52°F)	Brine Solubility:	Soluble/Highly Dispersible
Specific Gravity:	0.976	pH:	8.6

### Application

**CI 2802** should be mixed with water at dosages of 0.5% to 0.75% for most uses. In cases where higher levels of oxygen or microbial agents are known to exist, up to 1.0% is recommended.

### Distribution

**CI 2802** is available in 20 litre pails, 208 litre drums and 1000 litre totes.

### Shipping and Handling

Before handling, storage or use, see the Material Safety Data Sheet (MSDS) for details. Flammable and corrosive in concentrated form.

910, 640 – 5<sup>th</sup> Avenue SW | Calgary, AB. T2P 3G4 | Tel: 403-237-8900 | Fax: 403-265-6199

*Recommendations given in this bulletin are based on tests believed to be reliable. However, the use of the information is beyond the control of OptiFrac Chemical Services, and no guarantee, expressed or implied is made to the results obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage from the misuse of the product as such, or in combination with other materials. This bulletin is not to be taken as a license to operate under or recommendation to infringe any patent.*