



CENTURY CHIMNEY

440-871-7707

centurychimney.com

centurychimney@gmail.com

Please call us to schedule a complete proposal given in your home. We will take measurements, let you know which stoves will work in your home, and ensure we can safely install a wood stove insert into your fireplace. Call or email with any questions.

Wood Stove Inserts

Models and Pricing





Item # **3607026**

Price

\$3,195

Price includes delivery and installation into firebox. This insert requires a full top-to-bottom chimney reline with 6" diameter insulated liner to meet code and operate at best efficiency, at additional cost.

S20i Napoleon Wood Burning Insert

Product Information

- **Up To 65,000 BTU's**
- **Hidden hinges and extra large glass viewing area**
- **1.9 cu. ft. firebox capacity**
- **Dual blower system included**

The S20i is the perfect solution for those looking for EPA 2020 certified wood burning technology in an insert with a clean and contemporary look. Best in class features include extremely long burn times, heavy duty firebox top and full width ash lip and base to protect your floor. A dual blower system comes included with the S20i to ensure optimal comfort.

Minimum Fireplace Opening 25-7/8" w x 22" h x 14" d



Item #**272252**

Price

\$2,875

Price includes delivery and installation into firebox. This insert requires a full top-to-bottom chimney reline with 6" diameter insulated liner to meet code and operate at best efficiency, at additional cost.

EPI22 Timberwolf Small Woodburning Insert

Product Information

- Heats up to 2,000 sq. ft.
- Includes 2-55 CFM blowers
- 6" flue diameter, Top Vent
- Minimum fireplace opening: 25⁷/₈"w x 22"h x 14"d
- Flashing dimensions: 43-5⁸/₈" w x 31-3⁸/₈" h

The unit is tested showing realistic BTU using hardwood logs with regular refueling. Heat output 65,000 BTUs.

Includes Blower Kit, Black Door and Surround.

Minimum fireplace opening: 25 7/8" w x 22" h x 14" d



Item # **3606718**

Price

\$2,680

Price includes delivery and installation into firebox. This insert requires a full top-to-bottom chimney reline with 6" diameter insulated liner to meet code and operate at best efficiency, at additional cost.

In Stock

HEI240 Ventis Woodburning Insert

Product Information

- Heats up to 2,100 sq. ft.
- 75,000 BTUs maximum output with seasoned cord wood
- 77.2% optimum efficiency
- Blower and faceplate kit included
- Holds 20" logs
- 6" venting
- Safety tested and verified
- Optional liner adaptors available

A wood fireplace insert with single door and cast iron frame.

Minimum Fireplace Opening (H x W x D) 23-3/8" x 28-7/8" x 15-7/8"



Item #**3606717**

Price

\$2,480

Price includes delivery and installation into firebox. This insert requires a full top-to-bottom chimney reline with 6" diameter insulated liner to meet code and operate at best efficiency, at additional cost.

HEI150 Ventis Woodburning Insert

Product Information

- Heats up to 1,700 sq. ft.
- 65,000 BTUs maximum output with seasoned cord wood
- 75% optimum efficiency
- Blower and faceplate kit included
- Holds 20" logs
- 6" venting
- Safety tested and verified
- Optional liner adaptors available

A wood fireplace insert with single door and cast iron frame.

Minimum Fireplace Opening (H x W x D)

22-5/8" x 28-3/4" x 8"



Item #93356

Price

\$2,470

Price includes delivery and installation into firebox. This insert requires a full top-to-bottom chimney reline with 6" diameter insulated liner to meet code and operate at best efficiency, at additional cost.

XTD 1.5-I Flame Small Woodburning Insert *Product Information*

- **Heats up to 1,600 sq. ft. (60,000 BTUs), 1.9 cu ft. firebox**
- **Includes 1-144 cfm heat-activated blower and black door**
- **6" flue for economical installation**
- **Airwash on glass provides clear view of fire**
- **Limited Lifetime Warranty**
- **Washington State Approved**

The Flame XTD 1.5-I is designed to be "inserted" into existing masonry or manufactured fireplaces. This EPA high efficiency technology will dramatically increase the heat output of your fireplace, while using a fraction of the wood of a conventional fireplace. Homeowners will enjoy the convenience of "single lever" air control and this insert includes a blower. This medium size insert will accept a large 19" log. Enjoy piece of mind with the Limited Lifetime Warranty. Its exterior dimensions are 28-3/8" w x 21" h x 23-1/2" d. The minimum fireplace dimensions necessary are 29" w x 21-1/2" h x 14" d. 1/4" steel top.

Minimum Fireplace Opening (H x W x D) 29"w x 21.5"h x 14"d



Item #**284535**

Price

\$2,697

Price includes delivery and installation into firebox. This insert requires a full top-to-bottom chimney reline with 6" diameter insulated liner to meet code and operate at best efficiency, at additional cost.

XTD 1.9-I Flame Large Woodburning Insert

Product Information

- Heats up to 2,100 sq. ft. (75,000 BTUs), 2.4 cu ft. firebox
- Includes 1-144 cfm heat-activated blower and black door
- 6" flue for economical installation
- Airwash on glass provides clear view of fire
- Limited Lifetime Warranty
- Washington State Approved

The Flame XTD 1.9-I is designed to fit into larger existing masonry and manufactured fireplaces. This EPA high efficient insert is an economical way to convert your wood guzzling fireplace to a high heat producing fireplace. In most cases this can be done with minimal intrusion to the home. This high-efficient, clean-burning insert acts like a woodstove and is capable of holding a fire overnight. As others in the Flame line-up of woodburners, you will enjoy the easy operating air control and convenient 44" w x 29" h faceplate for easy installation. This wood insert will accept a large 20" log and includes a blower. You will enjoy peace of mind with the Limited Lifetime Warranty. Its exterior dimensions are 28-3/8" w x 23-1.8" h x 26-1/2" d. The minimum fireplace dimensions necessary are 29" w x 24" h x 17" d. 5/16" steel top.

Minimum fireplace opening 28 7/8"W x 15 5/8"D x 23 3/8"H

HomeSaver Ultrapro Pre-Insulated Pre-Cut Liner, 316 Ti-Alloy for wood stoves



Stainless Liner Kit Pricing

Insulated Liner, Installation, and Connection to Wood Stove

15'	\$1,565	Item # 2493211
18'	\$1,628	Item # 2493212
20'	\$1,770	Item # 2493213
22'	\$1,612	Item # 2493214
25'	\$1,675	Item # 2493215
28'	\$1,738	Item # 2493216
30'	\$1,770	Item # 2493217
35'	\$1,885	Item # 2493218
40'	\$1,990	Item # 2493219
50'	\$2,195	Item # 3554749

Required for every install, included
in cost for Standard Liner Kit

Item #[3600242](#) 6" Forever Flex Quick
Cap With Screen And Wind Guard



One of the following three top plates

Item #[3600257](#) 6" Forever Flex **13" X
13"** Flat Top Plate 24 Gauge

Item #[3600258](#) 6" Forever Flex **13" X
18"** Flat Top Plate 24 Gauge

Item #[3600259](#) 6" Forever Flex **18" X
18"** Flat Top Plate 24 Gauge



SmartFlex Stove Adapter, 304 Stainless
Steel is **in stock at Century Chimney Inc.**

