



SECOND FLOOR PLAN

SCALE: 1/4" = 1'-0"

PURCHASER / BUILDER PLUMBING NOTE:
SPECIAL ATTENTION SHOULD BE GIVEN
TO CONCEAL PLUMBING WITH TIMBER
2nd FLOOR SYSTEMS

- Ⓜ ELECTRIC SMOKE DETECTOR WIRED TO LIGHTING CIRCUIT. ACTIVATION OF ONE ALARM SOUNDS ALL DETECTORS. POWER BACKUP REQUIRED.
- Ⓜ CARBON MONOXIDE DETECTOR TO BE INSTALLED NEAR BEDROOM AT LOWEST LEVEL CONTAINING BEDROOM. PERMANENT INSTALLATION TO BE WIRED TO LIGHTING CIRCUIT WITH NO DISCONNECT.

Copyright Protected Design
Beaver Mountain Log
& Cedar Homes 2014

BUILDER NOTE: REFER TO THE ASSEMBLY DETAIL HANDBOOK FOR ADDITIONAL INSTALLATION INFORMATION & SPECIFIC CONSTRUCTION DETAILS			
STRUCTURAL DESIGN CRITERIA ROOMS OTHER THAN SLEEPING ROOMS 40 psf (LIVE)/10 psf (DEAD) SLEEPING ROOMS 30 psf (LIVE)/10 psf (DEAD) GROUND SNOW 40 psf GEOGRAPHIC DESIGN CRITERIA BASIC WIND SPEED - 40 mph SEISMIC DESIGN CAT. C HEATHERING - SEVERE FROST LINE DEPTH - 48" TERMITE - MOD. TO HEAVY FLOOD HAZARD - ____ WINTER DESIGN TEMP. 10° F AIR FREEZING TEMP - ____ ICE SHIELD UNDERLAYMENT REQ'D DECAY - SLIGHT TO MOD.		1740 County Hwy 48 Deposit, NY 13754 Phone: (800) 233-2770 www.beavermtn.com	
DRAWN BY: N.Y. DATE: 5/23/14	THE: ROARING BROOK LOG HOMES CUSTOM HOME HOMESTYLE: 26' X 46' CHALET W/ 6' X 24'-6" BUMPOUT TITLE: SECOND FLOOR PLAN	PROJECT #: 14-106-14L	REVISION: 1 DWG. #: 4 OF 15

DATE	REV #	DESCRIPTION
5/14/14	1	UPDATED PER SIGNED DESIGN DWGS DATED 5/9/14
REVISION SCHEDULE		