



Vaccines - Canine - Bordatella

Progard KC

(Will be renamed Nobivac Intra-Trac KC in 2011)



For vaccination of healthy, susceptible puppies and dogs for prevention of canine infectious tracheobronchitis (“kennel cough”) due to canine parainfluenza virus and B. bronchiseptica.

Compare To:

- Vanguard B from Pfizer
- Intra-Trac II from Intervet Schering-Plough
- Intra-Trac II ADT from Intervet Schering-Plough
- Progard-KC from Intervet Schering-Plough
- Univac 2 from TradeWinds
- Recombitek KC2 from Merial

Antigen Information:

Canine Parainfluenza - Bordatella Bronchiseptica Vaccine, Modified Live Virus, Avirulent Live Culture

Features / Benefits:

- Small dose volume (0.4ml)
- One nostril application
- Stimulates strong local immunity within 72 hours
- Over 99% reaction free in US field trials
- Unparalleled Safety - Safe for use in puppies as young as 2 weeks of age and pregnant bitches

Dosage / Administration:

Aseptically reconstitute the desiccated vaccine with the sterile diluent provided. **REMOVE THE NEEDLE AND ADMINISTER 0.4 ML INTO ONE NOSTRIL.** Because of the small dose volume, an applicator tip is not required for administration of the vaccine. Healthy puppies 3 weeks of age or older and dogs should be vaccinated at least 72 hours prior to confinement or when risk of canine infectious tracheobronchitis (“kennel cough”) may exist. Revaccinate annually

Related Document Links:

ProGard KC Label Information

Sold by the tray of 25 individual doses or 10ds tank

Item Numbers:

- INV054097 - ProGard KC 10 ds
- INV054215 - ProGard KC 25x1ds (will become item # SCH0081-04 when name change occurs)