



### MATERIAL SAFETY DATA SHEET

Substance key: 000000476725  
Version : 1 - 1 / CDN

Revision Date: 11/28/2014  
Date of printing :08/05/2015

**WHMIS controlled:** yes  
**Class:** B2  
D2A  
D2B

#### Section 01 - Product and company identification

<b>Identification of the company:</b>	Prairie Mud Service 738 6th Street, Estevan, Sk. S4A 1A4 306-634-3411
<b>Supplier:</b>	Prairie Petro Chem of America 3119 1st Ave W, Williston, ND. 58801 701-774-2436

**Primary product use:** Corrosion inhibitor

#### Section 02 - Hazards identification

**Health effects of exposure:**

Flammable. Toxic by ingestion and skin absorption. Harmful by inhalation. Contact with eyes will cause severe irritation and may cause burns and permanent damage. Contact with skin will cause severe irritation and may cause burns. Inhalation of vapours, spray or aerosols will cause irritation to the respiratory system and may cause lung damage. May affect fetal development.

Xylene (o,m,p- isomers): are reported as teratogenic and reproductive effectors in rodents. The substance is toxic to blood, kidneys, the nervous system, liver. Repeated or prolonged exposure can cause cumulative effects in target organs. Inhalation of high concentrations may cause irritation of the nose and throat and signs of nervous system depression (headache, fatigue, dizziness and drowsiness).

#### Section 03 - Composition/information on ingredients

**Hazardous ingredients:**

Component	CAS number	Concentration
Xylene	1330-20-7	40 - 70 %
Ethylbenzene	100-41-4	10 - 30 %

**Component toxicity information:**

Xylene ( 1330-20-7 )

Substance key: 00000476725  
Version : 1 - 1 / CDN

Revision Date: 11/28/2014  
Date of printing :08/05/2015

**Acute oral toxicity:** LD50 4,300 mg/kg (Rat)

#### Section 04 - First aid measures

**After inhalation:**

Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.

**After contact with skin:**

Remove contaminated clothing and wash affected areas with soap and plenty of water for at least 15 minutes. If redness or skin irritation occurs, seek medical attention.

**After contact with eyes:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

**After ingestion:**

If swallowed, DO NOT induce vomiting.  
Get immediate medical advice/ attention.

**Advice to doctor / Treatment:**

None known.

#### Section 05 - Fire fighting measures

**Flashpoint:** 24 °C

**Extinguishing media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special fire fighting procedure:**

Wear full protective clothing and self-contained breathing apparatus.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool endangered containers with water spray jet.

**Hazardous combustion products:**

In case of fire hazardous decomposition products may be produced such as:  
Carbon oxides  
Nitrogen oxides (NOx)  
Container explosion may occur under fire conditions.

#### Section 06 - Accidental release measures

Substance key: 000000476725  
Version : 1 - 1 / CDN

Revision Date: 11/28/2014  
Date of printing :08/05/2015

**Steps to be taken in case of spill or leak:**

Only trained personnel should be involved in spill operations. Wear suitable protective equipment. Ensure adequate ventilation. Remove all ignition sources. Contain spill and pump into proper containers using explosion-proof equipment. Smaller spills may be recovered using an inert non-combustible absorbent material (sand, kieselguhr) and collected into suitable containers. Do not use organic absorbent material. Containers in which spilt substance has been collected must be properly labelled. Spill may be covered with an appropriate foam to hinder the formation of explosive vapours. Wash spill area. Do not allow to enter sewers, storm drains, surface waters or the soil.

**Section 07 - Handling and storage**

**Advice on safe handling:**

Keep away from heat, sparks and open flames. - Avoid breathing vapors or contact with skin, eyes, and clothing.- Use only with adequate ventilation and proper protective eyewear, face shield, gloves and clothing. Wash thoroughly after handling. Keep container closed.

**Further info on storage conditions:**

Keep containers tightly closed in a cool, well-ventilated place.  
Handle and open container with care.  
Keep away sources of ignition.

**Section 08 - Exposure controls / personal protection**

**Occupational exposure limits:**

Component	CAS number:	Regulatory list	Type of value	Value 1	Value 2
Xylene (o, m & p isomers)	1330-20-7	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	100 ppm	
Xylene (o, m & p isomers)	1330-20-7	USA. ACGIH Threshold Limit Values (TLV)	Short-term exposure limit	150 ppm	
Xylene (o, m & p isomers)	1330-20-7	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	100 ppm	
Xylene (o, m & p isomers)	1330-20-7	USA. ACGIH Threshold Limit Values (TLV)	Short-term exposure limit	150 ppm	
Ethyl benzene	100-41-4	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	20 ppm	
Ethyl benzene	100-41-4	USA. ACGIH Threshold Limit Values (TLV)	Short-term exposure limit	125 ppm	

**Respiratory protection:**

Wear an approved respirator when exposed to vapours or to mists beyond the TLV. Use appropriate filters. Do not exceed filters limitations. TLV = Threshold Limit Value

**Hand protection:**

Butyl Rubber, PVC or Neoprene

**Eye protection:**

Safety goggles  
Face-shield

Substance key: 00000476725  
Version : 1 - 1 / CDN

Revision Date: 11/28/2014  
Date of printing :08/05/2015

**Other protective equipment:** Avoid skin contact.  
Wear suitable protective clothing.

### Section 09 - Physical and chemical properties

**Form:** Liquid  
**Color:** dark amber  
**pH:** Not applicable  
**Density:** 0.880 - 0.920 g/cm<sup>3</sup>

### Section 10 - Stability and reactivity

**Chemical stability:** Stable  
**Hazardous Polymerization:** no  
Conditions to avoid: None known.  
**Incompatibility with  
(Conditions to avoid) :** Keep away from heat.  
Keep away from flames and sparks.

### Section 11 - Toxicological information

**Acute oral toxicity:** The product has not been tested. The information is derived from the properties of the individual components., Toxic by inhalation and if swallowed.  
**Acute dermal toxicity:** The product has not been tested. The information is derived from the properties of the individual components.  
**Skin irritation:** Severe skin irritation  
The product has not been tested. The information is derived from the properties of the individual components.  
**Eye irritation:** Risk of serious damage to eyes.  
The product has not been tested. The information is derived from the properties of the individual components.

### Section 12 - Ecological information

**Product information:**

**Remarks:**

The product should not be allowed to enter drains, water courses or the soil.  
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Section 13 - Disposal considerations

Substance key: 00000476725  
Version : 1 - 1 / CDN

Revision Date: 11/28/2014  
Date of printing :08/05/2015

**Waste disposal information:**

Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.

**Section 14 - Transport information****TDG**

Proper shipping name: Flammable liquid, n.o.s.  
Class: 3  
Packing group: III  
UN/ID number: UN 1993  
Primary risk: 3  
Remarks: Shipment permitted  
Hazard inducer(s): Xylene

**IATA**

Proper shipping name: Flammable liquid, n.o.s.  
Class: 3  
Packing group: III  
UN/ID number: UN 1993  
Primary risk: 3  
Remarks: Shipment permitted  
Hazard inducer(s): Xylene

**IMDG**

Proper shipping name: Flammable liquid, n.o.s.  
Class: 3  
Packing group: III  
UN no.: UN 1993  
Primary risk: 3  
Hazard inducer(s): Xylene  
EmS: F-E S-E

**Section 15 - Regulatory information****Registration status**

DSL: yes  
NDSL: no

**CEPA**

Listed as toxic substance: Not listed  
Listed as priority substance: Listed

**NPRI**

Listed

**Section 16 - Other information**

---

Substance key: 00000476725  
Version : 1 - 1 / CDN

Revision Date: 11/28/2014  
Date of printing :08/05/2015

---

## WHMIS



Flammable  
Toxic by ingestion  
Harmful by inhalation and in contact with skin.

---

The information contained on this MSDS is to the best of our knowledge an accurate summary of the data available as of the date of preparation. Prairie Mud Service is not liable for the application or use of this information in situations beyond its control or outside the normal and expected use of its product. Prairie Mud Service assumes no responsibility for damage or injury from the use of the product described herein.