



COVID-19 Guidance: Metcalfe Home Daycare Providers

In order to support the health and safety of our providers and families, the following information provides recommendations for home childcare providers to follow as children return to daycare in the midst of the Covid-19 pandemic. The guidelines have been created in conjunction with information from the Ministry of Education and Ottawa Public Health (OPH) case managers, and may change as the Covid-19 pandemic evolves and new information is brought forward. It is important to note that home childcare providers in Ottawa **MUST** follow the recommendations from Ottawa Public Health.

Notice of Risk

When children from multiple families attend a single home childcare, there is increased risk of the Covid-19 virus coming into the home childcare. Children who are infected with the covid-19 virus are more likely than adults to have very mild infections or to have no symptoms at all, but these children can still transmit the infection to other children and to adults in the home childcare. This means that children can bring home an infection acquired in the home childcare and put others at risk. This home childcare has a screening process to help detect infections when there are symptoms; however, this screening process will not detect infected children or adults who do not have symptoms at the time of screening.

The risk of serious Covid-19 infection increases with age, which older childcare providers should consider in terms of risk to themselves personally, particularly if working in home childcare settings with children from multiple families.

Home child care providers will **NOT operate if;**

- (i) the home child care provider or any household member(s) are symptomatic.
- (ii) a child, the home childcare provider or any household member(s) tests positive for Covid-19.

- (iii) The provider or any household member has travelled outside the country in the last 14 days.

Home child care providers may **reopen their home if:**

- (i) Covid-19 is ruled out and the usual illness policy and procedure is followed (e.g. child, provider and or household members have stayed home until s/he is 24 hours symptom-free without fever-reducing medication, or until 48 hours after resolution of vomiting or diarrhea).
- (ii) the child care provider and or household members have stayed home and self isolated for 14 days after return from travel
- (iii) the provider has followed all recommendations from OPH and has been in touch with the home child care advisor **AND** Ottawa Public Health and given the “go ahead” to reopen.

FACE MASKS

As of September 1, 2020, all adults in a child care setting (i.e., home child care providers, home child care visitors, home occupants) are required to wear medical masks and eye protection (i.e. face shields) while inside in the child care premises during daycare hours when they **cannot maintain 6ft** distance between them and the children.

Providers must wear a face mask and face shield at screening area, when disinfecting after contact with blood or bodily fluids, and when caring for a sick child or a child showing symptoms of illness.

All children in grades 4 and above (who are attending school) are required to wear a non-medical or cloth mask while inside the child care premises, including in hallways.

All children in kindergarten to grade 3 (who are attending school) are encouraged but not required to wear a mask while inside the childcare premises, including in hallways.

The use of masks is not required outdoors for adults or children if physical distancing of a least 2 metres can be maintained between individuals.

There may be reasonable exceptions to the indoor mandatory mask and face shield requirement (medical reasons) where a provider may not be able to wear a mask and shield all day. This will be documented by the agency.

Wash hands before and after placing mask on face.

Home childcare providers should secure and sustain an amount of PPE and cleaning supplies that can support the current and on-going operations.

Masks are **NOT** recommended for children under two years of age.

ACTIVE SCREENING/ARRIVAL/DROP OFF & VISITORS

Visible signage (Do Not Enter Sign) must be posted at the door/entrance so that it is visible from outside.

Only allow one point of entry and exit.

Alcohol based sanitizer containing at least 60% alcohol should be placed at entrance. Hand sanitizer bottles can not be accessible to the children.

Home daycare provider must complete covid-19 screening for herself and residents of the home before opening. Screening results must be recorded in a daily log.

All individuals must be screened upon arrival. Providers must wear a face mask when screening families and children. Please refer to the Screening checklist that was provided by Ottawa Public Health for specific questions to ask parents. Do not allow children to enter your home if any COVID-19 related symptoms are present. NO non-essential visitors are to attend the program while daycare children are present.

All home childcare providers MUST maintain daily tracking records of every person who enters the home both during and after daycare hours. These records must include their full name, contact info, time of arrival/departure and screening completion result. These records must be up to date, kept on the premises, and available to facilitate contact tracing in the event of a confirmed COVID-19 case or outbreak.

Child's temperature must be taken by the provider prior to child entering home (thermometers must not be used between children without single use protective covers or disinfecting between use). Temperatures should be taken again in early afternoon (same time every day). Temperatures should be logged in the daily log book.

Pick-ups and drop-offs should occur outside of the home (front porch). Parent/guardian should not enter home unless it is deemed necessary to do so.

Immediately following screening, children should be taken to the washroom to wash their hands with soap and water for at least 20 seconds.

If more than one family arrives at the same time, ensure that only one family is at your door at a time. Have families wait in their vehicle until it is safe for them to approach your door to ensure that physical distancing can take place.

Ministry staff and Metcalfe Home Daycare staff that may visit your home will be required to wear face masks and face shields during visits. Home Visitors will NOT be permitted to shake hands, hug nor accept any food and drink while visiting.

TOYS

Home childcare providers and agencies must follow COVID-19 recommendations from Ottawa Public Health.

Ensure that all toys used in the daycare are made of material that can be easily cleaned and disinfected (use plastic toys and avoid plush toys).

It is recommended that sensory materials (such as playdoh, sand or water) are avoided but they can be provided for single use only. These materials cannot be shared among children. If using, you must ensure that the materials are stored in a sealed container or zip lock bag that is labelled with child's name.

Consider having designated toys and equipment for each room or child. Ensure that they are disinfected on a daily basis. Mouthed toys must be disinfected immediately after child is finished using it. You may want to consider making a few bins of toys to have readily available to rotate as needed.

If using crayons, colouring books, reading books, and puzzles, you need to have individual packages of these material for each child. Ensure that the child's name is on the package.

Do not allow children to bring toys/items from home. Personal items/belongings should be minimized. If brought, items should be labelled and kept in a designated area.

Please review www.ottawapublichealth.ca, for complete information on how to properly clean and disinfect toys and surfaces in your daycare. The following is a brief overview: Wash toys in hot soapy water prior to using a disinfectant. Soak toys in an appropriate disinfectant for required amount of time. During COVID-19, it is **recommended by Ottawa Public Health to mix a solution of 1 tsp bleach with 1 cup water with a soak time of one minute. To disinfect properly, the solution must remain on the surface for one minute before wiping the solution off. If using a water/bleach spray bottle, a fresh bleach solution must be made every day.**

SNACK/MEAL TIME

Providers must wash hands and food prep areas prior to preparing and serving food. Ensure that children wash hands prior to and immediately after eating. Children/other household members should not prepare food.

Ensure that eating surfaces and tables are sanitized prior to and immediately after snack/meal time. Ensure that children wash hands prior to and immediately after snack/meal time. Children must dry their hands with individual paper towels not a shared hand towel.

Do not share items such as; bottles, sippy cups, utensils, salt shaker, facecloths etc.

Food must be served to children with utensils, not fingers.

No self-serve or food sharing at snack/meal times. Ensure that each child has their own individual snack or meal and do not allow children to eat off one another's plate.

Children should not be bringing food or snacks into the daycare. All food is prepared and served by the home childcare provider. Exceptions to this include infant food, formula or breast milk, and food for children with life threatening food allergies.

If possible, children should practice physical distancing while eating.

Providers need to supervise and hold bottles for infants.

Providers should use blankets or cloths over clothing when feeding and burping infants and change the blankets between children.

BATHROOM

Daily sanitizing is required throughout the day. Frequently touched surfaces are most likely to become contaminated including doorknobs, light switches, toilet handles, and taps, and must be disinfected at least twice a day. Toilet seats and portable potties must be disinfected after each use.

Assist children with handwashing to ensure proper handwashing practices are being followed.

When diapering, each child should have an individual mat that is sanitized after each use. You must wash hands prior to and immediately following a diaper changer. You must ensure proper disposal of soiled diapers and wipes.

SLEEP ARRANGEMENTS

Encourage increased distance between sleep mats/cots/playpens if possible or place children head-to-toe or toe-to-toe. Cots, sleep mats and playpens need to be disinfected after each use.

Linens must be laundered between children.

PROVIDERS TRANSPORTING CHILDREN

Interior of vehicle should be sanitized on a daily basis (handles, arm rests, etc)

Provider must review screening measures with parents and take child's temperature prior to accepting children into the vehicle. Provider must wear a face mask during the screening process.

Children must use hand sanitizer to wash their hands prior to entering the vehicle.

Provider must keep sanitizer in a purse/bag and not leave bottle in the vehicle during hot weather due to the risk that it becomes flammable in heat.

COVID-19 SYMPTOMS DEFINED:

COVID-19 may have **classic symptoms** such as fever (temperature of 37.8 degrees or greater), new or worsening cough, and or difficulty breathing/shortness of breath.

Other symptoms of COVID-19 can include: sore throat, difficulty swallowing, loss of taste/smell, nausea/vomiting, diarrhea, abdominal pain, pneumonia, (runny nose or nasal congestion not associated with seasonal allergies and post-nasal drip).

Other Clinical features: clinical or radiological evidence of pneumonia

COVID-19 may have **less common symptoms** such as unexplained fatigue/malaise, delirium (a serious medical condition that involves confusion, changes to memory, and odd behaviours), unexplained or increased number of falls, acute functional decline, worsening of chronic conditions, chills, headaches, conjunctivitis (pink eye), croup, or multisystem inflammatory vasculitis in children include (some of the symptoms associated with multisystem inflammatory vasculitis in children include persistent fever and a variety of symptoms that may include abdominal pain, gastrointestinal symptoms, including nausea, vomiting and diarrhea, as well as rash); an infected infant could also have trouble feeding.

STEPS TO FOLLOW IF THERE ARE SUSPECTED COVID SYMPTOMS

Please note: All children, home child care providers and home occupants who are symptomatic should be referred for testing.

If a **child and or household family member becomes symptomatic** (displays symptoms of Covid-19) while in the program, the individual must be separated from others in a supervised area until they are able to leave the home. The parent must be immediately notified to come and pick the child up. The child must be kept at minimum, 2 meters away from the others and if possible, the childcare provider should remain 2 meters away. If tolerated and the child is over the age of 2, the child should wear a face mask. Appropriate PPE equipment should be worn by the childcare provider supervising the child. The space and all items used by the infected person must be sanitized immediately after the child has been picked up. Items that cannot be cleaned should be removed and stored in a sealed container for a minimum of seven days.

Provider will inform parents/guardians of other children that a child has developed a symptom of Covid-19 and has been sent home pending testing and further assessment as needed. As long as other daycare children remain symptom-free, they can continue to attend the home daycare.

If the **childcare provider becomes symptomatic** during daycare hours, she must wash hands, put on a mask, and remain 2 meters away from others. Parents/guardians of daycare children must be contacted for immediate pick-up. Provider must then inform Metcalfe Home Daycare.

Ottawa Public Health must be contacted when a child, a provider, or provider's family member becomes symptomatic. Providers must contact Metcalfe Home Daycare to inform them when a child, a provider, or residents of home care premises have covid-19 symptoms. Metcalfe Home Daycare staff will then contact OPH for advice. Metcalfe Home Daycare and childcare providers will follow the recommendations from OPH

Other children and persons who were present in the home while a child became ill should be identified as a close contact and Ottawa Public Health will provide further direction on testing and isolation of these close contacts.

If not tested, the child, child care provider, or home occupant must stay home and self-isolate for 14 days, not have a fever, and symptoms have been improving for at least 72 hours, whichever is longer.

A **serious occurrence** is required to be submitted under the category “Suspected/confirmed case of Covid-19 when:

One of the following individuals has a **confirmed** case of covid-19 **OR** a **suspected** case involving the individual exhibiting **2 or more symptoms AND** the individual has been **tested**, or has indicated that they will be tested for COVID-19:

- (i) a **child who receives child care** at a home child care premises
- (ii) a home childcare **provider**,
- (iii) a person who is **ordinarily a resident of a home child care premises** (eg. the home provider’s children, the home provider’s spouse etc)
- (iv) a person who is **regularly at a home childcare premises** (eg. The home provider’s who visits weekly)
- (v) a **home child care visitor**
- (vi) a **parent of a child** mentioned in subclause (i)

OUTDOOR PLAY

It is recommended that children play outside as much as possible. It is safe to go for walks in the neighbourhoods, ensuring that physical distancing is enforced, and to play in fenced yards.

The use of personal play structures at a home daycare is permitted. Providers must ensure they are able to clean and sanitize the equipment on a daily basis.

Sunscreen brought from home is not to be shared (except between siblings). Providers must wash hands before and after applying sunscreen and between each child.

IMPORTANT REMINDERS

Providers must always follow the advice of Ottawa Public Health

Frequently touched surfaces should be cleaned and disinfected at least twice daily (ex doorknobs, light switches, taps, toilet handles, electronics, phone, TV remote and tabletops).

Check expiry dates of cleaning and disinfecting products.

Perform and promote frequent and proper handwashing. Handwashing using soap and water is recommended over alcohol-based hand sanitizer for children.