



TYPICAL TEMPORARY SUPPORT FOR OVERHANG DURING CONSTRUCTION

GENERAL NOTES:

1. THE CONSTRUCTOR MUST CHECK AND VERIFY ALL DIMENSIONS AND CHECK ALL SITE CONDITIONS PRIOR TO PROCEEDING WITH THE WORK.
2. ALL WORK SHALL BE CARRIED OUT IN ACCORDANCE WITH THE OCCUPATIONAL HEALTH & SAFETY ACT AND REGULATIONS FOR CONSTRUCTION PROJECTS 213/91 (AS AMENDED).
3. OVERHANG STRUCTURE TO BE IN ACCORDANCE WITH ARCHITECTURAL / STRUCTURAL DRAWINGS.
4. THE FRAMING MUST COMPLY WITH OBC PART 9.
5. MAXIMUM SPAN BETWEEN POST SHALL BE OF 9'. AN INTERMEDIATE POST IS REQUIRED IF DISTANCE BETWEEN CORNER POST EXCEEDS 9'.
6. MAXIMUM HEIGHT OF TEMPORARY POST SHALL BE OF 12' AND MAXIMUM OVERHANG SHALL BE OF 6'. MAXIMUM WIDTH OF OVERHANG TO BE OF 9'.
7. THE TIMBER POSTS TO BE INSTALLED WITH KNEE BRACES AS SHOWN.
8. ALL TEMPORARY TIMBER POST TO BE ADEQUATELY SUPPORTED.
9. HITE ENGINEERING CORPORATION MUST BE NOTIFIED OF ANY DEVIATION FROM THIS DRAWING.
10. ALL THE DETAILS ARE GENERIC IN NATURE AND ARE INTENDED TO BE PREPARED FOR GENERAL APPLICATION. THUS HITE ENGINEERING CORPORATION SHALL NOT BE HELD RESPONSIBLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGE OR ANY OTHER DAMAGES WHATSOEVER AND HOWSOEVER CAUSED, ARISING OUT OF OR IN CONNECTION WITH THE USE OF, OR RELIANCE ON, THE INFORMATION IN THIS DRAWING, INCLUDING ANY LOSS IN BUSINESS PROFITS, BUSINESS INTERRUPTION, PERSONAL INJURY OR ANY OTHER PECUNIARY OR NON-PECUNIARY LOSS, WHETHER THE ACTIONS IN CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHER TORTIOUS ACTIONS.

MATERIAL:

1. MINIMUM GRADE OF WOOD MEMBERS TO BE OF SPF NO.1 / NO.2

NO.	DESCRIPTION	DATE	BY	CHK	APP
00	FOR CONSTRUCTION	2016/11/24	PO	PO	
REV.	DESCRIPTION	YY-MM-DD	CHK	APP	

REVISIONS

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY TO HITE ENGINEERING AND MAY NOT BE USED, REPRODUCED OR DISCLOSED TO OTHERS EXCEPT AS SPECIFICALLY PERMITTED IN WRITING BY HITE ENGINEERING. THE RECIPIENT OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO PROTECT THE SAME AND THE INFORMATION CONTAINED THEREIN FROM LOSS OR THEFT.



HITE ENGINEERING CORPORATION
HITE Engineering Corp.
 Consulting Engineers
 2660 Meadowvale Blvd. Units 2-4
 Mississauga, Ontario L5N 6M6
 T:905-812-3709 F:905-812-3710

TITLE: TYPICAL TEMPORARY OVERHANG SUPPORT DURING CONSTRUCTION

CUSTOMER:	RFCA	PROJECT #:	16-10884
DRAWN BY:	DWG ID:	DATE:	ENG'R APP'D:
A.SHAH	2122	2016-11-24	P.O.
SCALE:	DRAWING NO:	SHEET #:	REV:
NTS	1610884-00-2122	1- OF - 1	0