



TYPICAL TEMPORARY SUPPORT FOR PORCH DURING CONSTRUCTION

- GENERAL NOTES:
1. THE CONSTRUCTOR MUST CHECK AND VERIFY ALL DIMENSIONS AND CHECK ALL SITE CONDITIONS PRIOR TO PROCEEDING WITH THE WORK.
 2. ALL WORK SHALL BE CARRIED OUT IN ACCORDANCE WITH THE OCCUPATIONAL HEALTH & SAFETY ACT AND REGULATIONS FOR CONSTRUCTION PROJECTS 213/91 (AS AMENDED).
 3. PORCH ROOF STRUCTURE TO BE IN ACCORDANCE WITH ARCHITECTURAL / STRUCTURAL DRAWINGS.
 4. THE FRAMING MUST COMPLY WITH OBC PART 9.
 5. MAXIMUM SPAN BETWEEN POST SHALL BE OF 6'. AN INTERMEDIATE POST IS REQUIRED IF DISTANCE BETWEEN CORNER POST EXCEEDS 6'.
 6. MAXIMUM HEIGHT OF PORCH SHALL BE OF 12' AND MAXIMUM WIDTH SHALL BE OF 6'.
 7. THE PORCH MAY BE EXTENDED ALONG ITS LENGTH WITH THE SAME SPECIFICATIONS AS PER SITE REQUIREMENT.
 8. THE TIMBER POSTS TO BE INSTALLED WITH KNEE BRACES AS SHOWN.
 9. ALL TEMPORARY TIMBER POST TO BE ADEQUATELY SUPPORTED AND FASTENED TO THE FLOOR / BASE.
 10. HITE ENGINEERING CORPORATION MUST BE NOTIFIED OF ANY DEVIATION FROM THIS DRAWING.

- MATERIAL:
1. MINIMUM GRADE OF WOOD MEMBERS TO BE OF SPF NO.1 / NO.2

REV.	DESCRIPTION	DATE	CHK	APP
0	FOR CONSTRUCTION	2016/10/13	RB	RB

REVISIONS

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY TO HITE ENGINEERING AND MAY NOT BE USED, REPRODUCED OR DISCLOSED TO OTHERS EXCEPT AS SPECIFICALLY PERMITTED IN WRITING BY HITE ENGINEERING. THE RECIPIENT OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO PROTECT THE SAME AND THE INFORMATION CONTAINED THEREIN FROM LOSS OR THEFT.



HITE ENGINEERING CORPORATION
HITE Engineering Corp.
 Consulting Engineers
 2660 Meadowvale Blvd. Units 2-4
 Mississauga, Ontario L5N 6M6
 T:905-812-3709 F:905-812-3710

TITLE: TYPICAL TEMPORARY PORCH SUPPORT DURING CONSTRUCTION

CUSTOMER:	RFCA	PROJECT #:	16-10671
DRAWN BY:	A.SHAH	DWG ID:	2114
DATE:	2016-10-13	ENGR APP'D:	R.B.
SCALE:	NTS	DRAWING NO:	1610671-00-2114
SHEET #:	1-OF-1	REV:	0