Trade Name: *ORTHO-CHOICE™ ORTHO-COAT™*

1.0	Commercial Product Name and Supplier				
1.1	Commercial product name / designation	Ortho-Choice Ortho	o-Coat		
1.2 1.2.2	Application / Use SIC	Dental material for us 851 Human health a	se by dental professional c	only.	
1.2.3	Use Category	55			
1.3	Manufacturer Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA	Telephone: 1 617 92 Email: Pulpdent@pu	6-6666 / Fax:1 617 926-62 lpdent.com	262	
1.4	Emergency Telephone Number	1-800-535-5053 (24	Hour / USA)		
1.5	Authorized European Representative	Advena Ltd. Pure Offices, Plato C Warwick, CV34 6WE United Kingdom			
2.0	Hazards Identification				
2.1	Classification	Irritant.			
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Class Eye irritation STOT SE Skin irritation Skin sensitization	Hazard Category 2 3 2 1	Hazard Statement H319 H335 H315 H317	
2.1.2	Classification according to Directive 67/548/EEC (See SECTION 16 for full text of risk phrases)	Irritant; Xi; R 36	6/37/38-43		
2.2	GHS Label Elements Hazard Pictograms				
	(1)				
	Signal Word: WARNING Restricted to use by dental professional only. Hazard Statements H319: Eye irritation. 2. May cause eye irritation. H335: STOT SE. 3. May cause respiratory irritation. H315: Skin irritation. 2. May cause skin irritation. H317: Sensitization. 1. May cause an allergic skin reaction.				
	Precautionary Statements P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water. P333+P313: If irritation or rash occurs, get medical advice/attention.				

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

Trade Name: $ORTHO\text{-}CHOICE^{\intercal}M$ $ORTHO\text{-}COAT^{\intercal}M$

3.0	Composition				
3.1	Chemical charac	Chemical characterization of the preparation: Light cured, acrylate resins			
3.2	Hazardous ingredients				
	CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP)
	Proprietary	Uncured acrylate resins	55-65%	Xi (Irritant), R36/37/38, R43	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315 Skin sensitization, 1, H317
	112945-52-5	Amorphous silica	<1 %	Xi (Irritant), R36/37/38	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315
	7664-39-3	Hydrofluoric acid	0.3%	R36/38	Eye irritation, 2, H319 Skin irritation, 2, H315
4.0	First Aid Measur	res			
4.1	General Informati	on	May be irritating to eyes, respiratory system and skin. Prolonged or repeate contact with acrylate resins may cause sensitization. Show this safety da sheet to medical personnel. Get medical attention in case of uncertainty.		sitization. Show this safety data
4.2	Inhalation		Move to fresh air. and seek medical a		xygen and/or artificial respiration
4.3	Skin Contact		Take off contamina	ated clothing. Wash skin the	oroughly with soap and water.
4.4	Eye Contact		Keep eyelids apart and flush with running water for 15+ minutes. Get medical attention.		
4.5	Ingestion			irritating to mucous meml	miting. Get immediate medical branes. Never give anything by
4.6	Precautions for first responders		Ventilate the area.	Wear eye and skin protect	ion.
4.7	Information for p	physicians			
	Symptoms		Irritation or redness	s in eyes, throat or on skin.	
	Hazards		May be irritating sensitization by ski		ystem and skin. May cause
	Treatment		As above under Fi	rst Aid.	
5.0	Fire Fighting M	Fire Fighting Measures			
5.1	Suitable extinguishing media		Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be used to keep fire exposed containers cool.		
5.2	Extinguishing media to avoid		Do not use direct water stream		
5.3	Special exposure hazards in a fire		Heat may cause polymerization with rapid release of energy.		
5.4	Special protective fighters	ve equipment for fire-	Self-contained brea	athing apparatus should be	worn by firefighters.

Trade Name: $ORTHO\text{-}CHOICE^{\intercal}M$ $ORTHO\text{-}COAT^{\intercal}M$

6.0	Accidental Release Measures	
6.1	Personal precautions.	Ventilate area. Wear safety glasses, gloves and lab coat.
6.2	Environmental precautions	Contain spilled material. Follow all government regulations.
6.3	Method for clean up	Absorb or wipe up spill with paper towels or cloths. Collect for disposal in a covered container. Wash area of spill with alcohol or soap and water.
7.0	Handling and Storage	
7.1	Handling	For use only by dental professionals trained in its use. Follow good hygiene practices. Remove applicator tip from syringe and recap immediately after use. Keep light-cured materials shaded from intense light sources.
7.2	Storage	Store product tightly capped in original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition, temperature extremes (>27°C/80°F, <5°C/40°F). Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.
7.3	Specific uses	Dental material
8.0	Exposure Controls / Personal Protecti	on
8.1	Exposure limit values	Silica amorphous: PEL: 6 mg/m³. TLV: 10 mg/m³ Hydrofluoric acid: PEL/TLV: 3 ppm
8.2	Exposure controls	
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use.
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne vapors.
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves.
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses.
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wearing a lab coat.
8.2.1.5	Other controls	Emergency eye wash fountain should be available. Wash hands after use.
8.2.2	Environmental exposure controls	Cure material before disposing. To the best of our knowledge, cured material is inert. Follow all government regulations.
9.0	Physical and Chemical Properties	
9.1	Characteristics	
9.1.1	Appearance /Color / Physical state	Clear resin
9.1.2	Odor	Faint, characteristic
9.2	Important health, safety and environmental information	
9.2.1	рН	Not determined
9.2.2	Boiling point	Not determined
9.2.3	Flash point	Not determined
9.2.4	Flammability (solid, gas)	Not applicable
9.2.5	Explosive properties	Not applicable
		3 of 5

Revision Date: May 28, 2019

Trade Name: $ORTHO\text{-}CHOICE^{\intercal M}$ $ORTHO\text{-}COAT^{\intercal M}$

9.2.6		
3.2.0	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg / 133 Pa / Id: B
9.2.8	Specific gravity	Not determined
9.2.9	Solubility in water	Nil
9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	>1
9.2.13	Evaporation rate	Not determined
10.0	Stability and reactivity	
10.1	Conditions to avoid	Temperature extremes (>27°C/80°F, <5°C/40°F), light.
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.
10.3	Hazardous decomposition products	Under fire conditions and with amounts far greater than in this product, hazardous polymerization may occur with heat buildup, release of carbon monoxide, carbon dioxide, oxides of nitrogen.
10.4	Further information	Light-cured materials polymerize when exposed to direct light.
11.0	Toxicological information	
11.1	Acute toxicity	Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use.
11.2	Irritation and corrosiveness	May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure.
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause
-		allergic skin reactions in some susceptible individuals.
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation.
		Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than
11.4	toxicity Carcinogenicity, Mutagenicity, Reproductive	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation.
11.4	toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation. None known.
11.4 11.5 11.6	toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation. None known. None available. Ortho-Coat been sold on the domestic and international market for
11.4 11.5 11.6 11.7	Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation. None known. None available. Ortho-Coat been sold on the domestic and international market for
11.4 11.5 11.6 11.7	toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation. None known. None available. Ortho-Coat been sold on the domestic and international market for more than 8 years with no reports of adverse events. To the best of our knowledge, polymerized material is inert. No other
11.4 11.5 11.6 11.7 12.0 12.1	Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation. None known. None available. Ortho-Coat been sold on the domestic and international market for more than 8 years with no reports of adverse events. To the best of our knowledge, polymerized material is inert. No other
11.4 11.5 11.6 11.7 12.0 12.1 13.0	Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity Disposal Considerations	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation. None known. None available. Ortho-Coat been sold on the domestic and international market for more than 8 years with no reports of adverse events. To the best of our knowledge, polymerized material is inert. No other information is available. Polymerize before disposal. Follow all local and national government
11.4 11.5 11.6 11.7 12.0 12.1 13.0 13.1	Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity Disposal Considerations Regulations	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to amounts greater than in this product may cause eye and respiratory irritation. None known. None available. Ortho-Coat been sold on the domestic and international market for more than 8 years with no reports of adverse events. To the best of our knowledge, polymerized material is inert. No other information is available. Polymerize before disposal. Follow all local and national government

Trade Name: $ORTHO\text{-}CHOICE^{\intercal}M$ $ORTHO\text{-}COAT^{\intercal}M$

15.0	Regulatory Information		
15.1	EU	Class IIa medical device under MDD 93/42/EEC.	
15.2	US FDA	Class II medical device	
15.3	Health Canada	Class III medical device	
16.0	Other information		
16.1	List of relevant R phrases	R36/37/38: Irritating to eyes, respiratory system and skin. R43: Sensitizing by skin contact	
16.2	Hazard Statements	H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.	
16.3	Precautionary Statements	P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice / attention. P302+P352: If on skin, wash with plenty of soap and water. P333+P313: If irritation or rash occurs, get medical advice / attention. P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.	
16.4	Restrictions on use	Pulpdent products are to be sold to and used by dental professionals only.	
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.	
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) US Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency	
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of GHS SDS format and Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.	

Revision Date: May 28, 2019