



HOBOKEN RADIOLOGY

Providing a clearer image of health
79 Hudson Street, Suite 100 • Hoboken, NJ 07030
Tel: 201-222-2500 Fax: 201-469-0555
www.HobokenRadiology.com

Patient's Name: _____ App't Date: _____ Time: _____

Indication: _____ Diagnosis: _____

Referring Physician: _____ Phone: _____

Physician's Signature: _____ Fax: _____

- X-Ray**
- Abdomen**
- KUB
 - Obstructive Series
- Chest** **L** **R**
- Ribs
 - Chest
- Extremities** **L** **R**
- Ankle
 - Clavicle
 - Elbow
 - Femur
 - Foot
 - Forearm
 - Hand
 - Hips
 - Humerus
 - Knee
 - Shoulder
 - Tibia/Fibula
 - Wrist
 - Other _____
- Head & Neck**
- Facial Bones
 - Mandible
 - Nasal Bones
 - Orbits
 - Sinuses
 - Skull
 - TM Joints
- Spine & Pelvis**
- Cervical
 - Lumbo Sacral
 - Pelvis
 - Sacrum & Coccyx
 - Scoliosis Study
 - S-I Joints
 - Thoracic/Dorsal
 - Other _____
- Pediatric**
- Bone Age
 - Other _____

- PET / CT with Time of Flight**
- Oncology:** _____
(Indication)
- Initial Treatment
(Diagnosis / Initial Staging)
 - Subsequent Treatment
(Restaging / Treatment Monitoring
/Suspected Recurrence)
 - Bone Scan (NaF-18)
(For Bone Metastasis)
- Neurology**
Please refer to our more detailed
PET/CT prescription pad.

- Ultrasound**
- Aorta
 - Breast **L** **R**
 - Abdomen w/ Doppler
 - Renal w/ Doppler
 - Scrotal w/ Doppler
 - Urinary Bladder
 - Post-Void Residual
 - Thyroid
 - Pelvis Transabdominal
 - Pelvis Transvaginal
 - SonoHysterogram
 - Soft Tissue _____
- Obstetrical TV if needed
- 1st Trimester Screening
- Biophysical Profile
- Other _____

- Doppler**
- Carotid Doppler
- L** **R**
- Venous Doppler-Lower
 - Venous Doppler-Upper
 - Arterial Doppler-Lower
 - Arterial Doppler-Upper
- Other _____

- Pediatric**
- Hips
 - Pyloric Stenosis
 - Other _____

- CT Scan High Res - Low Dose**
- Head
 - Temporal Bones / IAC
 - Sinuses
 - Orbits/ Facial Bones
 - Neck
 - Chest High Resolution
 - C-Spine
 - T-Spine
 - L-Spine
 - Abdomen & Pelvis
 - Abdomen only
 - CT Enterography (with contrast)
 - CT Gastrography (with contrast)
 - Pelvis only
 - CT Hysterosalpingogram
 - CT Urogram (with contrast)
 - CT Stone Study (noncontrast)
 - Extremities
 - 3D Reconstruction
 - Other _____
- IV Contrast**
(Recent Blood Work Required)
- No IV Contrast**
- CT Angiogram (with IV contrast)**
(Cardiac CTA excluded)
- Head
 - Carotid
 - Thoracic Aorta
 - Pulmonary Artery
 - Abdomen Aorta
 - Pelvis
 - Lower Extremities
 - Other _____

- Obstetrical**
- 1 to 14 weeks Drink 32 oz of water half hour before exam.
 - 15 to 30 weeks Drink 24 oz of water half hour before exam.
 - 30 weeks & above Drink 8 oz of water half hour before exam.
- Renal**
- Drink 16 oz of water.

Please bring your prescription and insurance card.

If you are unable to keep appointment, please notify us 24 hours in advance.

Please see patient instructions on reverse side.

PATIENT INSTRUCTIONS

If you are unable to keep appointment, please notify us 24 hours in advance

ULTRASOUND

Obstetrical.

1 to 14 weeks Drink 32 oz of water half hour before exam.
15 to 30 weeks Drink 24 oz of water half hour before exam.
30 weeks & above Drink 8 oz of water half hour before exam.

Renal

Drink 16 oz of water.

Pelvis or Urinary Bladder.

Drink 40 oz of water half hour before exam.

Renal Arterial Doppler

Fast eight hours before. Drink 16 oz of water half hour before exam. May take medication.

DO NOT URINATE UNTIL COMPLETION OF EXAM.

Abdomen, Gallbladder, Pancreas, Spleen, Liver & Aorta.

Fasting from midnight or eight hours before. May take small amount of water with medication.

Sonohysterogram

If you are pregnant or think you are pregnant, this procedure cannot be done at this time. Exam must be done 7-12 days from start of menstrual cycle. No intercourse and no douching on day of exam. Eat light meals. To lessen menstrual cramping take 400-800 mg of Ibuprofen (Motrin, Advil, Nuprin) 1 to 2 hours prior to exam. Inform us of any allergies, especially latex.

CT SCAN

Abdomen & Pelvis.

Pick up (2) bottles of contrast at least one day before your exam. Nothing to eat or drink for 4 hours before exam, (except medications with a little water). Drink one bottle of contrast before going to bed. One hour before the exam drink 3/4 of the 2nd bottle. **Please do not dispose of the remaining contrast. You will drink this in the CT department.**


Brain, Neck & Chest.

Nothing to eat or drink for 4 hours before the exam, (except medications with a little water).

Please remove any jewelry or body piercing from area to be scanned before CT.

Inform the staff of any allergies, any renal problems, or if you are a diabetic taking medication.

Do not stop taking regular medications. You may take a little water with your medications.



Validated parking available at Municipal Parking Garage at 215 Hudson St. Between 2nd and 3rd.