

DEFIANT®

■ Vertical Blinds



Defiant

All Defiant blinds are carefully built to exacting standards, to give years of trouble-free service. The superior design features and quality components enable them to be confidently specified for the most demanding applications. Defiant blinds are designed for intensive use and are frequently to be seen in busy public areas such as hospitals and schools, as well as commercial and residential environments.

The Defiant vertical blind programme is one of the most comprehensive available, ranging from slim premium profiled units to heavy-duty electrically controlled blinds.

The Defiant fabrics programme encompasses a vast range of fabrics, all of which are flame-retardant to government standards. Fabric types include dim-out, black-out, solar reflective, sunscreen and solar film.

Defiant blinds are available through a nationwide network of customers / dealers, with experienced installation and service teams providing an unrivalled level of support.

Maintenance

Defiant vertical blinds are designed to require low maintenance. The headrails and components are made from durable materials and will not corrode in normal use. In the event of damage most components are easily replaceable.

Internal surfaces of headrails may be lubricated if necessary with a light application of silicone spray. Louvre fabrics have high mechanical and dimensional stability and colour fastness. Some ranges are fully washable.



Size Limitations

Based on fabric weight of 170g/m², e.g. Tay

Use of heavier fabrics may require appropriate reductions

		Min Width	Max Width	Max. Drop	Max m ²
VL30	Premium profiled headrail	300	4550	3200	10.5
VL31	Premium profiled headrail	300	4550	3200	10.5
VL36	Overhead twin rack	300	2550	1550	4.0
VL60	Bead chain mono control	300	4550	3200	14.5
VL64	Crank mono control	300	4550	3200	14.5
VL65	Electric operation	400	4550	3200	14.5

movatrack[®]
TRACK SYSTEMS

movatrack[®]
OVERHEAD INTRAVENOUS TRACK SYSTEM

harrier[®]
CUBICLE AND SHOWER CURTAINS

DEFIANT[®]
BLINDS

Vitesse[®]
CURTAIN TRACKS

Kestrel[®]
MAGNETIC ANTI-ROTATION SYSTEM

For further information on all Yewdale Bridge products please contact the sales department.

Yewdale Bridge
Enterprise Way, Wickford
Essex SS11 8DH

Tel: +44 (0) 1268 570900
Fax: +44 (0) 1268 732509
Email: enquiries@yewdalebridge.com
www.yewdalebridge.com