

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
BALANCERS		
Aeromotive		
8	EB250-30	18-25 lb. Capacity
9	EB350-30	25-35 lb. Capacity 8 are ** NEW **
8	EB4500	35-45 lb. Capacity
1	RF-6	4-6 lb. Capacity
1	10FLR	4-10 lb. Capacity **NEW**
6	20E	12-20 lb. Capacity
4	30E	20-30 lb. Capacity
1	40E	30-40 lb. Capacity
4	60JA	55-65 lb. Capacity
2	100JA-04	90-100 lb. Capacity ** NEW **
1	260LA	250-260 lb. Capacity
1	280LA	265-280 lb. Capacity
1	9030JA	20-30 lb. Capacity ** NEW **
Aro		
1	7072	10 lb. Capacity
Atlas Copco		
1	RIL210L (Aeromotive 210LA)	175-210 lb. Capacity ** NEW **
Chicago Pneumatic		
1	907ALB	70-90 lb. Capacity
1	2200 ELER	105-145 Capacity **NEW**
1	2200 EMER	135-160 lb. Capacity
1	9810	1-10 lb. Capacity
1	9820	5-20 lb. Capacity **NEW**
Ingersoll Rand		
1	BHD30	55-66 lb. Capacity
1	BIDS-25	44-55 lb. Capacity
2	BSD-100	198-220 lb. Capacity ** NEW **
Knight		
1	KB150-056	150 lb. Capacity
Packers Kromer		
1	7240-6	165-198 lb. Capacity
1	7251-8	220-250 lb. Capacity **NEW**
1	7261-4	496-551 lb. Capacity **NEW**
1	7261-5	551-606 lb. Capacity **NEW**
1	7261-6	606-661 lb. Capacity **NEW**
CHIPPING HAMMERS		
ATP		
2	ATP-3RB	Flapper valve 3.75" stroke 4-bolt handle
1	ATP-4RB	Flapper valve 4.25" stroke 4-bolt handle
American Pneumatic		
1	553	Simplate 3" stroke latch retainer
Chicago Pneumatic		
1	4113 PUSA	1 1/4" Stroke round bushing
1	4113 PUSE	1 1/4" Stroke hex bushing **NEW**
1	4121-2	Simplate 2" stroke Ergo
1	4121-4	Simplate 4" stroke Ergo
31	4123 PYBE	Simplate 1" stroke hex bushing 2-are**NEW**
5	4123 PYRA	Simplate 2" stroke

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	4123 PYSE	Simplate 3" stroke **NEW**
1	4125 PAME	Ring valve 3" stroke
6	4125 PYBE	Simplate 1" stroke hex bushing
2	4125 PYSE	Simplate 3" stroke hex bushing **NEW**
1	4125 PYTE	Simplate 4" stroke hex bushing
Cleco		
4	CH-22-HX-H	2" stroke hex bushing 2-are**NEW**
1	C30 B	3" stroke
1	2 WAM	2" stroke
2	3 WAM	3" stroke
Honsa		
2	HTC93-2-R	2" stroke round bushing vibration dampened
Ingersoll-Rand		
1	2A2SA	Flapper valve round bushing **NEW**
1	3A2SA	Flapper valve round bushing **NEW**
1	3DA1SA	Flapper valve hex bushing four bolt style **NEW**
4	K2LA1	Flapper Valve 1 is **NEW**
3	W 2	Flapper Valve
1	W 2A	Flapper Valve
3	W 3	Flapper Valve
2	W 4	Flapper Valve
1	100	Rocker Valve
5	767W	Flapper valve 3" stroke threaded retainer
Jet		
10	JCO-3R-RV	3" Stroke ring valve
5	JCO-4R-RV	4" Stroke ring valve
Master Power		
4	5181	2" Stroke
Rand Air		
2	HA 15	3" Stroke simplate theaded retainer
T.C. Service		
1	TC-30	3" Stroke simplate
CONSTRUCTION TOOLS		
Atsco		
9	RA-241F	Floor rammer 1 5/16" Bore 4" Stroke
Atlas Copco		
1	BBC17 WTH	Jack leg rockdrill
American Pneumatic		
1	15	Rockdrill
1	114	Rockdrill **NEW**
1	119	Trench digger 1"X 4 1/4
2	125 (5211)	Clay digger 7/8 X 3 1/4
1	134	Clay digger
Chicago Pneumatic		
3	# 3	Clay digger
1	4 RV	Tamper **NEW**
5	9B	Rockdrill **NEW**
4	9RR	Rockdrill
2	14 RR	Rockdrill 1-DEMO
1	32	Rockdrill 7/8" <small>Call for Price and Availability</small>
1	59	Rockdrill 1"
2	69	Rockdrill 1"x 4 1/4"

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
4	111 RV	Demolition Tool spring retainer
2	111-THLA	25 lb. Class breaker 1"
2	113	30 lb. Class breaker
1	117 (copy)	90 lb. Class breaker 1 1/4"
1	123	60 lb. Class breaker
1	222	Clay digger
2	1210S	30 lb. Class breaker 1" bushing
2	1240-1.25	90 lb. Class breaker 1 1/4"
Cleco		
1	B65	Breaker 60 lb. Class
Gardner Denver		
1	T 23 1A	Tamper
Ingersoll-Rand		
2	CC80	90 lb. Class breaker
1	J10	Rockdrill 7/8"
1	J40	Rockdrill 7/8"
1	J 50A	Rockdrill 1"
1	MX90B	90 lb. Class breaker 1 1/4" **NEW**
1	PBR40S	90 lb. Class breaker
1	PB 59	30 lb. Class
1	PB 6SD (Copy)	60 lb. Class spike driver
1	PB 8B	90 lb. Class breaker
2	PB 8B-SD	90 lb. Class spike driver
1	PB 85-SD	90 lb. Class spike driver
5	341A2M	Tamper 4" stroke 1550 BPM
6	59 LC3	Clay digger 1" bushing T-handle
2	93LA1	Clay digger 7/8 X 3 1/4 latch retainer **1 is NEW**
Joy		
1	K61	Breaker 60 lb. Class
Michigan Pneumatic		
1	B733-1	Clay digger
Rhino		
1	PD 40	Post driver
Sullair		
1	M 2	Clay digger
1	MCD30 A	Clay digger
1	MPB 30	30 lb. Class breaker
1	MPB 60	60 lb. Class breaker
Thor		
1	16	Clay digger
2	75	60 lb. Class rockdrill 1" bushing
4	125	90 lb. Class breaker 1 has 1 1/8" bushing 3-are 1 1/4"
CYLINDERS		
Aro		
1	3932 1009 1 020	2" Stroke 7/16" - 20 threaded shaft ** NEW **
1	3940 1009 1 020	2" Stroke 7/16" - 20 threaded shaft ** NEW **
AIRCRAFT / ANGLE DRILLS		
<small>Can For Price and Availability</small>		
Aro		
1	DA023B-37-D	3,700 rpm 10-32 female 45 degree head **DEMO**

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
2	DR023B-5-E	500 rpm 5/16-24 female 90 degree head
1	DR023B-5-T	500 rpm 1/4-28 female 90 degree head
1	DR023B-21-C	2,100 rpm 9/32-40 90 degree head **DEMO**
16	DR023B-21-T	2,100 rpm 1/4-28 90 degree head
1	DR023B-37-C	3,700 rpm 9/32-40 90 degree head **DEMO**
1	DA053B-27-T	2,700 rpm 1/4-28 female 45 degree head **DEMO**
1	DA053B-52-T	5,200 rpm 1/4-28 female 45 degree head **DEMO**
Atlas Copco		
1	LBV24S045-93	4,100 rpm 1/4-28 Female spindle ** NEW **
Buckeye		
1	31AR-532	2,100 rpm 9/32-40 90 degree head **NEW**
Dotco		
3	15N254-52	1,070 rpm 1/4-28 female spindle **NEW**
1	15LS255-62	1,360 rpm 1/4-28 female spindle **NEW**
Ingersoll-Rand		
2	D 38M	600 rpm 3/8-24 spindle
1	DA0859D	850 rpm 1/4-28 female spindle
1	5LK1A1	3,000 rpm 1/4-28 female spindle
1	6LR3A44	400 rpm 1/2" capacity
1	7LJ1A1	4,800 rpm 1/4-28 female spindle
1	7LM3A43	900 rpm 3/8" capacity
1	7LN3A44	600 rpm 1/2" capacity
Jiffy-United Air Tool		
2	SD2 2000	2,000 rpm 90 degree head 1/4-28 female
5	ASD1	Flat angle drill
Quackenbush		
1	15 QDA RA SURS	160 rpm FD.002
Sioux		
7	1A115L	2,900 rpm 1/4-28 female spindle
Stanley		
3	D40LA-6	625 rpm 1/2" capacity
Zepher		
2	ZT-802	1,000 rpm
FLAT ANGLE DRILLS		
Aro		
2	7438D	1,450 rpm 1/4" capacity
1	7439C	2,500 rpm 1/4" capacity
6	7439D	2,500 rpm 1/4" capacity **NEW**
2	7441D2	3,300 rpm 1/4" capacity
4	7443D	500 rpm 1/4" capacity
CORNER DRILLS		
Chicago Pneumatic		
10	323 TANAR	175 rpm # 3 M.T.
2	3400 -300	300 rpm 3 are # 3 M.T. 1 is # 4
1	3400R-100	100 rpm # 5 M.T. reversible
3	3450R-150-4	150 rpm # 4 M.T. reversible
Ingersoll-Rand		
10	20 M	215 rpm # 2 M.T. Call for Price and Availability
9	20 LB	310 rpm # 2 M.T.
1	20 SLB	310 rpm # 3 M.T.

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
6	30S	185 rpm # 4 M.T.
7	40	180 rpm # 4 M.T.
6	R44	165 rpm # 4 M.T. reversible
1	R44SEB	95 rpm #5 M.T. reversible
Thor		
1	L257	320 rpm # 2 M.T.
12	3RC1-450	450 rpm #1 M.T.
6	8633A	450 rpm # 1 M.T.
Uryu		
14	U-22RCRR	850 rpm # 2 M.T. reversible
3	U-32RCRR	500 rpm # 3 M.T. reversible
FEED DRILLS		
Aro		
1	FEO54B-16A-A	4" stroke electric
7	P0-21-2A	Hand held
1	8245-B8-2	2" Stroke 900 rpm
1	8245-B8-3	3" Stroke Self Feed Screwdriver **NEW**
1	8245-203-2	2" Stroke 19,000 rpm
1	8245-203-3	3" Stroke 19,000 rpm
4	8245-B30-1	1 1/4" Stroke 2,700 rpm
3	8245-B30-2	2" Stroke 2,700 rpm 1-is**NEW**
2	8245-B45-1	1 1/4" Stroke 4,400 rpm 1-is**NEW**
3	8245-B45-2	2" Stroke 4,400 rpm 2-are**NEW**
1	8245-B45-3	3" Stroke 4,400 rpm **NEW**
2	8255-A5-1	1 1/4" Stroke 500 rpm 1-is**NEW**
3	8255-8-1	1 1/4" Stroke 850 rpm
1	8255-A8-2	2" Stroke 850 rpm
2	8255-A14-1	1 1/4" Stroke 1,450 rpm
86	8255-A14-2	2" Stroke 1,450 rpm
16	8255-A14-3	3" Stroke 1,450 rpm
1	8255-A21-3	3" Stroke 2,100 rpm
1	8255-A28-2	2" Stroke 2,800 rpm **NEW**
14	8255-A28-3	3" Stroke 2,800 rpm
4	8255-A50-1	1 1/4" Stroke 5,000 rpm
2	8255-A50-3	3" Stroke 5,000 rpm
4	8255-171-3	3" Stroke 17,000 rpm
1	8256-C5-2	2" Stroke 500 rpm w/ Tapmatic head 1/2" capacity
4	8256-C8-2	2" Stroke 850 rpm w/ Tapmatic head 5/16" steel, 3/8" alum.
1	8257-14-2	2" Stroke 1,450 rpm w/ Jaw type tapping head # 10 Steel, 1/4" alum.
1	8258-C21-1	1 1/4" Stroke twin spindle head 2,100 rpm
2	8258-C21-2	2" Stroke twin spindle head 2,100 rpm
1	8258-C28-1	1 1/4" Stroke twin spindle head 2,800 rpm
2	8258-C28-3	3" Stroke twin spindle head 2,800 rpm
2	8258-C50-3	3" Stroke twin spindle head 5,000 rpm
8	8265-6-3	3" Stroke 650 rpm
3	8265-12-1	1 1/2" Stroke 1,200 rpm
1	8265-12-2	2" Stroke 1,200 rpm
4	8265-12-3	3" Stroke 1,200 rpm 1 is-**NEW**
1	8265-46-1	1 1/2" Stroke 4,600 rpm
1	8265-46-3	3" Stroke 4,600 rpm
2	8266-A7-2	2" Stroke 700 rpm offset spindle
10	8266-A12-1	2" Stroke 1,200 rpm offset spindle

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
8	8266-A23-1	1 1/4" Stroke 2,300 rpm offset spindle
1	8268-6-3	3" Stroke 650 rpm twin spindle head
1	8268-A25-3	3" Stroke 2,500 rpm twin spindle head
1	8345-A8-1	1" Stroke 850 rpm **NEW**
2	8345-201-3	3" Stroke 19,000 rpm
7	8355-A28-3	3" Stroke 2,800 rpm
5	8355-A50-3	3" Stroke 5,000 rpm
2	8656-B24-2	2" Stroke 1,300 rpm lead screw tapper
1	8657-B7-M	2" Stroke 600 rpm lead screw tapper
2	8658-B20-2	2" Stroke 1,300 rpm lead screw tapper
2	8658-B24-2	2" Stroke 1,300 rpm lead screw tapper
7	8660-4-1	1 1/2" Stroke High-Thrust series 450 rpm 1/2" capacity
1	8660-13-1	1 1/2" Stroke High-Thrust series 1,300 rpm 1/2" capacity
2	8660-27-1	1 1/2" Stroke High-Thrust series 2,700 rpm 1/2" capacity
1	8670-4-1AM	1 1/2" Stroke High-Thrust series 450 rpm 3/4" capacity **NEW**
Buckeye Rockwell		
6	21LD-801	2" Stroke 4,750 rpm
10	21LD-872	1 1/4" Stroke 3,500 rpm
10	21LD-873	1 1/4" Stroke 2,800 rpm
9	31LD-801C	3" Stroke 5,000 rpm
1	31LD-802C	3" Stroke 3,000 rpm
42	31LD-805	3" Stroke 1,100 rpm 1-is **NEW**
19	31LD-806	3 " Stroke 750 rpm
1	31LD-807C	3 " Stroke 450 rpm
4	31L-815	3 " Stroke 1,100 rpm w/ Tapmatic attachment
3	42LD-803	3 " Stroke 1,850 rpm 1-is **NEW**
1	46LD-801	4" Stroke 4,400 rpm w/ Twin spindle attachment
4	46LD-802	4" Stroke 3,250 rpm (one has Twin spindle attachment)
3	46LD-804	4" Stroke 1,300 rpm
7	46LD-805	4" Stroke 900 rpm (two have twin spindle attachment)
3	46L-815	4" Stroke 900 rpm w/ Tapmatic attachment
1	46LD-818	4" Stroke 285 rpm w/ Tapmatic attachment
2	61PA-3204B	Positive feed right angle 160 rpm
1	61PA-3601B	Positive feed right angle 150 rpm
1	61PA-3604B	Positive feed right angle 150 rpm
Desoutter		
1	AFDM-53	5,000 rpm
3	AFD60-1000	4" Stroke 7/16" capacity mild steel
Gardner Denver		
1	92D-25S	2 1/2" Stroke
4	92D-46P	1 1/2" Stroke
1	92-25-35	1" Stroke
2	HT3B003SEA0	Peck feed drill
1	HT4AA015E30AAP	Peck feed drill - Pistol Grip 3" stroke 1500 rpm
Gyrol		
5	Type 650	2 spindle drill head
4	Type 950	4 spindle drill head
Quackenbush		
1	QDA 10C-4	Pistol grip 5/16" capacity
LARGE DRILLS		
Chicago Pneumatic		Call for Price and Availability
1	310 PASAN	925 rpm D-handle **DEMO**

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	315	1200 rpm #2 M.T.
2	315 R200	200 rpm # 2 M.T. reversible
5	315 R200	200 rpm 5/8 sq.dr. reversible
7	315 R350	350 rpm #2 M.T. reversible
1	315 RAFAL	750 rpm #2 M.T. reversible **NEW**
4	315 RAGUL	350 rpm #2 M.T. reversible
6	315 R500	500 rpm #2 M.T. reversible
4	315 R750	750 rpm #2 M.T. reversible
1	315 R1200	1200 rpm #2 M.T. reversible
2	315 SUFUL	350 rpm # 2 M.T. ** NEW **
25	323-S	700 rpm #2 M.T.
5	326-450	450 rpm #3 M.T.
2	326-700	700 rpm # 3 M.T.
3	326 R 650	650 rpm # 3 M.T. reversible
9	326 RW 650	650 rpm wood borer reversible
3	327-250	250 rpm #3 M.T.
1	327-325	325 rpm # 3 M.T.
10	327-425	425 rpm #4 M.T.
10	327-450	450 rpm # 3 M.T.
1	327-500	500 rpm #4 M.T.
1	327-700	700 rpm #2 M.T.
4	327 R 100	100 rpm #3 M.T. reversible
2	327 R 160	160 rpm #3 M.T. reversible
8	327 R 160-4	160 rpm #4 M.T. reversible
2	327 R 225	225 rpm #3 M.T. reversible
1	327 R 250	250 rpm #3 M.T. reversible
2	327 R 250	250 rpm #4 M.T. reversible
1	327 R 350	350 rpm #3 M.T. reversible
1	327 R 290	290 rpm #3 M.T. reversible
6	327 R 400	400 rpm #3 M.T. reversible
1	327 R 500	500 rpm #3 M.T. reversible
2	327 R 700	700 rpm #3 M.T. reversible
1	3270 R 150-4	150 rpm #4 M.T. reversible
2	350 R 65	65 rpm #5 M.T reversible
2	3500 R 60-4	60 rpm #4 M.T. reversible
Gardner Denver		
1	10498ABO	600 rpm #2 M.T. vertical
Ingersoll-Rand		
20	2K	725 rpm gooseneck handle
11	2XK	725 rpm
1	2XL	500 rpm
3	22J	1,025 rpm
4	22K	725 rpm
1	22KW	725 rpm wood borer
1	22L	500 rpm reversible
1	22M	350 rpm # 2 M.T. reversible
7	22N	280 rpm Stub taper spindle reversible
1	22P	230 rpm Stub taper spindle reversible
1	3H	800 rpm # 2 M.T.
1	3J	450 rpm # 2 M.T.
1	3J 4	450 rpm # 4 M.T.
10	3SJ	450 rpm # 3 M.T.
14	3SK	300 rpm # 3 M.T.

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	33 K4	300 rpm #4 M.T. reversible
2	33 J	450 rpm #2 M.T. reversible
11	33 J	450 rpm #3 M.T. reversible
6	33 SJ	450 rpm #3 M.T. reversible
7	33 K	300 rpm # 3 M.T. reversible
2	33 SK	300 rpm # 3 M.T. reversible
1	33 SK4	300 rpm # 4 M.T. reversible
3	33 SM	185 rpm # 3 M.T. reversible
	33 SMA	185 rpm # 3 M.T. reversible **NEW**
1	33 P61	86 rpm #5 M.T. reversible
1	33 W	800 rpm wood boring chuck reversible
8	4J	450 rpm #3 M.T.
1	4L	225 rpm #3 M.T.
2	4SJ	450 rpm # 4 M.T.
2	44L54	225 rpm Earth boring drill
2	44 SM	155 rpm # 4M.T. reversible
2	5L	200 rpm #4 M.T.
1	5 SM	120 rpm # 5 M.T.
1	55 J	450 rpm #4 M.T. reversible
2	55 L	200 rpm #4 M.T. reversible
4	55 SM	120 rpm #5 M.T. reversible
Rotor		
2	M 9072	300 rpm #3 M.T. ** NEW **
1	M 9073 Type 884	95 rpm #4 M.T. reversible ** NEW **
Thor		
1	66-4-90 (10608B)	90 rpm #4 M.T. reversible
1	88L-165	165 rpm # 4 M.T. reversible
2	88L-185	185 rpm # 4 M.T. reversible
1	88WL-185	185 rpm # 4 M.T. Reversible Wet drill
3	88WL-310	310 rpm # 4 M.T. Reversible Wet drill
1	254-RY	
1	262X-2 Model 2829	
1	275-RY	
1	353-RZ-300	300 rpm #2 M.T. reversible
2	362-H-3-4597	700 rpm #3 M.T.
1	362-RX-3	450 rpm #3 M.T. reversible
3	363-Y-3	350 rpm # 3 M.T.
1	363-RZ-3	250 rpm # 3 M.T. Reversible
1	363W- RZ	250 rpm # 3 M.T. Reversible
1	385-S-5	
2	385 Y	300 rpm # 4 M.T.
3	385-RL	75 rpm # 5 M.T. Reversible
3	385-RY	310 rpm # 4 M.T. Reversible
1	2874 Sz.264-RZ	#4 M.T. reversible
1	3703 Sz. 264-RZZ	80 rpm #4 M.T. reversible
PISTOL GRIP DRILLS		
Aro		
1	DG021B-10	1,000 rpm pistol grip 3/8" chuck
7	DG021B-15AS	1,500 rpm pistol grip
2	DG021B-33	3,300 rpm pistol grip
3	DG051B-15	1,500 rpm Call for Price and Availability
1	DG051B-50	5,000 rpm

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
4	DG051B-52	5,200 rpm
8	7364D	3,000 rpm
2	7365D	550 rpm
1	7366	800 rpm
1	7367	1,200 rpm
2	7368	4,500 rpm
2	7386	2,100 rpm
1	7512	2,700 rpm
2	7847E	1100 rpm 1-is **NEW**
1	7525D	4,400 rpm
1	7949E	325 rpm 1/2" capacity **NEW**
Atlas Copco		
20	LBB22H049	4,900 rpm 1/4" capacity
Buckeye		
3	31D-101	5,000 rpm 1/4" capacity
1	31D-102	3,000 rpm 1/4" capacity
2	35D-303	1,300 rpm 1/4" capacity reversible
42	41D-101	4,500 rpm 5/16" capacity
1	41D-101-51	5,200 rpm 5/16" capacity
1	41D-103	2,000 rpm 5/16" capacity
29	41D-104	1,500 rpm 3/8" capacity
3	41D-105	1,000 rpm 3/8" capacity
6	41D-107	500 rpm 1/2" capacity
7	41D-108	330 rpm 1/2" capacity
1	42DR-101B	6,000 rpm 1/4" capacity
1	42DR-102B	3,300 rpm 5/16" capacity
Chicago Pneumatic		
5	3020 PUSKY	2,250 rpm
7	3021 PUSTY	1,100 rpm
12	9288-2600	2,600 rpm 3/8" capacity
2	9288-4500	4,500 rpm 1/4" capacity ** NEW **
Cleco		
1	10DP10	1,000 rpm
1	135DPV-14B-50	1/2" capacity variable speed 400-1200 rpm
Desoutter		
1	981-11	Pistol grip **NEW**
Dotco		
2	15C2990 53	1,000 rpm 1/2" capacity ** NEW **
20	15CFS93-51	3,200 rpm 3/8" capacity
1	15CNS92-51	3,200 rpm 3/8" capacity
Gardner Denver		
1	11N40EN67DPG	670 rpm
3	10477AA8	600 rpm
Ingersoll-Rand		
2	1AM	1,250 rpm
1	1AP	560 rpm
2	6AL1	2,150 rpm 1/4" capacity
1	6AM2	1,500 rpm
1	6AR1	500 rpm 3/8" capacity
1	6AR3	500 rpm 1/2" capacity
1	7AN4	900 rpm 1/2" capacity
1	7AQ4	600 rpm 1/2" capacity **NEW**

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
Jiffy		
2	D2-450	450 rpm
2	D2-2000	2,000 rpm
1	D2-3500	3,500 rpm
Master Power		
1	1448-55	1,100 rpm 1/2" capacity reversible
9	1480-10	2,200 rpm 3/8" capacity reversible
3	1487-99	3,200 rpm 1/4" capacity
2	1488	2,350 rpm 1/4" capacity
Sioux		
3	1451	2,000 rpm 1/4" capacity
3	1454	2,600 rpm 1/4" capacity
12	1465	1,000 rpm 1/2" capacity D-Handle
1	1466	550 rpm 1/2" capacity D-Handle
Snap-On		
1	PDR3A	3/8 capacity reversible
Thor		
3	201P-2150 / 1200	3/8" capacity
1	2P-600	3/8" capacity
4	3P-450	1/2" capacity
STRAIGHT DRILLS		
Aro		
12	7851-E	4,500 rpm 1/2-20 spindle lever throttle 3/8" capacity **NEW**
3	7852 D	2,400 rpm 1/2-20 spindle lever throttle
6	7853 D	1,100 rpm 1/2-20 spindle lever throttle
3	7874 D	2,400 rpm 3/8-24 spindle lever throttle
Chicago Pneumatic		
1	2480 L13	1,300 rpm
Sioux		
1	2L1110	900 rpm 3/8" capacity lever throttle
1	1466	1/2" capacity D-handle
1	1422	3600 rpm 1/4" capacity lever throttle **NEW**
Thor		
2	35-550	1/2" capacity D-handle
ELECTRIC TOOLS		
Atlas Copco		
1	ETDS-1000-25CTADS	1" Dr. straight Torque control nutrunner 292-730 ft.lbs. **NEW**
ANGLE GRINDERS		
Aro		
1	8480-1	12,000 rpm 1/4-20 male spindle **NEW**
5	8126-1	12,000 rpm 3/8-24
15	8479-1	12,000 rpm 1/4" collet
Buckeye		
1	42HR 532	13,500 rpm 3/8-24 4" guard **NEW**
1	74T-546	2,400 rpm 5/8-11
Chicago Pneumatic		
3	3040 GABCID	13,500 rpm 1/4" collet
8	3040 GASDIM	13,500 rpm 3/8"-24 spindle 4" guard
1	9119-12A4	12,000 rpm 3/8-24 spindle 4" guard ** NEW **
Cleco		

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	11GLF110	11,000 rpm
1	136GLF-115A-D3T4	11,500 rpm 3/8"-24 spindle 4" guard **NEW**
1	136GLR115RA	11,500 rpm 3/8"-24 spindle 4" guard
1	15GL-77RA	7,700 rpm 5/8-11 7" guard
Dotco		
2	10K1200B	12,000 rpm 1/4" collet
1	10L1280-36	12,000 rpm 1/4" collet
1	10L2255	11,000 rpm 1/4" collet
1	10K2778-36	14,500 rpm 1/4" collet
Ingersoll-Rand		
1	HA120RP64	12,000 rpm 3/8"-24 spindle 4" guard
Master Power		
8	4535	13,500 rpm 3/8"-24 spindle 4" guard
Sioux		
1	1287	6,000 rpm 5/8-11 spindle 7" guard
Thor		
16	201RG4	13,500 rpm 3/8"-24 spindle 4" guard
DIE GRINDERS		
Air Turbine		
2	203XSV (42830)	40,000 rpm slide valve throttle
1	525DM	40,000 rpm lever throttle w/brake **NEW**
Aro		
1	7014	17,000 rpm 1/4" collet
1	7015E	17,000 rpm 1/4" collet **NEW**
2	7870	18,000 rpm 1/4" collet
1	7871E	12,000 rpm 1/4" collet
1	7871F	12,000 rpm 1/4" collet **NEW**
1	7873	12,000 rpm 3/8-24
1	7980-2	85,000 rpm 1/8" collet **NEW**
2	8212-1BS	21,000 rpm 1/4" collet
Buckeye		
1	18G-810E	30,000 rpm
Chicago Pneumatic		
6	9113	25,000 rpm 1/4" collet
7	9113G	25,000 rpm 1/4" collet lock off throttle
Cleco		
2	220G	60,000 rpm 1/8" collet 1 is **NEW**
1	136GELR-180C4	18,000 rpm 1/4" collet
Dotco		
1	10L1100B-36	28,000 rpm 1/4" collet **NEW**
1	10R0412-18	60,000 rpm 1/8" collet **NEW**
1	12L2001-01	20,000 rpm 1/4" collet front exhaust
Ingersoll -Rand		
1	CX250RG4	25,000 rpm 1/4" collet extended
2	DG210G4	40,000 rpm 1/4" collet
6	DG220G4	30,000 rpm 1/4" collet
4	DG221G4	20,000 rpm 1/4" collet
2	DG230G4	40,000 rpm 1/4" collet
14	DGE131	18,000 rpm 3/8-24 cone wheel spindle
6	EG131	18,000 rpm 3/8-24 cone wheel spindle

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
2	EG231	18,000 rpm 3/8-24 cone wheel spindle
1	TD200RG4	20,000 rpm 1/4" collet **NEW**
1	TXD180RH63	18,000 rpm 3/8-24 3" type one guard **DEMO**
Master Power		
13	551	23,000 rpm 1/4" collet
3	4420	23,000 rpm 1/4" collet front exhaust
8	4421	23,000 rpm 1/4" collet front exhaust
1	4538 Type 1	23,000 rpm 1/4" collet front exhaust **DEMO**
Rotor		
1	M1232L-170	17,000 rpm 1/4" collet **NEW**
Stanley		
1	G30LLS	21,000 rpm 1/4" collet
Top Cat		
19	40GL	18,000 rpm 3/8-24 cone wheel spindle
HORIZONTAL GRINDERS		
Atsco		
4	GH-607	6,000 rpm 5/8-11 spindle spade handle 6,000 rpm
Aro		
50	7600BL3-2	12,000 rpm 3/8-24 2" guard
1	7940-E	18,000 rpm 3/8-24 spindle 2" guard
4	GH15A-12D-5	12,000 rpm 5/8-11 cone wheel spindle
1	GH201A-60-M	6,000 rpm 5/8-11 **NEW**
3	GH201A-120	12,000 rpm 3/8-24
Buckeye		
1	61G-546	6,000 rpm 5/8-11 type 1 6" guard
Cleco		
1	136GEL240-P4T	24,000 rpm 1/2"-13 Cone wheel spindle **NEW**
1	530BSL	9,000 rpm 5/8-11 Cone wheel spindle
5	560BHL16	6,000 rpm 5/8-11 type 1 6" guard
Dotco		
1	10L3132C	12,000 rpm 3/8-24
1	10K4112-16	12,000 rpm 3/8-24
1	10K4118-17	18,000 rpm 3/8-24
1	10K4120-17	18,000 rpm 1/2-13
1	10L4188	12,000 rpm 3/8-24 spindle
1	10K5606	6,000 rpm 5/8"-11 spindle
Ingersoll-Rand		
6	1L120	12,000 rpm 1/4" collet
1	3G60	6,000 rpm 5/8-11 grip handle
1	4S 45	4,500 rpm 5/8"-11 spindle
1	15S90	9,000 rpm 1/2"-13 spindle
6	21G 60	6,000 rpm 5/8"-11 spindle spade handle
10	21L 60	6,000 rpm 5/8"-11 spindle lever throttle
4	31L 45B1	4,500 rpm 5/8"-11 spindle lever throttle
4	66H120H63	12,000 rpm 3/8-24 spindle
1	77H90L10	9,000 rpm 5/8-11 cone wheel spindle
1	77H120L10	12,000 rpm 5/8-11 cone wheel spindle
6	88HG60H-106	6,000 rpm 5/8-11 6" guard
4	88HL60H-106	6,000 rpm 5/8-11 6" guard
1	88HL90L10	9,000 rpm 5/8-11 cone wheel spindle **NEW**
1	99HG60H-106	6,000 rpm 5/8-11 6" guard grip handle

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
3	99HL45H	4,500 rpm 5/8-11 NO GUARDS
2	99HL60H-106	6,000 rpm 5/8-11 6" guard
1	99HL60-108	6,000 rpm 5/8-11 8" guard
Master Power		
3	4448	17,000 rpm 3/8-24 spindle 1/4" or 3/8" collet
1	4449	17,000 rpm 3/8-24 cone wheel spindle
Stanley		
1	G-40	9,000 rpm 1/4" collet
11	G-40LS-9	9,000 rpm 5/8-11 cone wheel spindle
2	G-60L-45	4,500 rpm 5/8-11 8" guard
Thor		
1	301G	12,000 rpm 1/4" collet
Top Cat		
9	65HK; 6000	6,000 rpm 5/8-11 Cone wheel spindle **2-DEMOS**
Uryu		
3	UG-1250L-72	7,200 rpm 1/2"-13 spindle 5" type 1 guard **NEW**
VERTICAL GRINDERS		
Aro		
3	8353 AL6	6,000 rpm 5/8-11 6" cup
Atlas Copco		
3	GTG40S060-927	6,000 rpm 5/8-11 9" guard
1	LSS 66 S060	6,000 rpm 5/8-11 7" guard ** NEW **
Buckeye Rockwell		
1	81V-744D	4,500 rpm 5/8-11 spindle 6" guard
4	82V-542	6,000 rpm 5/8"-11 spindle 4HP one is **NEW**
1	82V-544	6,000 rpm 5/8"-11 spindle ** NEW **
Chicago Pneumatic		
3	3200 SAGAVED	6,000 rpm 7" type 27 guard
1	3320 SAGAVED	6,000 rpm 7" type 27 guard
2	3320 VALAVED	6,000 rpm Type 27
1	3349 SALAVED	6,000 rpm 7" Type 27 guard
2	3370 SABAVUT	4,500 rpm Type 27
3	3370 SAGAVED	6,000 rpm 7" type 27 guard
1	3376 VRAVEL	6,000 rpm 9" type 27 guard
Cleco		
3	760 VSL	6,000 rpm 7" type 27 guard
3	1260 VLC	6,000 rpm 7" type 27 guard
1	1760BVL-09	6,000 rpm 9" type 27 guard **NEW**
1	1945BVL-09	4,500 rpm 9" type 27 guard **NEW**
21	1960BVL-06	6,000 rpm 6" cup guard
37	1960BVL-09	6,000 rpm 9" type 27 guard One is **NEW**
Dotco		
1	10K5806-06	6,000 rpm 6" cup guard
1	10K5806-07	6,000 rpm 7" type 27 guard
2	10K5356 09	6,000 rpm 9" type 27 guard
Ingersoll-Rand		
1	22F-60	6,000 rpm 5/8"-11 spindle 6" guard
4	43F-60	6,000 rpm 5/8"-11 spindle 9" guard
2	77A60P109	6,000 rpm 5/8"-11 spindle 9" guard
12	88V60P107	6,000 rpm 5/8"-11 spindle 7" guard 2-are **NEW**
1	88V60P109	6,000 rpm 5/8"-11 spindle 7" guard
1	88V60S106	6,000 rpm 5/8"-11 spindle 6" guard

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	88V77P107	7,700 rpm 5/8"-11 spindle 7" guard **DEMO**
12	99V45S 106	4,500 rpm 5/8"-11 spindle 6" guard
2	99V60 P107	6,000 rpm 5/8"-11 spindle 7" guard
20	99V60 P109	6,000 rpm 5/8"-11 spindle 9" guard
3	99V60 S106	6,000 rpm 5/8"-11 spindle 6" guard
Master Power		
2	4407	4,500 rpm 5/8"-11 spindle
1	4508	6,000 rpm 5/8"-11 spindle
2	4607	4,500 rpm 5/8"-11 spindle
3	4609	6,000 rpm 7" type 27 guard
7	4999	6,000 rpm 7" type 27 guard
T.C. Service		
2	55VS	4,500 rpm 5/8"-11 spindle 6" guard
HOG RING TOOLS		
Rotor		
1	WCA 3	Hog ring tool
9	WC 4	Hog ring tool
Stanley		
1	SC4	Pistol grip
1	SC4C	Pistol grip
2	SC4CE	Pistol grip extended
2	SC4H	Pistol grip
1	SC4DO	Pistol grip
1	SC7	Pistol grip
2	SC44	Pistol grip
1	SC77XE	Pistol grip extended
HOISTS		
Aro		
1	7714EL-2R10-R6U	1500 lb.capacity link chain top hook pendant spark resistant **NEW**
33	7718E-2C10-C6S	1/4 ton capacity link chain top hook pendant w/ bucket
5	7740B-1C10-C6U	300 Lb. capacity link chain top hook 10' lift pull cord **DEMO**
4	7750 MH1	1/2 ton link chain pull cord top hook 10' lift **NEW**
16	7756E-2C10-C6S	1/2 ton link chain pendant control top hook w/ bucket
2	7756E-2K10K6-PS	1/2 ton link chain pendant control top hook piped away ex. **NEW**
6	7770E-2C10-C6S	1/8 ton link chain pendant control top hook 10' lift w/ bucket
5	7776E-2C10-C6S	1-ton link chain pendant control top hook
1	7776E-2HA10-C6S	1-ton link chain pendant control w/ motorized trolley
5	7790-2DD15-C10S	1-ton link chain pendant control w/trolley
1	7790A-1C15-C10S	1-ton link chain pendant control control top hook
1	7790A-1C20-C16PU	1-ton link chain pull cord control top hook
3	7790A-2C10-C10S	1-ton link chain pull cord control top hook
5	7792A-2C10-C6S	2-ton link chain pendant control top hook
5	7792A-2DD15-C6S	2-ton link chain pendant control w/trolley
5	7792A-3HA10-C6S	2-ton link chain pendant control w/ motorized trolley
1	7796AL-2R10-R6	2400 lb. Capacity pendant control top hook spark resistant
Budgit		
1	113938-89 (2211)	1/4 ton link chain top hook pull cord
1	911653	3 ton link chain pendant control w/ 911708 motorized trolley
Chicago Pneumatic		
Call for Price and Availability		
4	300 LCH	300 lb. capacity link chain pendant control
12	1200 MANHED	1/2 ton link chain top hook pull cord 10' lift

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
Cleco		
1	DL1000 H	1/2 ton link chain pendant control
Gardner Denver		
1	K5HA11LPLSAAA11 (KG-5)	1/2 ton link chain pendant control top hook
1	P1HA05LPLSBBA05	1/4 ton link chain 19' lift penadant control top hook
1	TATA12MWZFXCPA	Hoist tractor 120 fpm penadnt control 2000-4400 lb. capacity
1	TATA12MWZFXCXA	Hoist tractor 120 fpm penadnt control 2000-4400 lb. capacity
1	TATA12PBEPXAXA	Hoist tractor 120 fpm penadnt control 2000-4400 lb. capacity **NEW**
1	TATA15MPFXAXXX	Hoist tractor
1	TATA15PWPBAXXX	Hoist tractor
1	75016AA5	1/2 ton link chain top hook pull cord 10' lift
1	75039AA7 (P2 series)	1 ton link chain pull cord top hook axial piston
1	75039AB5 (P2 series)	1 ton link chain pull cord top hook axial piston 1- 24' lift, 1- 50'
2	75040AA4 (P2 series)	2 ton link chain pendant control top hook
1	75045AA4 (P1 series)	1/2 ton link chain pendant control top hook
1	75076AA9M (P1 series)	1/2 ton link chain pendant control w/trolley
1	75091AA7 (P2 series)	1 ton link chain pendant control w/trolley
1	75131AA1 (P2 series)	2 ton link chain pendant control top hook
3	75132AC5 (KG-5)	1/2 ton link chain pull cord 10' lift
1	75133AC3	1/2 ton link chain top hook pull cord 10' lift
10	75134AC1 (KG-5)	1 ton link chain pull cord top hook 1- 10' lift, 1-13' , 1- 19' 1-25' 1- 28' , 1- 34' , 1-35' , 2- 36' , 1- 42'
2	75179AA2 (KG 10)	4 ton link chain pendant trolley suspension 10' lift
1	75250AC5	275 lb. capacity link chain hook mount 8' lift
3	86-1V	1 ton link chain pull cord top hook 20' lift axial piston
5	86-2V-20L	1 ton link chain pendant control top hook axial piston
1	86-P2-20AL	2 ton link chain pendant control trolley axial piston
12	86-2V-40L	2 ton link chain pull cord top hook 10' lift axial piston
Ingersoll-Rand		
1	A	500 lb. Cable hoist w/ trolley
1	C6C A25	1 ton Cable hoist top hook
1	D6 60A15-4J2	3 ton Cable hoist w/ ATC-0 power trolley pendant control
1	HA2-012HM2-20-10T	12 1/2 ton link chain pendant control top hook 10' lift w/chain basket
4	HL1000K-2D15	1 ton link chain pendant control top hook
1	HL2000K-2D15	2 ton link chain pendant control top hook
3	HL 3000K-2D10	3 ton link chain pendant control trolley suspension
1	ML 10	1/2 ton link chain pendant control trolley suspension
9	ML250K2C	1/4 ton link chain pull cord top hook
1	ML500K-2C15-C10U	1/2 ton link chain pendant control top hook **NEW**
2	ML1000K2C	1- ton link chain top hook pendant control
1	ML1000K2D	1- ton link chain trolley pendant control 12' lift
Knight		
1	360 Degree	350 lb. Capacity jib arm
2	KBA 225-117	Hoist balancer 225 lb. Capacity pendant control ** NEW **
1	KBA 500-050R	Hoist balancer 500 lb. Capacity pendant control
HYDRAULIC TOOLS		
Blackhawk		
1	P-76	Porta power
Nitto Kohki		
1	A11-1624A & SC-05	Selfer hydraulic punch & pump 15/16" Dia.-5/8 thickness cap.
Stanley		

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	BR45	Breaker 50 lb. Class 1 1/8" bushing
1	IW16	1" Dr. Impact wrench 50-2500 ft.lbs. **NEW**
1	SK47	Sinker drill
IMPACT WRENCHES		
ATP		
1	ATP 1034-EI-TH	1" Dr. inside trigger 1,500 ft.lbs max torque **DEMO**
1	ATP 1040-EI-TH	1" Dr. inside trigger 2,000 ft.lbs max torque **DEMO**
1	ATP 1550EI-5S	# 5 Spline Dr. inside trigger 3,000 ft.lbs. max torque
Aro		
1	8106	3/4" Dr. Pistol grip
2	8110	1" Dr. pistol grip
Atlas Copco		
6	LMS26HR-43	7/16" Quick change anvil 119 ft.lbs. max torque
2	LMS27HR-43	7/16" Quick change anvil 119 ft.lbs. max torque
1	LMS64HR-25	1" Dr. pistol grip 1,100 ft. lbs. max torque
1	LTS16HR-10	3/8" Dr. pistol grip torque control 16-29 ft.lbs.
3	LTS16HR-10	5/8" Dr. pistol grip torque control 16-29 ft.lbs.
1	LTS16HR-13	3/8" Dr. pistol grip torque control 25-43 ft.lbs.
Chicago Pneumatic		
1	344 RAN	1/2" Dr. right angle
8	605 SABUM	5/8" square drive
2	605 SABUS	5/8" Quick change anvil
10	605 RTSS	5/8" Quick change anvil torque control 60-180 ft.lbs.
50	605 TEBUB	5/8" square dr. torque control 70-230 ft.lbs.
46	606 RS (SASAB)	3/4" Dr. Pistol grip 2 are ** NEW ** 1-has 6" extended anvil
5	606 RSS	5/8" Slip chuck pistol grip
7	606 RTSS	5/8" Slip chuck pistol grip torque control 130-400 ft.lbs.
45	606 TESAB	3/4" Dr. torque control 130-400 ft.lbs.
2	606 TESAT	"E" Spline torque control 100-300 ft.lbs.
7	610 GALED	1" Square dr. outside trigger 1,350 ft.lbs. max torque
2	610 TELUD	1" Square dr. outside trigger torque control 300-600 ft.lbs.
5	611 GASEL	#5 Spline dr. outside trigger 2,800 ft.lbs. max torque
5	610 RS	1" Square dr. pistol grip 1,350 ft.lbs. max torque
1	612 TEBEL	#5 Spline anvil torque control 500-1,000 ft.lbs. 2-have ext. anvils
1	614 PALED Model C	1 1/2" Square dr. 4,000 ft.lbs. max torque
1	982-RP	1" Dr. inside trigger
3	3440 RSS	7/16" Quick change anvil 200 ft.lbs. max torque
13	3440 RSSEP	7/16" Quick change anvil 200 ft.lbs. max torque
3	3440 RSHS	7/16" Quick change anvil 200 ft.lbs. max torque
20	3440 RTSS	7/16" Quick change anvil torque control 35-90 ft.lbs.
27	3441 HABAB	1/2" dr. pin anvil
2	3441 HABAS	7/16" Quick change anvil 200 ft.lbs. max torque
6	3441 TEBAB	1/2" dr. torque control 35-100 ft.lbs.
1	6025 SUBAD	3/8" dr. pin anvil
2	6025 SUBAV	7/16" Quick change anvil 75 ft.lbs. max torque
1	6025 TEBAK	1/2" dr. torque control 15-35 ft.lbs.
12	6025 TEBAV	7/16" Quick change anvil torque control 6-35 ft.lbs.
1	6031 TEBAK	1/2" dr. torque control 15-40 ft.lbs.
1	6031 TEBAV	7/16" Quick change torque control 6-35 ft.lbs.
1	6041 HABAB	1/2" dr. pin anvil
4	6041 TEBAB	1/2" dr. Torque control 35-115 ft.lbs.

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	6041 TEBAD	C spline Torque control 15-90 ft.lbs. **NEW**
5	6060 SASAB	3/4" Dr. Pistol grip 2-are**NEW**
1	6060 SASAK	1" Dr. pistol grip
1	6060 TESAT	E-spline anvil pistol grip torque control 100-300 ft.lbs. **DEMO**
2	6062 RALAB	3/4" Pistol grip 1,000 ft.lbs. max torque
1	6100 GALED	1" Dr. outside trigger 1800 ft.lbs. max torque
1	6100 PALED	1" Dr. Inside trigger
3	6120 GASED	1 1/2" Dr. outside trigger 3,500 ft.lbs. max torque
1	6121 GASEL	#5 Spline Dr. outside trigger 3,500 ft.lbs. max torque
4	6120 PASED	1 1/2" Dr. inside trigger 3,500 ft.lbs. max torque
1	9525	3/8 Dr. pistol grip
2	9533 RS	3/8 Dr. pistol grip pi retainer **NEW**
9	9545 RS	1/2" dr. pin anvil
36	9546 RS	1/2" dr. pin anvil
4	9596 RS	1" Dr. Pistol grip 2,800 ft.lbs. max torque
6	9596 RLS	# 5 spline Dr. Pistol grip 2,800 ft.lbs. max torque
Cleco		
3	A3SQ	7/16" Quick change anvil
8	WP-200	3/8 Dr. pistol grip 15-50 ft.lbs.
1	WP-421B-6	1/2" Dr. 6" extended anvil
1	WP-421CQ	7/16" Quick change anvil
7	WP-421D	1/2" Dr.
16	WP-421TC	7/16" Quick change anvil torque control 20-120 ft. lbs.
1	WP-450-4	1/2" Dr. pistol grip 200 ft.lbs. max torque **NEW**
1	WT-1200	1 1/2" Dr. outside trigger
7	WP-2049	3/4" Dr. pistol grip
1	WP-2050	5/8" square drive
2	WP-2050-3/4	3/4" square drive
3	WP-2059-6	3/4" square drive
1	WP-2060	3/4" Dr. pistol grip 250-700 ft.lbs.
6	WT-2109	1" Dr. inside trigger 750-1,650 ft.lbs. 1 is **NEW**
1	WS-2110	# 5 spline inside trigger 750-1650 ft.lb. torque range **NEW**
1	WT-2119	1 1/2" Dr. inside trigger 1,200-2,600 ft.lb. torque range
1	WS-2120	# 5 spline outside trigger 1,200-3,000 ft.lb. torque range
2	WTS-2120	# 5 spline inside trigger 1,200-3,000 ft.lb. torque range
Ingersoll-Rand		
3	280	1" Dr. inside trigger 1,350 ft.lbs. max torque 3-are **NEW**
3	293	1" Dr. Pistol grip 2,000 ft.lbs. max torque 2-are **NEW** 1-DEMO
1	293S	# 5 Spline pistol grip 2,000 ft.lbs. max torque **NEW**
4	534	1" Dr.
2	538	1" Dr.
1	577	1 1/2" Dr. 2-man
1	588A1	2 1/2" Dr. 50,000 ft.lbs. max torque
1	599A1	3 1/2" Dr. 80,000 ft.lbs. max torque
1	712	1" Dr. outside trigger
6	810	5/8" slip chuck pistol grip
2	910	3/4" Dr. pistol grip
1	1709	3/4" Dr. pistol grip
1	1712B2	1" Dr. inside trigger 1,350 ft. lbs. max torque
3	1720P1	3/4" Dr. pistol grip 600 ft.lbs. max torque 2-are **NEW**
1	1734A2	# 5 Spline Dr. outside trigger 1,350 ft.lbs. max torque
1	2161XP	3/4" Dr. pistol grip 1,250 max torque **NEW**
2	2920B9	3/4" Dr. Right angle 700 ft.lbs. max torque

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	2925 P1TI	3/4" Dr. pistol grip 1,450 ft.lbs. max torque **NEW**
1	2934A1	# 5 spline outside trigger 1,500 ft.lbs. max torque
2	2934 A2	1" Dr. outside trigger 1,500 ft.lbs. max torque
12	2934 B2	1" Dr. inside trigger 1,500 ft.lbs. max torque
2	2934 P2	1" Dr. Pistol grip 1,500 ft.lbs. max torque
1	2940 A1	# 5 spline outside trigger 2,000 ft.lbs. max torque
6	2940 A2	1" Dr. outside trigger 2,000 ft.lbs. max torque
1	2940 B1	# 5 Spline inside trigger 2,000 ft.lbs. max torque
12	2940 B2	1" Dr. inside trigger 2,000 ft.lbs. max torque
2	2940 P2	1" Dr. pistol grip 2,000 ft.lbs. max torque 1-*is**NEW**
1	2945 A7	1 1/2" Dr.outside trigger 2,400 ft.lbs. max torque **NEW**
1	2945 B1	# 5 Spline inside trigger 2,400 ft.lbs. max torque
1	2945 B7	1 1/2" Dr. inside trigger 2,400 ft.lbs. max torque **NEW**
1	2950 A1	# 5 Spline Dr. outside trigger 3,000 ft.lbs. max torque
2	2950A7	1 1/2" Dr. outside trigger 3,000 ft.lbs. max torque
1	2950B1	# 5 Spline Dr. outside trigger 3,000 ft.lbs. max torque
5	2950B7	1 1/2" Dr. inside trigger 3,000 ft.lbs. max torque **NEW**
2	3942B2TI	1" Dr. inside trigger 3,200 ft.lbs. max torque 1 is **NEW**
2	3955B2TI	1 1/2" Dr. Inside trigger 5,000 ft.lbs. max torque
4	5020	5/16" Quick change anvil
5	5020 T	3/8" Dr. Torque control 6-17 ft.lbs.
4	5020 TH	3/8" Dr. Torque control 10-30 ft.lbs.
5	5040 T	1/2" Dr. torque control 20-45 ft.lbs.
1	5040 TH	1/2" Dr. torque control 60-90 ft.lbs.
2	5040 TDQ	7/16" Q.C. torque control 20-90 ft.lbs.
8	5081TO	5/8" Square dr. torque control 80-150 ft.lbs.
12	5340 TOAH1	1" Dr. torque control 250-400 ft.lbs.
2	5340 TVO	1" Dr. torque control 250-400 ft.lbs.
2	5780A1	1 1/2" Dr. 10,000 ft lbs. max torque
Master Power		
1	2275	3/8 Dr. pistol grip
6	2324	5/8" slip chuck pistol grip
Rotor		
5	J22 S	7/16" Quick change anvil 10-50 ft.lb. torque range
5	J22 SM	7/16" Quick change anvil 10-50 ft.lb. torque range
4	J82S	5/8" slip chuck pistol grip
Sioux		
2	4038	3/4" Dr. pistol grip 850 ft.lbs.
1	4058	1" Dr. Inside trigger 1500 ft.lbs.
Snap-On		
6	IM 32	3/8 Dr. pin retainer straight butterfly style
Stanley		
4	K 40	1/2" Dr.
Yutani		
1	100 WH	2 1/2" Dr.
JACKS		
Duff-Norton		
5	126	13 3/4" raise 100 ton capacity
2	144	30" raise 100 ton capacity
5	528	17" raise 50 ton capacity
6	536	36" raise 50 ton capacity

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
MOTORS		
Aro		
4	7485	400 rpm 3/8" keyed shaft reversible
5	7545-B	2,700 rpm 1/4" collet reversible **NEW**
3	7800-2B	18,000 rpm 3/8" collet
3	7800-4B	18,000 rpm 3/8" collet side mount
3	7802-2B	2,500 rpm 3/8" collet
1	7803-1B	1,200 rpm 1/2" round keyed
2	7803-1A	1,200 rpm 1/2" round keyed
8	7804-2B	650 rpm 3/8" collet
5	7805-1B	350 rpm 1/2" keyed shaft
5	7806 B	1/2" round shaft 13,500 rpm reversible
1	7808-1B	1/2" round shaft 1,650 rpm
1	7811-1B	1/2" round keyed shaft 250 rpm reversible **NEW**
2	7812-1B	1/2"-20 Shaft 350 rpm
4	7813-B	1/2"-20 Shaft 650 rpm
2	7814-1B	1/2"-20 Threaded spindle 18,000 rpm
1	8064-12	3/8" square shaft 1,200 rpm
1	8201-A	7/8" Keyed shaft 500 rpm non-reversible **NEW**
1	8201-4A-S	Collet shaft 2HP 500 rpm non-reversible **NEW**
1	8206-A	Motor - **NEW**
1	8208-A	Motor - **NEW**
8	8226-7AS	1/2"-20 Shaft 450 rpm
1	8226-10A	1/2" round Shaft 170 rpm
2	8226-14A	1/2" Keyed shaft 50 rpm 1 is **NEW**
1	8229-2A	3/8-24 spindle 5,700 rpm **NEW**
12	8229-4AS	3/8-24 spindle 2,800 rpm w/ Aro 46800-224-1 multi spindle drill head
1	8231-4B	3/8" round shaft 2,600 rpm reversible
1	8231-8	3/8" round shaft 575 rpm reversible **NEW**
2	8234	1/2" round shaft 370 rpm
2	8395-3A	7/8" round shaft 350 rpm reversible
4	8609	3/8" round shaft 200 rpm
Atlas Copco		
2	LZB44AR003-11	390 rpm reversible
Buckeye		
1	31MR-916	3/8" round shaft 500 rpm reversible
4	41MF-902	1/2-20 Spindle 3,000 rpm
19	61MF-912A (CMN-3163)	3/4" round keyed spindle 1,850 rpm 1 1/2 HP
Chicago Pneumatic		
10	3017MM 500	500 rpm
1	3017MM 750	750 rpm ** NEW **
3	3017MM 1000	1,000 rpm
2	3017MM 1000	1,000 rpm reverse rotation ** NEW **
12	3017MMR 300	300 rpm reversible
1	3017SM 2700	2,700 rpm 1/2" keyed shaft
Dotco		
1	22-5072-50	1/2" keyed shaft 700 rpm reversible
3	22D5340-50	1/2" Keyed shaft 3200 rpm **NEW**
3	22M5440-50	
Gardner Denver		
1	41RMR056FF10K	Rotary vane 625 round keyed shaft reversible **NEW**
1	73307AA0 (A6 series)	Axial piston 1.125 round keyed shaft reversible **NEW**

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
10	73317AA9 (B4 series)	Axial piston .875 round keyed shaft reversible 2 are **NEW**
2	73318AA7 (B4 series)	Axial piston .875 round keyed shaft reversible **NEW**
1	73337BA6 (A8 series)	Axial piston 1.125 round keyed shaft reversible **NEW**
4	73352AA5 (MA2 series)	Radial piston 5/8-18 keyed spindle 120 rpm 1.5 HP
1	73361AA6 (MA3 series)	Radial piston 1.375" keyed spindle 100 rpm 3 HP **NEW**
2	74025AA7 (B2 series)	Rotary vane 400 rpm reversible
4	74031AA4 (B2 series)	Rotary vane 800 rpm reversible
1	74043AA9 (C3 series)	5/8" round keyed shaft 400 rpm
1	74100AA7 (MR10 series)	5/8 threaded shaft 350 rpm reversible
Gast		
1	2AM-NCC-43A	5/8" round keyed shaft **NEW**
1	4AM-NRV-130	5/8" round keyed shaft **NEW**
1	6AM-NRV-11A	5/8" round keyed shaft 300-3,000 rpm **NEW**
Ingersoll-Rand		
6	00B2P2	3/8-24 spindle 680 rpm
3	0B1M2	3/8-24 spindle 800 rpm
2	0B1N2	3/8-24 spindle 550 rpm
12	1600L2	3/8-24 spindle 1250 rpm
1	HH5M	1.375 round keyed shaft base mounted radial piston
3	M002RHR028AT3	3/8-24 spindle 860 rpm 1-is **NEW**
1	M007RHR009AR4	.500 round shaft 2464 rpm reversible **NEW**
2	M007RVR037AR4	.750 round keyed shaft 495 rpm reversible 1-is **NEW**
1	M007RVR119BR6	.750 round keyed shaft 148 rpm reversible **NEW**
1	1400M	.375 round keyed shaft 1,100 rpm
33	1601L2	3/8-24 spindle 935 rpm
3	1601N2	3/8-24 spindle 450 rpm
3	R1602W 104	.750 round shaft 170 rpm
2	R1602V 104	.750 round shaft 160 rpm
1	1610N2	3/8-24 spindle 550 rpm
1	1640M	3/8-24 spindle 700 rpm reversible **NEW**
1	1642N 102	.500 keyed shaft 500 rpm reversible **NEW**
1	1841U	.500 Round shaft 380 rpm reversible
1	22N51-W/RC	.750 round keyed shaft reversible **NEW**
10	3800M	.750 round keyed shaft 1,100 rpm
1	3800M2	3/4" square dr. 1,100 rpm
1	3800M / A123	.750 round keyed shaft 1,110 rpm ** NEW **
1	3800P	.750 round keyed shaft 600 rpm
2	3800U	.750 round keyed shaft 220 rpm
1	4800S	1" round keyed shaft 145 rpm **NEW**
1	4840M	3/4" square dr. 975 rpm reversible
1	4840P/VSM-5563	1" round keyed shaft 475 rpm reversible **NEW**
1	7184	.750 round keyed shaft 1,429 rpm reversible **NEW**
Stanley		
2	M40F-6	.625 round keyed shaft 625 rpm flange mount **NEW**
1	M40R-3	.625 round keyed shaft 300 rpm reversible
Thor		
1	301M	400 rpm
1	301M	500 rpm
5	4MO	250 rpm
6	4MO	300 rpm
6	4MO	400 rpm

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
NIBBLERS		
Buckeye		
1	31UR-502	Shear 14 gauge mild steel
Fenway / Kett		
10	AEHN	3/16" mild, 10 gauge stainless, 1/4" sheet metal
Trumpf		
1	AN 93	
1	THNP 352	
4	THNP 650	1/4" mild, 3/16" stainless, 5/16" aluminum
1	TKFP	
1	TKF 103	Electric beveler

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
CROWFOOT NUTRUNNERS		
Stanley		
1	F30L133TA-3	
2	F30L144TA-3	
1	F30L8-6	Stall torque 11 ft.lbs. max
2	F30L8TA11	1,025 rpm T.C. 6.5 ft lbs. max torque
1	F30L8TAJ11	1,025 rpm T.C. 6.5 ft lbs. max torque
1	F30L29TA-4	Torque control 14 ft.lbs. max torque
1	F30L64TA-11	700 rpm
5	F33LR29ACT-3	335 rpm torque control 15-27 ft.lbs.
2	F33LRRR104ACT-5	556 rpm 1/2" socket torque control reversible
1	F40L9-13	1,350 rpm stall 15 ft lbs. max torque
1	F40LR9-5	475 rpm stall 24 ft. lbs. max torque reversible
1	F40L29TPM-10	
1	F40L31TA-5	475 rpm T.C. 43 ft.lbs. max torque
2	F40L5TAM-5	450 rpm T.C. 40 ft lbs. max torque
1	F40L22TPM-3	225 rpm T.C. 90 ft. lbs. max torque
3	F40L29TAM-6	625 rpm T.C. 24 ft.lbs. max torque
1	F40LR93M-2	200 rpm stall 48 ft. lbs. reversible
FLAT ANGLE NUTRUNNERS		
Aro		
2	7453-D	850 rpm 90 in.lbs. Stall torque
1	7743	450 rpm
PISTOL GRIP NUTRUNNERS		
Aro		
2	7882	3/8 Dr. adjustable clutch reversible
Atlas Copco		
1	LMP24H002-13	1/2" Dr. stall torque 20-43 ft.lbs.
1	LMP51 H002-20	3/4" Dr. stall torque 197-413 ft. lbs.
Chicago Pneumatic		
1	3017 SR5KN	7/16" Quick change torque control 4-15 ft.lbs. reversible
1	3018 RMN	7/16" Quick change torque control 0-10 ft.lbs. reversible
2	3085 RANEUB	1/2" Dr. stall torque 25-45 ft.lbs.
1	3086 RUNPUT	3/4" Dr. stall torque 100-180 ft.lbs. reversible
Cleco		
3	4RNAPT17RA8	3/8" Dr. reversible
1	64TTS425D6	3/4" Dr. stall torque 235-313 ft.lbs. torque range reversible **NEW**
1	64TTS1820D8	1" Dr. stall torque 1007-1342 ft.lbs. torque range reversible
7	8RNOS-5B	3/8" Dr. stall torque 170 in.lbs. max reversible
4	8RNPS-5B-3	3/8" Dr. stall torque 170 in.lbs. max reversible
3	111NOS-7	3/8" Dr. stall torque 130 in.lbs. max
11	136NOS-7	3/8" Dr. stall torque 180 in.lbs. max
7	146NP-3	3/8" Dr. stall torque 33 ft.lbs. max
14	146NP3-3	3/8" Dr. stall torque 660 rpm
3	146NP-2	1/2" Dr. stall torque 44 ft.lbs. max
3	146NP-2-3	1/2" Dr. stall torque
1	157RNP-6-3/8	3/8" Dr. stall torque 27 ft.lbs. max reversible
2	157RNP-6-1/2	1/2" Dr. stall torque 27 ft.lbs. max reversible
Gardner Denver		
Call for Price and Availability		
1	16N40FN050D00AB	1/2" Dr. 500 rpm

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
Ingersoll-Rand		
2	TGA161PS1	3/8" Dr. stall torque 33 ft.lbs. max
1	4RTPS3G1	3/8" Dr. Adjustable torque
Rotor		
4	S01P1RY	1/2" Dr. 450 rpm reversible
6	S10PRY	1/2" Dr. 400 rpm reversible
2	S100PRY16	1/2" Dr. 16 ft.lbs. max reversible
1	S100PRY22	1/2" Dr. 22 ft.lbs. max reversible
1	S100PRY32	1/2" Dr. 32 ft.lbs. max reversible
6	S100PRY39	1/2" Dr. 450 rpm reversible
2	S100PRY80-002	1/2" Dr. 220 rpm reversible
1	S100PY-012	1/2" Dr. 1,200 rpm
3	S100PY145-002	5/8" Dr. 180 rpm
2	S100PY170-002	3/4" Dr. 150 rpm
7	S100PY38-008	1/2" Dr. 750 rpm
10	S100PY48-006	1/2" Dr. 565 rpm
2	S100PY64	425 rpm
4	S100PY75-004	1/2" Dr. 385 rpm
4	S100PY90-003	1/2" Dr. 310 rpm
1	S100PYG100-003	1/2" Dr. 275 rpm
1	S52PY18	3/8" Dr. 600 rpm
1	S52PY25-004	3/8" Dr. 450 rpm
5	SW52PY25	3/8" Dr. 450 rpm
3	SW52PRY22	3/8" Dr. 22 ft.lbs. max torque reversible
1	SW54PRY30ST	3/8" Dr. 8" extended 30 ft. lbs. max **NEW**
5	S01PRY-003	1/2" Dr. 300 rpm reversible
3	SW100PY145-002	3/4" Dr. 180 rpm
2	SW100PRY32-006	1/2" Dr. 600 rpm reversible
2	SW100PRY39	1/2" Dr. 39 ft.lbs. max torque reversible
9	SW100PRY51	1/2" Dr. 51 ft.lbs. max torque reversible
4	SW100PRY72	1/2" Dr. 72 ft.lbs. max torque reversible
3	SW100PRY80	1/2" Dr. 220 rpm reversible
4	SW100PRY92	1/2" Dr. 92 ft.lbs. max reversible
2	SW100PRY120	5/8" Dr. 120 ft.lbs. max torque reversible
2	SW100PRY135	1-5/8" Dr. 1-3/4" Dr. 135 ft.lbs. max torque reversible
1	SW100PRY220	5/8" Dr. 220 ft.lbs. max torque reversible
6	SW100PY38	1/2" Dr. 4" extended 750 rpm
1	SW100PY90ST	1/2" Dr. 310 rpm
6	SW100PY100-003	1/2" Dr. 275 rpm
2	SW100PY100ST	1/2" Dr. 275 rpm
2	SW100PY115	1/2" Dr. 225 rpm
5	SW100PY115ST	1/2" Dr. 225 rpm
1	SW100PY125-002	3/4" Dr. 210 rpm
1	SW100PY125ST	3/4" Dr. 210 rpm
2	SW100PY145ST	3/4" Dr. 180 rpm
6	SW100PY170	3/4" Dr. 150 rpm
7	SW100PY170ST	3/4" Dr. 150 rpm
2	SW100PY210	3/4" Dr. 125 rpm
5	SW100PY210ST	3/4" Dr. 125 rpm
1	SW100PY210ST-4	3/4" Dr. 4" extended 125 rpm
1	SW100PY22ST	1/2" Dr. 400 rpm
2	SW100PY28	1/2" Dr. 950 rpm
5	SW100PY280ST	3/4" Dr. 90 rpm

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
4	SW100PY440ST	3/4" Dr. 55 rpm
2	SW100PY525ST	3/4" Dr. 40 rpm
1	SW100PY650ST	3/4" Dr. 40 rpm
10	SW100PY38	1/2" Dr. 750 rpm
3	SW100PY48	1/2" Dr. 565 rpm
3	SW100PY64	1/2" Dr. 425 rpm
5	SW100PY75-004	1/2" Dr. 385 rpm
2	SW 100PY75ST	1/2" Dr. 385 rpm
3	SW100PY90-002	1/2" Dr. 310 rpm
1	SW100PY90ST	1/2" Dr. 310 rpm
1	SW100PYG210ST	3/4" Dr. 125 rpm with torque transducer
1	SW100PYG280ST	3/4" Dr. 90 rpm with torque transducer
4	SW100PYG335ST	3/4" Dr. 70 rpm
1	SW100PY65ST	1/2" Dr. 265 rpm
Stanley		
1	A30PRB-5	3/8" Dr. 485 rpm stall torque 15 ft.lbs. max torque reversible
2	A40PB2-2	1/2" Dr. 220 rpm 123 ft.lbs. max torque
1	A40PB2-3	1/2" Dr. 285 rpm 94 ft.lbs. max torque **DEMO**
2	A40PB-15	3/8" Dr. 1500 rpm stall torque 17 ft.lbs. max torque
1	A40PB-4	1/2" Dr. 375 rpm stall torque 72 ft.lbs. max torque
3	A40PB-5	1/2" Dr. 500 rpm 54 ft.lbs. max torque
5	A40PB-6	1/2" Dr. 625 rpm 43 ft. lbs. max torque
2	A40PB-9	3/8" Dr. 950 rpm 29 ft.lbs. max torque
1	A40PRB-3	1/2" Dr. stall torque 58 ft.lbs. max reversible
3	A40PBTA-4	1/2" Dr. torque control 66 ft.lbs. max
6	A40PBTA-5	1/2" Dr. torque control 50 ft.lbs. max
3	A40PBTA-9	3/8" Dr. torque control 27 ft.lbs. max
2	A40SB-20	3/8" Dr. stall torque 13 ft.lbs. max
1	A40SBJ-5	1/2" Dr. 500 rpm 54 ft.lbs. max torque
6	A40SB2-2	5/8" Dr. 220 rpm 123 ft.lbs. max torque
1	A40SB3-015	3/4" Dr. 145 rpm 185 ft.lbs. max torque **NEW**
1	A40SB2J-1	5/8" Dr. 175 rpm 154 ft.lbs. max torque
1	A40SB3J-009	3/4" Dr.
1	A40SB3J-015	
1	A40SB4J-004	3/4" Dr.
1	A40SRB-5	1/2" Dr. 500 rpm 35 ft.lbs. max torque reversible
1	A40SRB-7	3/8" Dr. 750 rpm 23 ft.lbs. max torque reversible
1	A40SRB2-1	5/8" Dr. 140 rpm 123 ft.lbs. max torque reversible
1	A40SRB2-2	5/8" Dr. 175 rpm 98 ft.lbs. max torque reversible
1	A40PBAXXNVGZ-024	1" Dr. 23 rpm 640 ft.lbs.
RIGHT ANGLE NUTRUNNERS		
Aro		
1	7652L3	1/2" Dr. 275 rpm
1	7688-3	1/2" Dr. 300 rpm stall torque
1	7698-3	1/2" Dr. 135 ft.lbs. max stall torque
1	AR028A-5R-1	1/4" Dr. T.C. 7-40 in.lbs. reversible **DEMO**
1	NA055A-24-1	1/2" Dr. stall 2.4-3.8 ft.lbs.
1	NR051B-6H-2	3/8 Dr. stall torque 150 in.lbs. max reversible **NEW**
Atlas Copco		
2	LTV26SR003-10	3/8" Dr. torque control 4.4-9 ft.lbs. reversible
1	LTV26SR006-10	3/8" Dr. torque control 4.4-9 ft.lbs. reversible

Pryde Industrial Inc

187 Exeter Road

London, Ontario, Canada

Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048

sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	LTV27SR003-10	3/8" Dr. torque control 9-21 ft.lbs. reversible
1	LTV28R28-10	3/8" Dr. torque control 10-21 ft.lbs. reversible
2	LTV28XR29-10	3/8" Dr. torque control 11-21 ft.lbs. reversible
1	LTV28XR40-10	3/8" Dr. torque control 15-29 ft.lbs. reversible
1	LTV36S003-10	3/8" Dr. torque control 22-41 ft.lbs. reversible
1	LTV36S004-10	1/2" Dr. torque control 22-41ft.lbs.
1	LTV36S004-A10	3/8" Dr. torque control 22-41ft.lbs.
2	LTV36S004-13	1/2" Dr. torque control 22-44 ft.lbs.
4	LTV36S004-18	1/2" Dr. torque control 16-33 ft.lbs.
12	LTV36S005-10	3/8" Dr. torque control 22-41 ft.lbs.
4	LTV36S006-10	3/8" Dr. torque control 16-37 ft.lbs.
1	LTV36SR004-10T	3/8" Dr. transducerized torque control 20-39 ft lbs. reversible **DEMO**
2	LTV36SR004-13	1/2" Dr. torque control 20-39 ft lbs. reversible
1	LTV37S004-18	1/2" Dr. torque control 22-44 ft lbs.
1	LTV38R50-13	1/2" Dr. torque control 18-36 ft lbs. **NEW**
1	LMV44S008-10	3/8" Dr. stall torque 15 ft. lbs. max torque
1	LMV44S004-L13	1/2" Dr. stall torque 32 ft. lbs. max torque
1	LTV46N150-L13	1/2" Dr. torque control 44-111 ft.lbs. **DEMO**
3	LTV46S003-L13	1/2" Dr. torque control 26-66 ft. lbs.
3	LTV46S003-L13T	1/2" Dr. transducerized torque control 26-66 ft. lbs.
4	LTV46S003-L14	1/2" Dr. torque control 26-66 ft. lbs.
1	LTV46S004-13	1/2" Dr. torque control 18-54 ft. lbs.
1	LTV46S005-13	1/2" Dr. torque control 14-42 ft. lbs.
1	LTV49S002-13	1/2" Dr.
Chicago Pneumatic		
2	2420LR25DA2	1/4" Dr. stall torque 1-1.8 ft. lbs. reversible
1	3008LR-10A	1/4" Dr. stall torque 800 rpm reversible
2	3016 LYMEN	3/8" Dr.
2	3017 ATN	3/8" Dr.
4	3017 ATNG	3/8" Dr.
2	3017 TADMAL	1/2" Dr. torque control 15-40 ft.lbs.
1	3017 TADRJF	3/8" Dr.
1	3017 TADRUF	3/8" Dr. torque control
2	3017 TADRUX	3/8" Dr. torque control
3	3017 TADSUM	3/8" Dr. torque control 9-25 ft.lbs.
2	3017 TADTUM	3/8" Dr. torque control 6.5-20 ft.lbs.
1	3017 TATNS	3/8" Dr. torque control 9-25 ft.lbs.
1	3081 RUNYDA	3/8" Dr. stall torque 16-29 ft.lbs. reversible
5	3087-6A	Crimp nut tool
1	3087 MACHUB	Crimp nut tool 18-50 ft.lbs. **NEW**
Cleco		
1	4NAL-10RA-2	1/4" Dr. torque control 3-26 in.lbs.
1	4RNL7RA8	3/8" Dr. stall torque reversible
2	4RNAL-17-RA8-2	1/4" Dr. torque control 3-16 in.lbs. push button reverse
17	4RNAL-17-RA8-3	3/8" Dr. torque control 3-16 in.lbs. push button reverse
2	44RNAL-7RA-8-2	3/8" Dr. torque control 3-50 in.lbs. push button reverse
4	5BRNAL-254BF-2	1/4" Dr. torque control 10-50 in.lbs. push button reverse
8	5NAL-174H-2	1/4" Dr. torque control 10-100 in.lbs.
2	5NAL-174H-3	3/8" Dr. torque control 10-100 in.lbs.
2	5NAL-254BF-2	1/4" Dr. torque control 10-50 in.lbs.
3	5NAL-254BF-3	3/8" Dr. torque control 10-50 in.lbs.
3	5NAL-254BH	3/8" Dr. torque control 10-75 in.lbs.
7	5RNAL-10BC	1/4" Dr. torque control 4-43 in.lbs. reversible

Pryde Industrial Inc

187 Exeter Road

London, Ontario, Canada

Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048

sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
3	5RNAL-10BF-2	1/4" Dr. torque control 4-43 in.lbs. reversible
1	5RNAL-10BF-3	1/4" Dr. torque control 4-43 in.lbs. reversible
1	5RNAL-10BH-2	1/4" Dr. torque control 4-53 in.lbs. reversible
3	5RNAL-17H-2	1/4" Dr. torque control 4-24 in.lbs. reversible
4	5RNAL-174H-2	1/4" Dr. torque control 10-100 in.lbs. reversible
1	5RNAL-174H-3	3/8" Dr. torque control 10-100 in.lbs. Reversible
3	5RNAL-254-H-3	3/8" Dr. torque control 4-21 in.lbs. reversible
1	5RNAL-254BH-2	1/4" Dr. torque control 4-21 in.lbs. reversible
1	8NAL-7RA-8	3/8" Dr. stall torque
10	8NAL-10RA-8	3/8" Dr. torque control 10-100 in.lbs.
2	8NAL-14RA-8	3/8" Dr. stall torque
2	8NAL-20RA-8	1/4" Dr. torque control 10-50 in.lbs. DEMOS
13	8NAL-20RA-8	3/8" Dr. torque control 10-50 in.lbs.
5	8NAL-20RA-10	3/8" Dr. torque control 10-50 in.lbs. 3 are DEMOS
1	8RNL-40RA 10	1/4" Dr. stall 30 in lbs. max torque reversible
1	14RAA12AH3	3/8" Dr. torque control 10-100 in.lbs. Reversible **NEW**
2	24RAA11AL3	3/8" Dr. torque control 5-8 ft.lbs. Reversible
4	34RAA33AX3	3/8" Dr. torque control 12-24 ft.lbs. Reversible
3	34RAA68AZ3	3/8" Dr. torque control 25-50 ft.lbs. Reversible one is **NEW**
2	35NAL-5K	3/8" Dr. torque control 8-22 ft.lbs.
6	35NAL-5M	3/8" Dr. torque control 8-22 ft.lbs.
9	35NAL-7K	3/8" Dr. torque control 5-21 ft.lbs.
1	35NAL-7M	3/8" Dr. torque control 5-21 ft.lbs.
19	35NAL-10K	3/8" Dr. torque control 5-16 ft.lbs.
9	35NAL-20K	3/8" Dr. torque control 3-7 ft.lbs.
2	35NAL-104M	3/8" Dr. torque control 20-38 ft.lbs.
1	35NAL-204K	3/8" Dr. torque control 10-28 ft.lbs.
3	35NAL-204M	3/8" Dr. torque control 10-28 ft.lbs.
3	35N JL-5K	3/8" Dr. joint rate torque control 24-36 ft.lbs.
7	35N JL-5M	3/8" Dr. joint rate torque control 24-36 ft.lbs.
2	35N JL-7M	3/8" Dr. joint rate torque control 17-25 ft.lbs.
1	35RNAL-5M	3/8" Dr. torque control 8-22 ft.lbs. **NEW**
2	35RN JL-20K	3/8" Dr. joint rate torque control 5-8 ft.lbs. reversible
15	40RNAL-10MB-3	3/8" Dr. torque control 8-23 ft.lbs. reversible
1	40RNAL-20M-3	3/8" Dr. torque control 5-12 ft.lbs. reversible
1	40RNAL-30K	3/8" Dr. torque control 5-8 ft.lbs. reversible
1	40RNAL-104P-4	1/2" Dr. torque control 18-55 ft.lbs. reversible
8	40RNAL-204PB-3/8	3/8" Dr. torque control 18-50 ft.lbs. reversible
10	40RNAL-204PB-1/2	1/2" Dr. torque control 18-50 ft.lbs. reversible
34	40RNAL-304PB-3/8	3/8" Dr. torque control 18-35 ft.lbs. reversible
1	40RNALTV-20M-3	3/8" Dr. torque control transducerized **NEW**
1	45RNAB-2P	1/2" Dr. torque control 34-71 ft.lbs. reversible
1	45RNAB-2T-4	1/2" Dr. torque control 37-85 ft.lbs.
5	45RNB-4T	1/2" Dr. stall torque 31-46 ft.lbs. reversible
1	45RNB-6T	1/2" Dr. stall torque 23-35 ft.lbs reversible
2	55RNAL-3T	1/2" Dr. torque control 43-95 ft.lbs. reversible
1	75NAL-3V	1/2" Dr. torque control 75-150 ft.lbs.
6	88NAL-7H	3/8" Dr. torque control 25-115 in.lbs.
8	88RNAL5RA10	3/8" Dr. torque control 40-160 in.lbs. reversible
8	88RNAL5RA12	3/8" Dr. torque control 50-220 in.lbs. reversible
1	88RNAL-7K	3/8" Dr. torque control 25-120 in.lbs. reversible
2	11RNL530B	30 degree offset head 1/2" hex socket
1	16NLRA 1/2" D	3/8" Dr. stall torque

Pryde Industrial Inc

187 Exeter Road

London, Ontario, Canada

Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048

sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
6	17NAL3RA	1/2" Dr. torque control 125 ft.lbs. max
5	17NL3RA	1/2" Dr. stall torque 150 ft.lbs. max
1	137NAL20RA40	3/8" Dr. torque control 3-7 ft.lbs. DEMO
2	137RNAL10RA10	3/8" Dr. torque control 5-16 ft.lbs. Reversible
1	146NL6RA12	1/2" Dr. stall torque
1	146NL6RA13D	3/8" Dr. stall torque
2	147NAB10RA12	3/8" Dr. Double ended torque control 10-16 ft.lbs.
1	147RNAB4RA12	3/8" Dr. torque control 15-30 ft.lbs. reversible
3	147RNAB4RA13	3/8" Dr. torque control 18-37 ft.lbs. reversible
2	156NAB13RA12	3/8" Dr. torque control 10-20 ft.lbs.
1	156NAB13RA13	3/8" Dr. torque control 10-20 ft.lbs.
4	156NAB3RA13AS	1/2" Dr. torque control 20-80 ft.lbs.
1	156NAB6RA13AS	1/2" Dr. torque control 15-42 ft.lbs.
3	156NAB2.2RA13AS	1/2" Dr. torque control 25-100 ft.lbs.
2	156NAB4.5RA13	1/2" Dr. torque control 18-55 ft.lbs.
2	156NB2.2RA13	1/2" Dr. stall torque 110 ft.lbs. max
4	156RNAB3RA13	1/2" Dr. torque control 36-90 ft. lbs.
1	157NAB7RAB13	1/2" Dr. Double ended torque control 25-34 ft.lbs.
1	157NJB3RA13	1/2" Dr. torque control 70-95 ft.lbs.
2	157NJB4RA13	1/2" Dr. torque control 48-65 ft.lbs.
1	157NJB6RA13	1/2" Dr. torque control 37-51 ft.lbs.
3	157RNAB10RA13	1/2" Dr. torque control 16-28 ft.lbs.
3	157RNAB7RAB12	3/8" Dr. stall torque 25-34 ft.lbs. reversible
1	177RNAB3RA20	3/4" Dr. torque control 90-210 ft.lbs. reversible
Desoutter		
2	H410N-90	Worm gear straight handle 78 ft.lbs. max torque .525 F. hex
1	SRB10-0-350	Worm gear offset handle 22 ft.lbs. max torque .525 female hex
2	SRB10-0-180	Worm gear offset handle 38 ft.lbs. max torque .525 female hex
Gardner Denver		
3	C3-4	3/8" Dr. stall torque 400 rpm
1	C3-5R	3/8" Dr. stall torque 500 rpm reversible
1	C3-6	1/2" Dr. stall torque
1	C3-6R	3/8" Dr. stall torque 600 rpm reversible
5	C3-8	3/8" Dr. stall torque 800 rpm
1	C3-10	3/8" Dr. stall torque 1,000 rpm
3	C3-12	3/8" Dr. stall torque 1,200 rpm
3	C3-12	1/2" Dr. stall torque 1,200 rpm
1	C3-20	3/8" Dr. stall torque 2,000 rpm
1	C3R-8	9/16" Flush socket stall torque 800 rpm reversible
1	H16ND13AAM3	3/8" Dr. torque control 6-11 ft.lbs.
2	H16RT07AH3	3/8" Dr. T.C. 12-20 ft.lbs. reversible
1	H16RT09AH3	3/8" Dr. T.C. 9-16 ft.lbs. reversible
1	H25RT03AH3	3/8" Dr. torque control 8-32 ft.lbs. reversible
3	H30RT03AH4	1/2" Dr. torque control 43-75 ft.lbs. reversible
1	H30RT03AF	9/16" Female hex Dr. torque control 31-55 ft.lbs. reversible
1	RNA-12	3/8" Dr. stall torque
7	RNA-35	3/8" Dr. stall torque
2	RNA-35	3/8" Dr. stall torque reversible
4	16C-42	3/8" Dr. stall torque
1	16CM-90	500 rpm
1	16CM-515	500 rpm
3	16N40BB180D15AB	3/8" Dr. stall torque
1	16N40BC050D10AB	1/2" Dr. torque control

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
2	16N40BC067D10AB	1/2" Dr. torque control
6	16N40BC090D10AB	1/2" Dr. torque control
2	16N40BC090D14AB	3/8" Dr. stall torque
9	16N40BC090D14AB	1/2" Dr. torque control 540 rpm
1	16N40BN090D10AB	1/2" Dr. 540 rpm
1	16N40BN090D10AP	420 rpm
2	16N40BN090D14AB	1/2" Dr. stall torque 540 rpm
3	16N40BN180D14AB	3/8" Dr. stall torque
1	16N40BN240E14AB	3/8" Dr. stall torque
2	16N50BC045E14AB	1/2" Dr. torque control 270 rpm
1	16N50BC067E10AM	1/2" Dr. torque control 400 rpm
1	16N50BN045E10AB	1/2" Dr. stall torque 270 rpm
2	16N50BN045E10AB	5/8" Dr. stall torque 270 rpm
1	16N50BN082E14AB	1/2" Dr. stall torque 490 rpm
3	16N50BC082E14AB	1/2" Dr. torque control 490 rpm
1	16N60AC039J11AB	3/4" Dr. stall torque 240 rpm
1	16N60BC139A11AB	3/4" Dr. stall torque 240 rpm
1	41NDA155AM3	3/8" Dr. torque control 33 ft.lbs. max
1	41NDAP067MH4	1/2" Dr. torque control 94 ft.lbs. max
2	41NDAP155AM3	3/8" Dr. torque control 33 ft.lbs. max
1	41RDA050AH4	1/2" Dr. torque control 69 ft. lbs. reversible ** NEW **
4	41RDA068AH4	1/2" Dr. torque control 51 ft. lbs. reversible 1 is** NEW **
1	41RDAT083ED	Transducerized shock absorber tool
2	60RCA049AE6	3/4" Dr. stall torque 97 ft.lbs. max reversible
2	34546AA1	3/8" Dr. stall torque
2	34551AAO	14mm Flush socket 840 rpm
2	34617AAO (40 Series)	1/2" Dr. stall 57 ft. lbs. max torque reversible
1	34840AA7	490 rpm
1	34841AA5	1/2" Dr. stall torque 1,100 rpm
1	35048AA6	3/4" Dr. stall torque 420 rpm
2	35053AA5	3/4" Dr. stall torque 240 rpm
1	35236AAO	3/8" Dr. stall torque
1	35263AAO	3/8" Dr. stall torque
2	35272AA1	1/2" Dr. stall torque 310 rpm
1	35303AA4	1/2" Dr. torque control 675 rpm
2	91400AAO	Shock absorber attachment 310 rpm
1	91400AAO	1/2" Dr. stall torque 310 rpm
1	91551AA1	Shock absorber attachment torque control 290 rpm
Ingersoll-Rand		
4	18L	3/8" Dr. stall torque reversible
3	18L	3/8" Dr. stall torque 1,000 rpm
1	18L	1/2" Dr. stall torque
1	38L	1/2" Dr. stall torque reversible
7	38M	1/2" Dr. stall torque 600 rpm
1	38M	1/2" Dr. stall torque 550 rpm
2	38PM	1/2" Dr. stall torque 315 rpm
1	41AA6LTS6	3/8 Dr. torque control 23-130 in.lbs. reversible **DEMO**
5	5RLL2C5	1/4" Dr. adjustable cushion clutch 15-55 in.lbs. reversible
3	5RLL2D6	3/8" Dr. stall 55 in.lbs. max reversible 2 are**NEW** in the box
2	5RLN2D6	3/8" Dr. stall torque 110 in.lbs. max torque reversible
3	6WSM3	3/8" Dr. stall torque 5.9-10.5 ft.lbs. reversible
5	6WRSN3	3/8" Dr. stall torque 6.4-11.5 ft.lbs. reversible
1	6WRTN3	3/8" Dr. torque control 6.4-11.5 ft.lbs. reversible

Pryde Industrial Inc

187 Exeter Road

London, Ontario, Canada

Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048

sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
5	6WRTQ3	3/8" Dr. torque control 10-19 ft.lbs. reversible
2	6WRTR3	3/8" Dr. torque control 13-24 ft.lbs. reversible
1	6WTM3	3/8" Dr. torque control 5.9-10.5 ft.lbs. reversible
2	6WTR3	3/8" Dr. torque control 15-27 ft.lbs. reversible
1	7LM3D6	3/8" Dr. stall torque 192 in.lbs. max
1	7RLK2D6	3/8" Dr. stall torque 75 in.lbs. max torque reversible
1	7RLL3D6	3/8" Dr. stall torque 100 in.lbs. max torque reversible
1	7RLM3C6	3/8" Dr. stall torque 175 in.lbs. max reversible **NEW**
1	7RLM3D6	3/8" Dr. stall torque 175 in.lbs. max reversible
1	7RLN3D6	3/8" Dr. stall torque 265 in.lbs. max reversible
1	8RSL32	3/8" Dr. stall torque 12-20 ft.lbs. max reversible
2	8RSN32	3/8" Dr. stall torque 19-33 ft. lbs. Reversible one is **NEW**
10	8RSP53	1/2" Dr. stall torque 26-45 ft. lbs. Reversible
2	8RSQ53	1/2" Dr. stall torque 32-50 ft. lbs. reversible
1	8SM32	3/8" Dr. stall torque 16-25 ft.lbs.
1	8SP53	1/2" Dr. stall torque 28-44 ft. lbs.
1	8TL32	3/8" Dr. torque control 13-21 ft.lbs.
3	8TM32TT	13mm flush socket torque control w/ transducer 16-23 ft. lbs.
6	8TM53TT	13mm flush socket torque control w/ transducer 16-23 ft. lbs.
1	8TM53TT	1/2" Dr. torque control w/ transducer 16-23 ft. lbs.
18	8TN32	3/8" Dr. torque control 21-35 ft. lbs.
4	8TN53TT	13mm flush socket torque control w/ transducer 21-35 ft.lbs.
2	8TP53	1/2" Dr. torque control 28-48 ft. lbs.
5	8TQ53	1/2" Dr. torque control 35-56 ft. lbs. One is **NEW**
7	8TQ53TT	13mm flush socket torque control w/ transducer 35-50 ft.lbs.
6	9RSM53	1/2" Dr. stall torque 25-41 ft.lbs. reversible
2	9RSN53	1/2" Dr. stall torque 32-52 ft.lbs. reversible
10	9RSQ83	1/2" Dr. stall torque 45-85 ft.lbs. reversible 5 are **NEW**
2	DAA9N2S6	3/8 dr. torque control 3.6-6.6 ft.lbs. reversible
4	DAA40N3S6	3/8 dr. torque control 18-29 ft.lbs. reversible
1	DAL15N2S6	3/8" Dr. torque control 6-11 ft.lbs. reversible
5	OB2L12	3/8" Dr. stall torque 14 ft.lbs. max
7	OB2MOA9	3/8" Dr.
10	OB2TL12	3/8" Dr. torque control 14 ft.lbs. max
2	OB2TM12	3/8" Dr. torque control 20 ft.lbs. max
1	OOB2LA9	1/4" Dr., stall torque 4.88 ft.lbs. max
1	OOB2LV2	3/8" Dr. reversible
1	OBR2K	3/8" Dr. reversible 550 rpm
1	OBR2MC31	3/8" Dr. reversible 300 rpm
1	OBR20A9C	3/8" Dr. reversible
1	OOBRLA9	1/4" Dr. reversible
1	W3A16NL32	1/2" Dr. 750 rpm
6	WLS16M32	3/8" Dr. 500 rpm
1	WSA180NL63	1/2" Dr. 550 rpm
1	WSA180NS63	1/2" Dr. 240 rpm

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
Master Power		
6	2534	3/8 Dr. stall torque 61in.lbs. Reversible
1	2671	1/4" Dr. 30 degree head Reversible
Rockwell Buckeye		
1	31AR-4634B	3/8" Dr. 1,250 rpm
1	31W-4646C	3/8" Dr. 1,500 rpm
1	31W-4646A	3/8" Dr. torque control 18-150 in.lbs.
1	31WHR-4646A	3/8" Dr. torque control 2-16 ft.lbs.
1	31WHR-4646C	1/2" Dr. torque control 2-16 ft.lbs.
2	31WHR-4647A	3/8" Dr. torque control 2-28 ft.lbs.
5	31WHR-4647B	3/8" Dr. torque control 2-28 ft.lbs.
1	31WHR-4657A	1/2" Dr. torque control 2-28 ft.lbs.
1	31WT-4646A	3/8" Dr. 450 rpm
1	31WTR-4657A	3/8" Dr. 300 rpm
1	31WTR-4657A	1/2" Dr. torque control 300 rpm ** NEW **
1	36WR-544D	1/4" Dr. 15-100 in.lbs. adjustable clutch
1	36WHR-4646	3/8" Dr. torque control 2-24 ft.lbs. reversible ** NEW **
1	47WT4659A	1/2" Dr. torque control 75 ft.lbs. max
1	64WT-4657	1/2" Dr. torque control 15-100 ft.lbs. ** NEW **
Rotor		
2	M100CAYTCGG94	18mm Flush socket torque control w/ transducer
3	M100AYTC-22	1,100 rpm
2	M100AYTC47	1/2" Dr. torque control 24-47 ft.lbs.
2	M101ACAHYPTTSGG150	3/4" Dr. Transducerized 150 ft.lbs. max torque **NEW**
1	M52AGG11	3/8" Dr. torque control
6	N52LAH32	3/8" Dr. stall torque 32 ft.lbs. max torque
3	N54LRAXT8	10mm flush socket torque control reversible
2	N54LATGGV7	3/8" Dr. transducerized **NEW**
17	N59LAHK45	3/8" Dr. torque control 16-33 ft.lbs.
2	N59LAHK55	3/8" Dr. torque control 20-41 ft.lbs.
8	N59LRAHK50	3/8" Dr. torque control 18-37 ft.lbs. reversible
20	N01LAK	1/2" Dr. 240 rpm
1	N100CATCGG210	3/4" Dr. torque control w/ transducer 105-210 ft.lbs.
1	N100LATC-32	3/8" Dr. torque control 16-32 ft.lbs.
6	N100LATC-38	3/8" Dr. torque control 19-38 ft.lbs.
3	N100LAT-40	1/2" Dr. torque control reversible
4	N100ACATC60	1/2" Dr. torque control
1	N100ACAYT70ST	1/2" Dr. torque control 360 rpm
3	N100ACAYTC38	3/8" Dr. torque control 675 rpm
1	N100LAHGGE6X150	5/8" Dr. torque control transducerized
2	N100LAHTC112	1/2" Dr. torque control
2	N100LAHTC130	5/8" Dr. torque control 200 rpm
1	N100LAHTC150	5/8" Dr. torque control 165 rpm
2	N100LAHTC150ST	5/8" Dr. torque control 165 rpm
1	N100LAHYTC150ST	1/2" Dr. torque control 165 rpm
1	N100LATC-38	675 rpm
1	N100LATC-60	490 rpm
2	N100LATC-75	400 rpm
2	N100LATC112	1/2" Dr. torque control 255 rpm
1	N100LATC112ST	1/2" Dr. torque control 255 rpm
1	N100LATC22-011	3/8" Dr. torque control 220 rpm
14	N100LATC32-009	3/8" Dr. torque control 900 rpm
1	N100LATC32-009	9/16" flush socket torque control 900 rpm

Pryde Industrial Inc

187 Exeter Road

London, Ontario, Canada

Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048

sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	N100LATC32ST	3/8" Dr. torque control
5	N100LATC38	3/8" Dr. torque control
1	N100LATC380ST	3/4" Dr. torque control 380 ft.lbs. max
3	N100LATC42	1/2" Dr. torque control
2	N100LATCGG-42	1/2" Dr. torque control w/ transducer 26-42 ft.lbs.
3	N100LATC47006	1/2" Dr. torque control 625 rpm
1	N100LATC60	1/2" Dr. torque control 490 rpm
2	N100LATC75-004	1/2" Dr. torque control 400 rpm (old style)
3	N100LATC75-004	1/2" Dr. torque control 400 rpm (new style)
1	N100LATC75ST	1/2" Dr. torque control
1	N100LATCGG94	1/2" Dr. torque control w/ transducer 47-94 ft.lbs.
1	N101LAHYPGGCLV100	1/2" Dr. torque control w/ transducer 100 max ft.lbs. **NEW**
1	M200CATCGG210	3/4" Dr. torque control w/ transducer 105-210 ft.lbs.
1	N200LA290-001	3/4" Dr. stall torque 290 ft.lbs.
2	N200LATC170ST	3/4" Dr. torque control 150 rpm
4	N200LATC210	3/4" Dr. torque control 180 rpm
1	N200LATC230-002	5/8" Dr. torque control 160 rpm
2	N200LATCGG170-002	5/8" Dr. torque control 200 rpm
1	N200LATCGG230-002	5/8" Dr. torque control 160 rpm
2	N50LA11	3/8" Dr.
1	N52LA2	1/4" Dr. stall torque 2,000 rpm
1	N52LA2	3/8" Dr. stall torque 2,000 rpm
3	N52LAHTC34	3/8" Dr. torque control 275 rpm
3	N52LAHTC5X24	3/8" Dr. torque control
3	N52LAHTC5X27	3/8" Dr. torque control
1	N52LATC10	3/8" Dr. torque control 1,050 rpm
1	N52LATC19	3/8" Dr. torque control 500 rpm
1	N52LRA8	10mm Flush socket reversible
1	N52LRAH5X22	3/8" Dr. torque control 300 rpm reversible
2	N53LAPTCC11	3/8" Dr. torque control
1	N54LRAT-9	3/8" Dr. torque control 9 ft.lbs. max reversible **NEW**
2	N54LRAHT-28	3/8" Dr. torque control 28 ft.lbs. max reversible ** NEW **
2	N54LRAHHT-40	1/2" Dr. torque control 40 ft.lbs. max reversible ** NEW **
2	N01LATC22-010	3/8" Dr. torque control
1	N01LATC22-011	1/2" Dr. torque control 1,000 rpm
2	N02LRA-15	3/8" Dr. 600 rpm reversible
Sioux		
1	2A2606B	3/8 Dr. adjustable clutch 60 in.lbs. max reversible
Stanley		
2	A30LA-15	3/8" Dr. stall torque 6.5 ft.lbs. max torque
4	A30LATA-15	3/8" Dr. torque control 6.3 ft.lbs. max torque 2- are double ended
3	A30LATA-20	3/8" Dr. torque control 4.8 ft.lbs. max torque
2	A30LA2TA-4-3E	3/8" Dr. torque control 21 ft.lbs. max torque 1-double ended **NEW**
18	A30LRA-12	3/8" Dr. stall torque 5.7 ft.lbs. max torque reversible
1	A30LRA-9	1/4" Dr. stall torque 93 in.lbs. max reversible
1	A30LRATA-16	3/8" Dr. torque control 3.9 max torque reversible
2	A30LRATA-9	3/8" Dr. torque control 7 ft.lbs. max torque reversible
2	A30LRATA-5	3/8" Dr. torque control 13 ft.lbs. max torque reversible
2	A30LRQATA-5	3/8" Dr. torque control 13 ft.lbs. max torque reversible **NEW**
1	A30LA-20F2	3/8" Dr. stall torque 1,500 rpm
3	A32LA1CT-6	3/8" Dr. torque control 10-19 ft.lbs. <small>Call for Price and Availability</small>
2	A32LA1CT-7	3/8" Dr. torque control 7.5-15 ft.lbs.
7	A32LA1CT-10	3/8" Dr. torque control 5-10 ft.lbs.

Pryde Industrial Inc

187 Exeter Road

London, Ontario, Canada

Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048

sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	A32LRAACT-11S2	3/8" Dr. torque control 3.5-6.5 ft.lbs. reversible
1	A32LRA2ACT-3	3/8" Dr. torque control 14-28 ft.lbs. reversible
9	A33LA1ACT-8	3/8" Dr. torque control 11-22 ft.lbs.
11	A33LA2ACT-4	3/8" Dr. torque control 22-44 ft.lbs.
7	A33LA2ACT-5	3/8" Dr. torque control 19-37 ft.lbs.
24	A33LA2ACT-6	3/8" Dr. torque control 16-31 ft.lbs
1	A33LA3CT-3	1/2" Dr. torque control 28-55 ft.lbs.
3	A33LA3CT-4	3/8" Dr. torque control 22-44 ft.lbs.
1	A33LA3CT-5	3/8" Dr. torque control 28-55 ft.lbs.
7	A33LRA2ACT-3	3/8" Dr. torque control 21-41 ft.lbs. reversible
11	A33LRA2ACT-4	3/8" Dr. torque control 17-34 ft.lbs. reversible
11	A33LRA2ACT-5	3/8" Dr. torque control 14-27 ft.lbs. reversible
1	A33LRA2ACT-6	3/8" Dr. torque control reversible
8	A33LRA2ACT-3	3/8" Dr. torque control 21-41 ft.lbs. reversible
2	A33LRA2ACT-5	3/8" Dr. torque control 14-27 ft.lbs. reversible
2	A33LRA2ACT-6	3/8" Dr. torque control 16-29 ft.lbs. reversible
4	A33LRA2ACT-7	3/8" Dr. torque control 10-19 ft.lbs. reversible
1	A33LRA2ACTXG-6	3/8" Dr. torque control transducerized reversible
5	A40LA	3/8" Dr. stall torque 625 rpm
1	A40LAS-10	1/2" Dr. torque control w/ transducer 24 ft.lbs. max
1	A40LA-10-F2	1/2" Dr. stall torque
4	A40LA2-3	1/2" Dr. stall torque
1	A40LA2JM-8	1/2" Dr. stall torque 825 rpm
1	A40LA2TAM-3	1/2" Dr. torque control 56 ft.lbs. max
1	A40LA2TA-5	1/2" Dr. torque control 475 rpm **NEW**
1	A40LA2TAX-5	1/2" Dr. torque control 475 rpm
2	A40LA2TPJM-4-10E	1/2" Dr. torque control DEMOS
1	A40LA3-2	1/2" Dr. 105 ft.lbs. max
1	A40LAM-13F2	3/8" Dr. stall torque 775 rpm
2	A40LATA-10	3/8" Dr. torque control 24 ft.lbs. max torque
1	A40LATA-6	3/8" Dr. torque control 40 ft.lbs. max torque **NEW**
4	A40LATAL-10	3/8" Dr. torque control w/ transducer 24 ft.lbs. max
3	A40LAM-10	3/8" Dr. stall torque 975 rpm
1	A40LATAM-13	3/8" Dr. stall torque 1,300 rpm
1	A40LATAM-13F2	3/8" Dr. stall torque 1,200 rpm
1	A40LATAM-6	3/8" Dr. stall torque 500 rpm
1	A40LATAM-6	1/2" Dr. stall torque 600 rpm
1	A40LATAM-6A2	3/8" Dr. stall torque 500 rpm
3	A40LATA-6	3/8" Dr. torque control
1	A40LAZTAM	3/8" Dr. 475 rpm
1	A40LRA2-2	1/2" Dr. stall torque 70 ft.lbs. max reversible
1	A40LRA2M-3-4E	1/2" Dr. stall torque 56 ft. lbs. max reversible
1	A40LRA2M-4	1/2" Dr. stall torque 37 ft.lbs. max reversible
2	A40LRA2TAM-4	1/2" Dr. torque control 37 ft.lbs. max reversible DEMOS
2	A40LRA2TAM-6	1/2" Dr. torque control 23 ft.lbs. max reversible
2	A40LRA2TPM-2	1/2" Dr. torque control 69 ft.lbs. max reversible
7	A40LRA2TPM-3	1/2" Dr. torque control 55 ft.lbs. max reversible
2	A40LRA2TPM-4	1/2" Dr. torque control 37 ft.lbs. max reversible
1	A40LRA3TPA-1	1/2" Dr. torque control 90 ft.lbs. max reversible
37	A40LRA-5	3/8" Dr. stall torque 32 ft.lbs. max Reversible
2	A40LRA2-4	1/2" Dr. stall torque 37 ft.lbs. max reversible
3	A40LRAM-5	3/8" Dr. stall torque 30 ft.lbs. max Reversible
1	A40LRA5-F2	3/8" Dr. stall torque 32 ft.lbs. max Reversible

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
5	A40LRATAM-5	3/8" Dr. torque control 30 ft.lbs. max Reversible
1	S40-281	1/2" Dr. Fixture mounted **NEW**
2	A50LA-32	1/2" Dr. Stall torque
Thor		
3	2RDL-850	3/8" Dr. stall torque
2	2RDXL-850	3/8" Dr. stall torque 850 rpm
1	22RDXL-875	3/8" Dr. reversible
1	3RDC	1/2" Dr. stall torque
1	3RDXL-950	3/8" Dr. stall torque
1	5RDDHC180	3/4" Dr. Double ended stall torque
1	11976A	1/2" Dr.
Uryu		
1	UAN-610R-30C	3/8" Dr. torque control 9.4-18 ft.lbs. reversible
3	UAN-701R-30C	3/8" Dr. torque control reversible
1	UAN-701R-40C	1/2" Dr. torque control reversible
1	UAN-710-37C	3/8" Dr. torque control 10-21 ft.lbs. ** NEW **
STRAIGHT NUTRUNNERS		
Atlas Copco		
1	LME44A0042	3/8" Dr. 420 rpm
1	LME55-AR0031	260 rpm
1	LMF44A0023	1/2" Dr. 230 rpm
Chicago Pneumatic		
2	105	
1	3017MM 500	3/8" Dr. 500 rpm
Cleco		
3	35M-5-R5-3/8	3/8" Dr. floating spindle torque control
1	55NAL-4-4	1/2" Dr. torque control 20-36 ft.lbs. Lever throttle DEMO
Gardner Denver		
1	H30RT07DD3	3/8" Dr. torque control 11-24 ft.lbs. reversible
Ingersoll-Rand		
3	9SQASL-182	1/2" Dr. stall torque
Mountz		
1	PT1	1" Dr. reversible 120-500 ft.lbs
Rotor		
2	M52YS11	3/8" Dr. 1,000 rpm
1	M52YS14	3/8" Dr. 14 ft.lbs. max torque lever throttle
1	M52YS25	3/8" Dr. 25 ft.lbs. max torque lever throttle
4	M54YS13	3/8" Dr. 13 ft.lbs. max torque fixtured
1	M54ACYSTTSGG30	3/8" Dr. 30 ft.lbs. max torque transducerized **NEW**
2	M100YS38	1/2" Dr. sliding spindle stall torque 38 ft.lbs. max
1	M100YS64	1/2" Dr. sliding spindle stall torque 64 ft.lbs. max
2	N54LY17	3/8" Dr. 17 ft.lbs. max torque lever throttle
2	N100LYST43	1/2" Dr. torque control 43 ft.lbs. max lever throttle
Sioux		
2	2L2177 DS	3/8 Dr. 700 rpm reversible
Stanley		
1	A30LBTAJ-3	3/8 Dr. torque control 26 ft.lbs. max torque
2	A30LBTA-4	3/8 Dr. torque control 19 ft.lbs. max torque 1 is**NEW**
1	A30LBTA-7	3/8 Dr. torque control 19 ft.lbs. max torque
5	A30MF-16	3/8 Dr. 5 ft.lbs. max torque spring spindle fixture mount
2	A30MFF-3	3/8 Dr. 33 ft.lbs. max torque spring spindle fixture mount

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
4	A30MFF-5	3/8 Dr. 17 ft.lbs. max torque spring spindle fixture mount
2	A40LBTPJ-15	3/8 Dr. torque control 16 ft.lbs. max torque
1	A40LBTA-9	3/8 Dr. torque control 27 ft.lbs. max torque **NEW**
1	A40LB4TPJ-063	3/4" Dr. torque control 313 ft.lbs. max torque stall bar lever throttle
POLISHERS		
Buckeye		
2	41B704	1,500 rpm straight 5/8-11
Cyclo		
6	11A	Dual head vertical
Dotco		
1	10L2890-80	3,000 rpm vertical 5/8-11
Dynabrade		
6	13201	Straight 3,400 rpm 1/2-20 spindle
Sioux		
6	1238	3,000 rpm right angle 5/8-11
PULSE TOOLS		
Cleco		
1	11PTHL35Q	1/4" slip chuck pistol grip torque control 4.4-8.1 ft.lbs. **DEMO**
1	80PTH604	1/2" Dr. pistol grip torque control 37-59 ft.lbs **DEMO**
1	140PTHC25Q	7/16" slip chuck pistol grip torque control 74-103 ft.lbs. **NEW**
2	160PTH256	3/4" Dr. pistol grip torque control 74-118 ft.lbs.
Fuji		
2	FPW-66-2	3/8 Dr. pistol grip reversible
Gardner Denver		
1	7PTHFB35Q	Pistol grip torque control 1.9-4.9 ft.lbs. 1/4" slip chuck **DEMO**
2	15PTHF25Q	Pistol grip torque control 3.6-11 ft.lbs. 1/4" slip chuck
4	15PTHF30Q	Pistol grip torque control 3.6-11 ft.lbs. 1/4" slip chuck
8	15PTHFB30Q	Pistol grip torque control 3.6-11 ft.lbs. 1/4" slip chuck
4	30PTHFP30Q	Pistol grip torque control 15-26 ft.lbs. 7/16" slip chuck
4	50PTHF35Q	Pistol grip torque control 30-50 ft.lbs.
1	55PTHL354	Pistol grip torque control 23-40 ft.lbs. 1/2" Square drive **DEMO**
5	55PTH25Q	Pistol grip torque control 23-41 ft.lbs. 7/16 slip chuck
2	55PTHF25Q	Pistol grip torque control 23-41 ft.lbs. 7/16 slip chuck
1	55PTHFB25Q	Pistol grip torque control 23-41 ft.lbs. 7/16 slip chuck
1	130PTHB25Q	Pistol grip torque control 45-95 ft.lbs. 7/16 slip chuck
Ingersoll-Rand		
3	EQ 106 P	3/8" Dr. pistol grip 16-21 ft.lb. torque range
1	EQ 112P	1/2" Dr. pistol grip 54-72 ft.lb. torque range
Uryu		
3	UX-500	3/8 Dr. 11-19 Ft.lb. torque range
3	U-610	3/8 Dr. 15-25 Ft.lb. torque range
5	U-610T	2-1/4" slip chuck, 3 are 3/8" sq.dr. pistol grip torque control
1	U-800T	3/8 Dr. 22-30 Ft.lb. torque range torque control
1	900	1/2" Dr. Acra pulse
2	U-1301T	1/2" Dr. pistol grip
2	UX-450SD	1/4" quick change straight lever thr. 5.8-10 ft.lbs. reversible
1	UX-T700L	3/8" Dr. pistol grip 10-19 ft.lbs.
1	UX-800	3/8 Dr. pistol grip 25-45 ft. lbs. reversible
1	UX-800S	3/8" Dr. straight lever thr. 25-45 ft.lbs. reversible
1	UX-900	1/2" pistol grip 35-55 ft.lbs. reversible
1	UXTL-1000	1/2" Dr. pistol grip 36-65 ft.lbs.
2	UXR-3000S	1" Dr. D-Handle 360-630 ft.lbs. **DEMOS**

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
PUMPS		
Aro		
4	650231	Transfer pump **NEW**
2	66150-362C	Diaphragm
1	PF20A-AAP-SGG	Diaphragm 2" discharge
Chicago Pneumatic		
2	CP-0010	Centrifugal 2" discharge **NEW**
2	CP-0020	Centrifugal 2 1/2" discharge **NEW**
1	805 ARDR	Pneudraulic 7,000 max oil pressure
Gardner Denver		
1	VP 4	Centrifugal
Huck		
2	906	Hydraulic
2	940	Hydraulic
Sandpiper		
2	SB1-A	1" Discharge diaphragm
Wilden		
3	M4-0A/NE/NE/NE	1" Discharge diaphragm
RAMMERS		
ATSCO		
3	2BA	2 1/2 " stroke
Henry		
5	1300-OB	2" stroke
Ingersoll-Rand		
1	130A1M	2 1/2" stroke bench 870 BPM
2	241C	4" stroke bench 1590 BPM
9	241A1M	4" stroke floor 1590 BPM 1 is **NEW**
Jet		
1	00	11/16 bore 2" stroke
Michigan Pneumatic		
2	B-1BA	3" stroke ** NEW **
1	14	4" stroke
Texas Pneumatic		
1	TX8	2 1/2" stroke
T.C. Service		
1	1320-1BA	2 1/2" stroke

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
RATCHET WRENCHES		
Atlas Copco		
1	LTV46S001-113	1" Side plate
Cleco		
1	H30NR12W15	Stall torque 25 ft.lbs. max 175 rpm RH Bent 1" side plates **DEMO**
Gardner Denver		
1	B-28	800 rpm stall torque
4	B2-20	2,000 rpm stall torque
25	C3-1200 (NEW STYLE)	1,100 rpm w/ offset attachment
24	C3-2000 (NEW STYLE)	2,000 rpm stall torque
2	H16NR25H20	Stall type 11 ft.lbs. max torque
1	H25NR23H16	303 rpm
1	H30NR12H25	Stall torque 38 ft.lbs. max 1 9/16" side plate **NEW**
1	OORW	Short attachment 3/8" socket
7	RSDRW	Old style
34	RSDRW	New style
7	17B51524	
1	54140AA7	150 rpm
2	54444AA3 (C3 series)	305 rpm stall
1	54623AA3	250 rpm w/ offset attachment
2	54690ABO (GS25 series)	164 rpm stall torque 22 ft.lbs. max standard attachment
1	54695ABO (GS25 series)	112 rpm stall torque 30 ft.lbs. max standard attachment
2	54698AA6	
2	54783AA5	
2	54798AA4	187 rpm
2	54815AB4	80 rpm
3	54363AA5	90 rpm stall torque 119 ft.lbs. max standard attachment
1	5438AA3	Torque control
2	54390AA8 (50 series)	120 rpm torque control 78 ft.lbs. max standard attachment 1 is ** NEW **
1	53497AA5 (60 series)	40 rpm stall torque 340 ft.lbs. max
1	54278AA6	100 rpm
1	54210AA4	185 rpm 1 has 20 degree offset attachment
2	54210AA3	170 rpm
2	54704CA9	80 rpm
1	54769AB3 (GS25 Series)	202 rpm stall torque 16 ft. lbs. max torque
1	41NCR130	Stall torque 70 ft.lbs. max torque
5	41NDR130	Torque control 70 ft.lbs. max torque
2	41NCR172	Stall torque 53 ft.lbs. max torque
1	41NDR172	Torque control 53 ft.lbs. max torque
1	41NCR236	Stall torque 39 ft.lbs. max torque
7	41NDR236	Torque control 39 ft.lbs. max torque
1	60NDR092HD56	Torque control ft.lbs. 300 ft.lbs. max torque
13	60NCR092HD32	Stall torque 185 ft.lbs. max 2" side plate 75rpm **DEMOS**
Ingersoll-Rand		
1	5LNU1	3/4" Side plate
1	7LLU1	3/4" Side plate **NEW**
1	9SMU1	3/4" Side plate
1	8TMA2	1" Side plate
Stanley		
8	W40-116	1" side plate 50 ft.lbs. max torque
Uryu		
1	URW-10N	Stall torque 42 ft.lbs. max

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	URW-12NA	Stall torque 57 ft.lbs. max
RIVET BUSTERS		
American Pneumatic		
1	1133	11" Stroke closed grip
Chicago Pneumatic		
2	11X	C Handle
1	40	C Handle
2	60	C Handle
6	80	C Handle
4	90	D Handle 1-C handle **NEW**
1	4180-11	D Handle 11" stroke threaded retainer
1	4181 PULER	11" stroke
3	4689 PUBAR	1 1/16" Bore 5 7/16" stroke DEMOS
Ingersoll-Rand		
1	8A	8" stroke
2	9A	9" stroke
4	9000	9" stroke threaded retainer
7	9001	9" stroke threaded retainer
Jet		
1	90	9" stroke
COMPRESSION RIVETERS		
American Pneumatic		
1	750	Tandem cylinder 1-C-yoke, 1-Alligator
Atlantic Air Tool		
1	60A	Tandem cylinder 1 1/2" reach alligator
1	60C	Tandem cylinder C-yoke
Chicago Pneumatic		
2	214 ANBEL	Alligator 1 1/2" reach
2	214 CELEL	C-yoke 1 1/2" reach
1	214 FALEL	C-yoke 1 1/2" reach tandem cylinder
4	214 ENBEL	Alligator 1 1/2" reach tandem cylinder 1 is **NEW**
2	341 CUDEL	C-yoke pneudraulic 1 is **NEW**
3	341 CUNEL	No yoke pneudraulic
3	351 ASGEL	Alligator 2 7/8" reach
30	351 ASKEL	Alligator 5" reach
1	351 ASREL	Alligator 7" reach DEMO
1	351 ASVEL	Alligator 9 1/8" reach DEMO
3	351w/ XP-133371 special	Alligator 9" reach offset
1	351w/ XP-133376 special	Alligator 5" reach offset
1	351 CUDEL	C yoke 2 1/8" reach (**DEMO**)
9	351 ESKEL	Alligator 5" reach tandem cylinder
1	351 ESREL	Alligator 7" reach tandem cylinder
1	351 FUDEL	C yoke 2 1/8" reach tandem cylinder
4	351 w/ XP-133386 special	C yoke 6 1/2" reach
2	351 w/ XP-133387 special	C yoke 4 1/2" reach
2	351 w/ XP-133389 special	C yoke 11" reach
3	351 CABH	Crimping tool
1	351 ESKEL	Alligator 5" reach tandem cylinder
2	351 FUDEL	C-yoke 2 1/8" reach tandem cylinder
1	355 CABH	Crimping tool tandem cylinder
1	505 BAN	Pneudraulic no yoke
5	507 BAN	Pneudraulic no yoke

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
Thor		
2	5311	Alligator 3" reach
4	5633	C yoke
1	10231A	C yoke
BLIND RIVETING TOOLS		
Avdel		
19	G1 (71200)	Hydro-Pneumatic 1/8" capacity
21	G2 (71210)	Hydro-Pneumatic 3/16" capacity
1	G3 (71220)	Hydro-Pneumatic 1/4" capacity
8	734	Pneumatic
1	727	Pistol grip repetition type
2	7171	Pistol grip repetition type
4	7381	Pneudraulic 1/4" capacity
3	7498	Pneudraulic 1/4" capacity
Bennett (Fabco-Air)		
1	1000 W/BH-2	Pneumatic straight 1/8" capacity
Cherry		
1	G15 DC	
1	G15 DP	
1	G40A	
1	G40D	
13	G 85	Pneumatic-Hydraulic style
2	G 87	Pneumatic-Hydraulic style
1	315GB	
23	G684A	Pneumatic-Hydraulic style
6	G689	Pneumatic-Hydraulic style
2	G695B	Pneumatic-Hydraulic style remote pulling head
1	G700	Pneumatic-Hydraulic style
1	G701A	Pneumatic-Hydraulic style
27	G703	Pneumatic-Hydraulic style
6	G704A	Pneumatic-Hydraulic style
2	G704B	Pneumatic-Hydraulic style
7	G715A	Pneumatic-Hydraulic style
1	G740A	Pneumatic-Hydraulic style
2	G743	Pneumatic-Hydraulic style
15	G784	Pneumatic-Hydraulic style
1	GH 780	Pneumatic-Hydraulic style
Chicago Pneumatic		
2	884	Pneumatic-Hydraulic style 1/4" capacity
Ebbert Engineering		
2	15541-200	Pistol grip
2	15541-450	Straight
1	EPS1V	Hydraulic pump
4	37410-50J	Hydraulic pump
Gage Bilt		
2	704	Pneumatic-Hydraulic style
Gesipa		
2	PH2	Pneumatic-Hydraulic style
1	PH1-A	Pneumatic-Hydraulic style
3	PH 2000	Pneumatic-Hydraulic style
Huck		

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
13	200	Pneudraulic style
1	201	Pneudraulic style
5	202	Pneudraulic style 1/4" capacity
1	210	Pneudraulic style 1/4" capacity
3	211	1/4" capacity
2	225	Pneudraulic style 3/16"-3/8" capacity
1	255	Pneudraulic style up to 1/4" blind bolts & 5/16" lock bolts
60	352	Pneumatic style 3/16"-1/4" capacity
6	353	Pneudraulic style 3/16"-3/8" capacity
2	393	Pneudraulic
3	504	Hydraulic 1/2" capacity
3	505	Hydraulic 5/8"-3/4" capacity
6	506	Hydraulic 7/8" capacity
3	507	Hydraulic 1 1/8" capacity
6	585	Hydraulic 3/4" capacity
1	586	Hydraulic 3/4" capacity
2	917	Hydraulic power rig 2-tool
2	940	Hydraulic power rig portable
1	2580	Hydraulic
1	4801E	Hydraulic
1	4802	Hydraulic
4	5901	Hydraulic
Lobster		
1	AR-012	1/4" capacity remote head **NEW**
1	AR-021-H	3/16" capacity
1	AR-021-M	1/4" capacity
Marson		
1	PHT3	Pneudraulic
Olympic		
1	RV14G	Pneudraulic
1	RV15	Pneudraulic
1	RV30G-49	Pneudraulic
1	RV60 GB	Pneudraulic
Pop		
12	PRG510	3/16" capacity
12	MCS510A	3/16" capacity w/ mandrel collection
3	PRG520	3/16" capacity
6	PRG540	1/4" capacity
2	MCS540	1/4" capacity w/ mandrel collection
19	MCS5200	3/16" capacity
1	PRT5200	3/16" capacity
14	MCS5600	1/4" capacity
2	PRT5250A w/ MCS5000	3/16" capacity with mandrel collection system
24	PRT5600	1/4" capacity
2	RP4	Rivet presenter
Stronghold		
1	PP-800	Pistol grip

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
RIVNUT TOOLS		
Aro		
1	8683	Pistol grip 750 rpm M6 Mandrel **DEMO**
Avdel		
4	7521	Pistol grip 900 rpm 8-32 mandrel
1	7525	Pistol grip 900 rpm 10-24 mandrel
4	7556	Pistol grip 1,000 rpm 8-32 mandrel
1	7556	Pistol grip 1,000 rpm 1/4-20 mandrel
1	7572	Straight 900 rpm
3	7577-0888	Pneumatic-Hydraulic style
AVK		
2	AKPT6P420	Pistol grip 3/8-16 mandrel
1	AKPT9P420	Pistol grip 1/4-20 mandrel
2	AKPT9L420	Straight 1/4-20 mandrel
Cleco		
11	11RSCP10N	Pistol grip 1/4-20 mandrel
Far		
11	KJ40	Spin-pull 5mm & 1/4"mandrel
Goodrich (Bollhoff)		
7	C-302B	Pistol grip
4	C-302-H	Straight w/ Bio-Brace 6mm mandrel
3	C-302-M	Straight w/ Bio-Brace 6mm mandrel
15	C-302P	Pistol grip 5/16 / M8 Capacity
13	C-362	Pneumatic-Hydraulic style 1/2" capacity
Ingersoll-Rand		
1	5RL	Right angle 10-32 mandrel
Lobster		
1	AN-100	5/16-18 mandrel
Rotor		
4	S22PR3TN-006	Spin-Clinch type 1,200 rpm 10-32 mandrel
14	S01PRD4TN-012	Spin-Clinch type 1,200 rpm 1/4-20 mandrel
2	S01PRD5TN-004	Spin-Clinch type 400 rpm
14	S01PRD5TN-007	Spin-Clinch type 750 rpm 5/16-18 mandrel one is **NEW**
Stanley		
14	A30LR-18N	Straight lever throttle 5mm or # 10
LIGHT DUTY RIVETING HAMMERS		
American Pneumatic		
6	1SRR-400	Pistol grip .401
1	LSRR-800-S	Pistol grip .401 Recoiless 8" stroke
Atlas Copco		
2	RRH-06P	Pistol grip 4" stroke .401
1	RRH-10P	Pistol grip 4.6" stroke .498
2	RRN-22P	Pistol grip 3.5" stroke .401
1	RRN-31P	Pistol grip 4.6" stroke .498
Chicago Pneumatic		
7	3X	2-are Pistol grip .401, 5-are gooseneck
4	4X	Pistol grip .401
1	4X	Good for Price and Availability
1	5X	Pistol grip .498

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	5XB	Gooseneck handle W/nail driving attachment
3	7X	Gooseneck handle
4	9X	Gooseneck handle
1	9XB	Pistol grip handle
10	204	Pistol grip .401 one shot
1	4444 RUSAB (3X)	Pistol grip .401 3" stroke
22	4444 RUTAB (4X)	Pistol grip .401 4" stroke
2	4447 RUSAB (5X)	Pistol grip .498 2.687" Stroke
1	4447 RUVAB (7X)	Pistol grip .498 5.812" Stroke **DEMO**
Cleco		
1	16 BWD	Pistol grip 1 7/16" stroke .401
1	E2	Pistol grip 2 1/4" stroke .401
4	E4-BWD	Pistol grip 4" stroke .401
5	E5-BWD	Pistol grip 5" stroke .401
1	G6	Gooseneck handle 6" stroke.498
Honsa		
1	HT1B-234	Straight 2" stroke .401
1	HTO 3X	Pistol grip 2 7/8" stroke .401 **DEMO**
Ingersoll Rand		
1	772	Pistol grip 2 1/4" stroke .401
3	AR-260	Airbuck
2	AVC 10A1	Pistol grip 1 7/8" stroke .401
1	AVC 10	Gooseneck handle 1 7/8" stroke .401
24	AVC 11A1	Pistol grip 2" stroke .401
1	AVC 11C1	Straight handle 2" stroke .401
12	AVC 12A1	Pistol grip 3" stroke .401 **1-New**
1	AVC 12C1	Straight handle 3" stroke .401
1	AVC13	Gooseneck handle 4" stroke .401
6	AVC 26B1	Gooseneck handle 6" stroke.498
Sioux		
1	270A-4	Pistol grip 4" stroke .401
Thor		
10	3SMP	Pistol grip w/ punch retainer
1	4S	C handle .401
U.S. Industrial		
2	3R	Pistol grip .401
1	2X	Pistol grip .401
1	3X	Gooseneck handle .401
1	4X	Pistol grip .401
ROUTERS		
Buckeye		
1	31R-710	22,000 rpm 1/4" capacity
1	61R-843A	12,000 rpm 1/4" capacity side exhaust **DEMO**
1	61R-854	9,000 rpm 1/4" capacity
Dotco		
2	10L4018-01	18,000 rpm 1/4" collet
1	10L4033-01	18,000 rpm 1/4" collet
1	10T4312-62	12,000 rpm **DEMO**
SANDERS		
Call for Price and Availability		
Aro		
2	GR10A-03	Straight 5/8"-11 spindle 3,000 rpm

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
3	GV08A-05S-7	Vertical 5/8"-11 spindle 4,800 rpm
1	RS25A-PSD	12,000 rpm random orbital w/5" pad
1	7025 ML6	Vertical 5/8"-11 spindle 6,000 rpm
1	7827-B	Right angle 5/8"-11 spindle 3,250 rpm
1	7828 AS	Right angle 5/8"-11 spindle 3,250 rpm
9	7828-B	Right angle 5/8"-11 spindle 3,600 rpm
1	7829-B	Right angle 5/8"-11 spindle 1,650 rpm
2	7939-E	Right angle 5/8"-11 spindle 6,000 rpm
2	8310-A	6,000 rpm 2" X 25 1/2" belt
Buckeye Rockwell		
6	58S-588	5/8-11 spindle 600 rpm
2	58SR-552	5/8-11 spindle 6,000 rpm
10	58SR-556	5/8-11 spindle 3,000 rpm
1	58SR-554	5/8-11 spindle 4,500 rpm
3	74T-546	5/8"-11 spindle right angle 2,400 rpm
Chicago Pneumatic		
1	3031 SASAVUP	4,500 rpm 5/8-11 **NEW**
7	3322 (5-new style,2-old style)	6,000 rpm 5/8-11
Cleco		
1	15V-C45	4,500 rpm 5/8-11
1	15V-SE-60	6,000 rpm 5/8-11 **NEW**
Dotco		
4	10L2760-80	3,300 rpm 5/8-11 right angle
1	10K4207-80	7,200 rpm 5/8-11
Dynabrade		
1	57240R	10,000 rpm Orbital **NEW**
1	57503	5,000 rpm Orbital **NEW**
Ingersoll Rand		
1	7S60	6,000 rpm 5/8-11
2	7S60L	6,000 rpm 5/8-11 **NEW**
2	88S45W106	4,500 rpm 5/8-11
4	88S60W107	6,000 rpm 5/8-11
National Detroit		
4	DC	12,000 rpm
9	DCQ	12,000 rpm
2	300	Dual pad
Sioux		
6	1287L	6,000 rpm angle sander
Stuhr		
1	4000	Dual pad
T.C. Service		
2	65 VS	4,500 rpm 5/8-11

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
SAWS		
Atlas Copco		
6	MRS-20	Reciprocating D-handle
Buckeye		
1	74Z153	6,000 rpm Circular 8 1/4" blade
1	74Z155C	6,000 rpm Circular 8 1/4" blade
Buckeye Western		
2	BW-600	Circular 4" capacity 16,000 rpm
California Pneumatic		
1	QC-6	Circular 4" capacity 16,000 rpm
Chicago Pneumatic		
22	3017 LEF	Reciprocating 1,500 strokes per minute straight lever
6	3517 LEF	Reciprocating 1,500 strokes per minute straight lever
Cleco		
1	11KSP15	Circular pistol grip
Cobb Industries		
1	51005 0050	Chain saw 25"
Dotco		
2	10K2065-90	Oscillating 3" capacity
1	10K4218C-01	8,600 rpm 4" capacity
Fein		
1	MO6-18-2	Reciprocating
1	STS 325R	Reciprocating 2 3/8" Stroke
Gardner Denver		
2	C3-40S	Reciprocating
Ingersoll-Rand		
3	S-120	12" Circular 2,050 rpm
2	S-80	8" Circular 6,000 rpm
3	SRA010A1	Reciprocating 5/8" stroke 1600 spm
Master Power / Black & Decker		
2	408	6,000 rpm Circular 8 1/4" blade
Quackenbush		
3	QDHSM600B160-4	16,000 rpm 4" Capacity
E.A. Selzer		
1	ES-600	16,000 rpm 4" Capacity
Thor		
6	504S	6,000 rpm 12" capacity
Unitec		
1	5 6005 0050	2 3/8" stroke reciprocating
Widder		
6	MOT5-20	Reciprocating
4	MOT6-20	Reciprocating
Thomas C. Wilson		
10	940-15	Reciprocating
SCALERS		
Atlas Copco		
15	4421	Straight lever throttle
1	RVM06	Straight lever throttle
Chicago Pneumatic		
30	FC-ring valve	3/4" x 1 3/4" stroke gooseneck handle

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	0006	Piston type-triple
6	456 LASAN	Straight needle scaler
1	4010 RASEP	Piston type
Cleco		
8	B1B	Straight needle scaler
13	B1-C-LT	Straight scaler lever style 2 are **NEW**
1	BR-C-LT	Straight scaler lever style **NEW**
2	SC-3A	Piston type-triple
Honsa		
1	HT1L 356	Cleco style ergo scaler **NEW**
Ingersoll-Rand		
3	171LNA1	Straight needle scaler
3	181LNA1	Straight needle scaler
2	182L	Straight scaler **NEW**
15	182LNA1	Straight needle scaler
1	3161	Piston type-triple
Master Power		
28	5174	Straight push throttle 4,600 BPM
Rotor		
2	S6L	Straight lever throttle
Stanley		
1	P-30L	Straight lever style 1" stroke
Texas Pneumatic		
12	T3	Triple piston
SCREWDRIVERS		
Aro		
2	SAO28A-9-A	Straight lever torque control 10-30 in.lbs. reversible **NEW**
1	SGO21B-26-Q	Pistol grip direct drive 12 in.lbs. max reversible
6	SAO23A-15-Q	Push to start adjustable clutch 4-15 in.lbs. reversible
1	SAO23A-15-Q	Push to start adjustable clutch 4-15 in.lbs. reversible
9	SAO23A-26-Q	Push to start adjustable clutch 4-12 in.lbs. reversible
1	SAO53B-10-Q	Straight push to start adj. Clutch 15-80 in.lbs. rev. **DEMO**
2	SAO54C-17-Q	Straight push to start torque control 15-60 in.lbs. rev. **NEW**
1	SAO54C-8-Q	Straight push to start torque control 15-100 in.lbs. rev. **DEMO**
1	SEL04B-005	Straight lever Electric
1	SGO23B-9-Q	Pistol grip adj. Clutch 10-30 in.lbs. reversible
2	SGO23B-15-Q	Pistol grip adj. Clutch 4-15 in.lbs. reversible
4	SGO23B-26-Q	Pistol grip adj. Clutch 4-12 in.lbs. reversible
1	SGO53B-17Q	Pistol grip adj. Clutch 15-60 in.lbs. reversible
1	SLE04A-10Q	Straight lever 1000 rpm DC24V Electric reversible
2	SLO23A-15-Q	Straight lever adj. clutch 4-15 in.lbs. reversible
7	SLO23B-15-Q	Straight lever adj. clutch 4-15 in.lbs. reversible 1-is **DEMO**
10	SLO23B-26-Q	Straight lever adj. clutch 4-12 in.lbs. reversible
		2-are **NEW** in the box
1	SLO23A-9Q	Straight lever thr. Adj. clutch 10-30 in.lbs. reversible **NEW**
1	SLO23B-9Q	Straight lever thr. Adj. clutch 10-30 in.lbs. reversible
1	SLO29B-26Q	Straight lever thr. Pos. clutch 10-30 in.lbs. reversible **DEMO**
2	SPE15B-10-Q	Straight push to start 115V AC Electric 1000 rpm reversible
1	SPE24A-12-Q	Straight push to start 115V AC Electric reversible
1	7276D	Pistol grip 1,500 rpm reversible
1	7294D	Pistol grip adjustable 8-20 in.lbs.
1	7399E	Pistol grip 2,100 rpm

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
2	7502C	Straight lever throttle 2,700 rpm
4	7572C	Straight lever throttle 1,800 rpm
2	7856E	Pistol grip 2,400 rpm
1	7884D	Pistol grip 800 rpm reversible
2	7892D	Straight 800 rpm reversible
4	8355-A28-3	Straight self feed 2,800 rpm
Atlas Copco		
1	EP6CHR	Pistol grip Ergopulse 7-12 ft. lbs. reversible
1	LUM14PR07-Q	Straight push to start reversible
2	LUM21HR23	Pistol grip torque control 4.4-22 in lbs. reversible
3	LUM24HR05	Pistol grip torque control 21-106 in lbs. reversible
1	LUM24HR005Q	Pistol grip torque control 21-106 in lbs. reversible
1	LUM24HR007Q	Pistol grip torque control 13-62 in lbs. reversible
1	LUM24PR007-SS	Straight push to start adj. Clutch 12.5-62 in.lbs. reversible
1	LUM27-HRX11-U	
18	Twist HRD36	Pistol grip direct drive 18-24 in.lbs. 3,600 rpm reversible
Buckeye Rockwell		
1	LFP 2457A	Pistol grip torque control 1,000 rpm reversible
16	3F-305E	Pistol grip 1,100 rpm
3	23FPC-434B	Pistol grip torque control 6-15 in.lbs. reversible
1	23FPC-435B	Pistol grip torque control 10-20 in.lbs. reversible
1	24F-316A	Pistol grip 8-35 in.lbs. reversible ** NEW **
1	24FP-435A	Pistol grip 10-20 in.lbs. reversible ** NEW**
1	24FPC-436	Pistol grip 900 rpm reversible
3	31F-105E	Pistol grip 1,100 rpm
1	31F-402A	Pistol grip 300 rpm
2	31F-436A	Pistol grip 3/8" square dr. 750 rpm
5	31F-436B	Pistol grip 750 rpm
2	31F-476A	Pistol grip 3/8" square dr. 750 rpm
3	31F-476B	Pistol grip 3/8" square dr. 750 rpm
7	31FC-305A	Pistol grip 1,100 rpm
2	31FC-436B	Pistol grip 750 rpm
1	35F-402B	Pistol grip 2,000 rpm reversible
1	35F-404	Pistol grip 1,000 rpm reversible
10	35F-404B	Pistol grip 1,000 rpm reversible
1	35F-436	Pistol grip 1,000 rpm reversible
2	35F-476C	Pistol grip torque control 500 rpm
1	35FC-304B	Pistol grip 1,000 rpm reversible
1	35FC-434C	Pistol grip 1,000 rpm reversible
2	35FC-436C	Pistol grip 500 rpm reversible
1	36WR-554C	Pistol grip
8	41F-474C	Pistol grip 3/8" square dr. 1,300 rpm
4	41F-486B	Pistol grip 3/8" square dr. 750 rpm
Chicago Pneumatic		
2	2420LR10CA4	Right angle lever cushion clutch 2-38 in.lbs. reversible **NEW**
1	2420LR17CA4	Right angle lever cushion clutch 2-25 in.lbs. reversible **NEW**
2	2420LR17CF4	Straight lever torque control 1.5-20 in.lbs. reversible **NEW**
2	2420LR25CF4	Straight lever torque control 1.5-13 in.lbs. reversible **NEW**
1	2420SR17UF4	Straight push to start T. C. 1.5-18 in.lbs. reversible **NEW**
1	2420SR17UQ4	Straight push to start T. C. 1.5-18 in.lbs. reversible **NEW**
1	2420SR25UF4	Straight push to start T. C. 1.5-13 in.lbs. reversible **NEW**
1	2420TR17CQ4	Pistol grip T.C. 1.5-20 in.lbs. reversible **NEW**
1	2420TR25DQ4	Pistol grip direct drive 9-17 in.lbs. reversible **NEW**

Pryde Industrial Inc

187 Exeter Road

London, Ontario, Canada

Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048

sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
2	2430SR07UQ4	Straight push to start T.C. 13-65 in.lbs. reversible
1	2430SR12UQ4	Straight push to start T.C. 13-30 in.lbs. reversible **NEW**
1	SD160-AB320-S4Q	Straight push to start T.C. 8.9-141 in.lbs. reversible **DEMO**
Cleco		
7	3RSA-10	Straight push to start torque control 2-25 in.lbs. reversible
1	3RSA-10Q	Straight push to start torque control 2-25 in.lbs. reversible
20	4RSA-10	Straight push to start torque control 2-25 in.lbs. reversible
8	4RSA-17	Straight push-to-start torque control 2-17 in.lbs. reversible
1	4RSCH-10Q	Straight push to start torque control 2-25 in.lbs. reversible
2	4RSA-17	Straight push to start torque control 2-17 in.lbs. reversible
1	4RSCH-17Q	Straight push to start torque control 2-17 in.lbs. reversible
1	4RSAP-17	Pistol grip reversible
44	4RSAPT-10	Pistol grip torque control 1-25 in.lbs. reversible
27	4RSAPT-10Q	Pistol grip torque control 1-25 in.lbs. reversible
2	4RSAPT-17	Pistol grip torque control reversible
1	44RSAL-7BQ	Straight lever thr. torque control 2-42 in.lbs. reversible
5	44RSAPT-7Q	Pistol grip torque control 2-40 in.lbs. reversible
2	5BRSAL-10BQ	Straight lever torque control 3-33 in.lbs. reversible
1	5BRSATP-10BQ	Pistol grip torque control 3-29 in.lbs. reversible
1	5BRSATP-17BQ	Pistol grip torque control 4-26 in.lbs. reversible
7	5SA-10B	Straight push to start torque control 10-38 in.lbs.
4	5SA-10BQ	Straight push to start torque control 10-38 in.lbs.
4	5SRA-10BQ	Straight push to start torque control 10-38 in.lbs. slide reverse
1	5RSA-7BQ	Straight push to start torque control 2-45 in.lbs. reversible
1	5RSA-10BQ	Straight push to start torque control 3-33 in.lbs. reversible
1	5RSA-17Q	Straight push to start torque control 4-19 in.lbs. reversible
1	5RSAL-10Q	Straight lever thr. torque control 3-33 in.lbs. reversible
11	5RSAL-10BQ	Straight lever thr. torque control 3-33 in.lbs. reversible
1	5RSAL-17Q	Straight lever thr. torque control 5-19 in.lbs. reversible
1	5RASPT-2BQ	Pistol grip trigger start torque control 2-45 in.lbs. reversible
15	5RASPT-7BQ	Pistol grip trigger start torque control 2-45 in.lbs. reversible
60	5RSAPT-10Q	Pistol grip trigger start torque control 10-38 in.lbs. reversible
14	5RSATP-10BQ	Pistol grip trigger start torque control 3-33 in.lbs. reversible
6	5RSATP-17BQ	Pistol grip trigger start torque control 4-26 in.lbs. reversible
11	5RSATP-174BQ	Pistol grip trigger start torque control 30-87 in.lbs. reversible
3	5RSATP-254BQ	Pistol grip trigger start torque control 21-60 in.lbs. reversible
20	5RSAUPT-10Q (top air inlet)	Pistol grip trigger start torque control 10-38 in.lbs. reversible
2	5RSAUPT-17Q (top air inlet)	Pistol grip trigger start torque control 5-19 in.lbs. reversible
1	5RSSTP-25BQ	Pistol grip stall torque 19 in.lbs. reversible **NEW** GONE?
1	6SA-20	Clecomatic clutch
2	6SCH-10B	Clecomatic clutch reversible
1	7RSCP12Q	Pistol grip
3	8RNP-10Q	Pistol grip stall torque 70 in.lbs. reversible
4	8RNP-20Q	Pistol grip stall torque 44 in.lbs. reversible
3	8RNP-30Q	Pistol grip stall torque 32 in.lbs. reversible
5	8RSA-10BQ	Straight push start torque control 7-65 in.lbs. reversible
1	8RSA-18F	Straight push to start reversible
5	8RSAL-20BQ	Straight lever throttle 7-38 in. lbs. reversible
5	8RSAP-10	Pistol grip
6	8RSAPT-7BQ	Pistol grip trigger start 7-75 in.lbs. reversible
4	8SAPT-10BQ	Pistol grip trigger start 7-67 in.lbs.
14	8RSAPT-10BQ	Pistol grip trigger start 7-63 in.lbs. reversible
1	8RSAPT-18Q	Pistol grip reversible

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
23	8RSAPT-20BQ	Pistol grip torque control 7-40 in.lbs. reversible
2	8RSATP-5BQ	Pistol grip trigger start torque control 7-75 in.lbs. reversible
12	8RSATP-7BQ	Pistol grip trigger start torque control 7-75 in.lbs. reversible
6	8RSATP-10BQ	Pistol grip trigger start torque control 7-65 in.lbs. reversible
1	8RSSP-30	Pistol grip reversible
5	10SA-15B	Straight push to start
18	10SAP-10B	Clecomatic clutch
2	10RSA-5B	Straight push to start reversible
11	10RSA-10BQ	Pistol grip torque control reversible
2	10RSA-15B	Straight reversible
2	14PBL-2142	Straight push to start Low Shock clutch .5-14 in.lbs reversible
32	15RSAP-8Q	Pistol grip push to start torque control 40-170 in.lbs. reversible
1	15RSAP-14Q	Pistol grip push to start torque control 40-115 in.lbs. reversible
2	28RSCL-18	Straight lever throttle reversible
2	28RSCL-18Q	Straight lever throttle reversible
2	28RSCP-8	Pistol grip
6	35RSAP-10 3/8	Pistol grip 3/8" sq.dr. torque control 15-110 in.lbs. reversible
1	88SAP-7Q	Pistol grip push to start torque control
6	88SAPT-7C-3/8	Pistol grip 3/8" sq.dr. torque control 15-100 in.lbs.
4	88RSAPT-2Q	Pistol grip torque control reversible
3	88RSAPT-5	Pistol grip torque control reversible
16	88RSAPT-5Q	Pistol grip torque control reversible
95	88RSAPT-7Q	Pistol grip torque control 15-95 in.lbs. reversible
17	88RSAPT-5CQ	Pistol grip torque control 15-160 in.lbs. reversible
1	88RSATP-7CQ	Pistol grip torque control 15-95 in.lbs. reversible
102	111NO-60CQ	Pistol grip stall torque 24 in.lbs. max torque
Deprag		
4	343-518U	Straight reversible
Desoutter		
1	902B	Pistol grip ** NEW **
1	2D89-AX340-SP	Straight torque control 32-130 in.lbs. reversible
1	2D89-PX-850	Pistol grip torque control 13-63 in.lbs. reversible
1	2D8L 1500	Straight reversible
Dotco		
6	56CLT93-54	Pistol grip Direct drive 1,700 rpm reversible
Gardner Denver		
3	B2-12	2- Pistol grip 1- straight 1,200 rpm
3	B2-20R	Pistol grip 2,000 rpm
5	D2C-8	Straight 800 rpm
4	E1	Straight 1,600 rpm reversible
1	E1R-15	Straight 1,500 rpm reversible
1	E1R-15B	Straight 1,500 rpm reversible
1	FBI	Pistol grip 800 rpm
1	FBI-11	Straight torque control
2	FBI-11	Pistol grip torque control
2	FBI-11	Pistol grip 1,100 rpm
2	H10RB12DS	Straight lever direct drive 32 in.lbs. max reversible
		NEW in the box
1	H16RN07TC	Pistol grip torque control 15-144 in.lbs. reversible** DEMO**
1	H25NQ12PC	Pistol grip **NEW**
2	00RSD-R-13	Straight reversible
1	12D2C-8	Pistol grip 800 rpm
1	12D2C-16	Straight 1,600 rpm

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
2	16566AA1	Straight push to start torque control 5-30 in.lbs. reversible
Ingersoll-Rand		
1	OOPRZM	Straight reversible 700 rpm
1	1RPNS1	Straight torque control 1.5-30 in.lbs. reversible
1	3RALD1	Pistol grip adjustable clutch 8-14 in.lbs. reversible ** NEW **
1	3RAMC1	Pistol grip adjustable clutch 8-14 in.lbs.
3	3RANC1	Pistol grip adjustable clutch 8-14 in.lbs.
1	3RLMC1	Straight adjustable clutch 2.5-20 in.lbs. reversible **NEW**
5	3RPLS3	Straight push to start torque control 3.5-13 in.lbs. reversible
4	3RPNC1	Straight push to adjustable clutch 1.5-30 in.lbs. reversible
6	3RPNS3	Straight push to start torque control 1.5-30 in.lbs. reversible
1	3RTMS3	Pistol grip torque control 2.5-20 in.lbs. reversible
2	3RTNS1	Pistol grip torque control 1.5-30 in.lbs. reversible
168	3RTNS3	Pistol grip torque control 1.5-30 in.lbs. reversible
3	3RTQS1	Pistol grip torque control 1.5-45 in.lbs. reversible one**NEW**
1	4RPLS1	Straight torque control 15-40 in.lbs. push throttle reversible
1	4RPMS1	Straight torque control 15-65 in.lbs. reversible
1	4RPNS1	Straight torque control 15-80 in.lbs. reversible
1	4RTMS1	Pistol grip torque control 15-65 in.lbs. reversible
7	4RTNS1	Pistol grip torque control 15-80 in.lbs. reversible
4	4RTPS1	Pistol grip torque control 15-105 in.lbs. reversible
1	41PC17TSQ4	Pistol grip Adj. Clutch 10-60 in.lbs. reversible
2	41SA10PSQ4	Straight push to start T.C. 15-80 in.lbs. reversible 1 is a**DEMO**
4	41SC25PSQ4	Straight push to start adj.cl. 10-40 in.lbs. reversible **DEMOS**
2	5ALC3	Pistol grip adjustable clutch 13-35 in.lbs. ** NEW **
1	5ANC1	Pistol grip adjustable clutch 13-70 in.lbs.
1	5ANC3	Pistol grip adjustable clutch 13-70 in.lbs.
1	5LNC3	Straight lever throttle 1,050 rpm
1	5PLKC1	Straight lever throttle
1	5RALC1	Pistol grip adjustable clutch 13-35 in.lbs. reversible
1	5RALD1	Pisto Grip direct drive 19-35 in.lbs reversible **NEW**
3	5RANC1	Pistol grip adjustable clutch 13-75 in.lbs. reversible
1	5RLLC1	Straight adjustable clutch 13-40 in.lbs.lever throttle reversible
1	5RLNC1	Straight adjustable clutch 13-75 in.lbs.lever throttle reversible
1	55PLC1	Straight adjustable clutch 13-40 in.lbs. push to start ** NEW **
1	55RPLS1	Straight push to start torque control 11-50 in.lbs. reversible
2	55RPNC1	Straight push to start adjustable clutch 13-80 in.lbs. reversible
1	55RPKC1	Straight push to start adjustable clutch 15-40 in.lbs. reversible
9	55RPNS1	Straight push to start torque control 14-80 in.lbs. reversible
1	6WRTQ3	Right angle torque control 10-19 ft.lbs. reversible
1	7LLC1	Straight lever throttle adj. clutch 15-75 in.lbs. ** NEW **
1	7RLKC1	Straight lever throttle adj. clutch 10-60 in.lbs. reversible * NEW *
2	7RLLC1	Straight lever throttle adj. clutch 15-75 in.lbs. reversible * NEW *
3	7RLMC1	Straight lever throttle adj. clutch 20-110 in.lbs. reversible
2	OOAR2-CX21	Pistol grip reversible
2	OOAR2-LCX31	Pistol grip reversible
1	OOAR2P-CX31	Pistol grip reversible
2	OOBM	Pistol grip 700 rpm reversible
1	QA1L12C1LD	Right angle adjustable clutch 3.5-32 in.lbs. reversible **NEW**
1	QP1S10S1TD	Pistol grip torque control 3-40 in.lbs. reversible **DEMO**
Master Power		
Call for Price and Availability		
30	2431	Pistol grip Versa-clutch 1800 rpm 17-100 in.lbs. reversible
11	2461 Type 4	Pistol grip positive clutch 1800 rpm reversible

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	2603	Straight push to start torque control 1.6-20 in.lbs. reversible
1	2612	Straight push to start torque control 13-63 in.lbs. reversible
2	2671	1/4" Sq. Dr. 30 degree head reversible
Rotor		
1	A30LQ-22F3	Straight 1,450 rpm
1	N52LRA3	Right angle 2,400 rpm reversible
1	N52LRA4	Right angle 1,900 rpm reversible
1	N52LRA8	Right angle 850 rpm reversible
1	SE22P33	Pistol grip direct drive 33 in.lbs. max torque
Sioux		
4	L2305	Straight lever cushion clutch 45 in lbs. max reversible
1	1A2202	Right angle 1/4" square dr. 1,250 rpm reversible
2	1ST2108Q	Straight push to start torque control 5-50 in.lbs. reversible
3	1ST2208Q	Straight push to start torque control 5-35 in.lbs. reversible
1	2L2301Q	Straight lever thr. direct drive 65 in.lbs. max torque reversible
2	2A2351	Right angle 2,500 rpm reversible 65 in.lbs. max torque
8	2P2603A	Pistol grip positive clutch 20-50 in. lbs. reversible
1	2P2603AQ	Pistol grip positive clutch 20-50 in. lbs. reversible quick change
Stanley		
6	A-30P-9	Pistol grip direct drive 125 in.lbs.
2	A30PJ-9	Pistol grip 875 rpm
2	A30PR-13	Pistol grip direct drive 60 in.lbs. max reversible
1	A30PR-7	Pistol grip direct drive 110 in.lbs. max reversible
1	A30PR-8	Pistol grip direct drive 130 in.lbs. max reversible
26	A30PRC-25	Pistol grip adjustable clutch 5-30 in.lbs. reversible
1	A30PRC-13	Pistol grip adjustable clutch 5-60 in.lbs. reversible
1	A30PRT-13	Pistol grip torque control 20-50 in.lbs. reversible
5	A30PRTA-9	Pistol grip direct drive torque control 40-80 in.lbs. reversible
11	A30PRTA-18	Pistol grip direct drive torque control 13-33 in.lbs. reversible
5	A30PRTA-13	Pistol grip direct drive torque control 20-50 in.lbs. reversible
37	A30USTA-16	Pistol grip direct drive torque control 22-56 in.lbs.
1	A30USTA-22	Pistol grip direct drive torque control 17-42 in.lbs.
25	A30USTA-9	Pistol grip direct drive torque control 40-101 in.lbs.
2	A30USRTA-36	Pistol grip direct drive torque control 7-17 in.lbs. reversible
17	A30USRTA-7	Pistol grip direct drive torque control 32-80 in.lbs. reversible
15	A30USRTA-5	Pistol grip direct drive torque control 46-115 in.lbs. reversible
24	A32PRCT-6	Pistol grip torque control 20-70 in.lbs. reversible
5	A32PRCT-8	Pistol grip torque control 5-40 in.lbs. reversible
5	A32PRCT-12	Pistol grip torque control reversible
Thor		
3	12975A	Pistol grip
Uryu		
2	USLD40P-08	Pistol grip direct drive 4.34-6.51 ft.lbs. reversible
1	US-LT-30B-17	Straight push to start torque control 3.5-13 in.lbs. reversible
1	US-LT-30PB-11	Pistol grip reversible
2	US-LT-41PB-08	Pistol grip torque control 8.7-34.7 in.lbs. reversible
5	US-LT-41PB-21	Pistol grip torque control 8.7-14.8 in.lbs. reversible
SKIDMORES		
3	J	Bolt tester
1	M	Bolt tester
1	ML-103	Bolt tester Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
SPECIALTY TOOLS		
Aro		
57	7165B	Electrode Dresser 1,500 rpm 5-are **NEW**
9	8039	Electrode Dresser 450 rpm
16	8040 E	Electrode Dresser 1,000 rpm 2-are **NEW**
2	651533	Airless spray gun **NEW**
2	8315	Marking Pen **NEW**
Atlas Copco		
3	LZB46-A025	T-Handle screwdrivers
Aurand		
1	KP4	Scabblor
Buckeye		
4	31DR-506	Trim shear straight lever throttle
Cleco		
1	P-15	Torque analyzer
1	11TSL891	Trim shear
2	15RTSP8-22R	Trim shear
Dayton		
3	6W269	Dowel puller
7	Import	Dowel puller
Hartco		
3	65	Crimping tool
Ingersoll-Rand		
5	I. R. motor	Trim shear PTP head
Interlake		
6	A17H4-454	1/2" plastic strapping tool
Nascomatic		
2	2001	# 8 Screw feeder w/ Cleco 4PSA10 screwdriver
Portable Tool		
2	BC3HCT4	Clamping Tool
1	BC4	Clamping Tool
2	BR2AR	Clamping Tool
H.K. Porter		
4	9190	Cutting tool
1	9290	Cutting tool
Quackenbush		
4	QTS-9D-25R	Trim shear
Rotor		
1	RS-4	Crimping tool
1	2213-2650	Crimping tool
Signode		
5	AMP1 34	3/4" Strapping tool
4	ASPD-50-HS	1/2" Combination tool plastic strapping tool
2	APT-50	1/2" Combination tool plastic strapping tool
Tennant		
1	HRT	Scabblor
Zepher		
1	ZT30	65 rpm rivet shaver
STAPLERS		
Call for Price and Availability		
Bea		
3	71/16/416	

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
1	380/16-400	
Bostitch		
3	D16-2AD (D60)	Boxloc 5/8"-7/8" staples
2	D60	Box Loc
5	P50	3/8" crown
2	TU-20	1/2" crown X 1/4"-9/16" long staples
1	TU-216-84	**NEW**
2	T27-7	**NEW**
Duofast		
1	348	
4	3312	
TAPPING TOOLS		
Aro		
12	7429D	550 rpm 5/16" capacity push pull style
1	8506-ATA	600 rpm 1/4" capacity
Atlas Copco		
1	LGB33-H007	700 rpm pistol grip 3/8" capacity push pull style
Buckeye		
1	35DT-316	500 rpm pistol grip 5/16" capacity
Chicago Pneumatic		
1	2480 ROT-05	Pistol grip 5/16" capacity
2	3017ROT-500	Pistol grip 1/2" capacity
5	3017ROT-1000	Pistol grip 5/16" capacity
1	3060T 500	Pistol grip 5/16" capacity
7	3217 TASAR	Pistol grip 5/16" capacity
2	3218 TASUR	Pistol grip 5/16" capacity (1 is 1/2" capacity)
Desuotter		
1	2F	Pistol grip push pull 1/2" capacity
Gardner Denver		
2	FBI	Push pull 5/16" capacity
1	FBI	Push pull 5/16" capacity straight
1	25040AA4	1/2" capacity
Ingersoll-Rand		
7	1AT	Pistol grip 1/2" capacity
4	1TM	Gooseneck handle 1/2" capacity
5	1T	Gooseneck handle 1/2" capacity
2	7RAQT4	Pistol grip 475 RPM 1/2" capacity 1 is **NEW**
Uryu		
1	UT-60S-04	Straight 1/2" capacity

Call for Price and Availability

Pryde Industrial Inc

187 Exeter Road
 London, Ontario, Canada
 Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
 sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
TUBE NUT WRENCHES		
Cleco		
5	35TNAL-5-9	Torque control 11-22 ft.lbs. 9/16" Socket
Gardner Denver		
5	H15RF05TN22	Torque control 5-13.5 ft.lbs. 3/16" Socket
1	5440AA1	Torque control 225 rpm
Rotor		
4	TA52L16	Auto index stall torque 540 rpm
6	TA52L20	Auto index stall torque 400 rpm
3	TSA54LT34	Auto index torque control w/2" extended 22mm socket
3	T015L-004	stall torque 400 rpm
4	T015L-005	stall torque 540 rpm
2	T015L35-002	stall torque 17-35 ft.lbs.
1	T015LM20SP-004	stall torque 400 rpm
Stanley		
1	F30L8-6	600 rpm Stall 11.5 max torque
1	F30L18-28	Stall torque 14 ft.lbs. max
2	F30L18-54	
1	F30L18TA-13	130 rpm T.C. 30 ft lbs. max torque
5	F30L18TA-15	150 rpm T.C. 23 ft. lbs. max torque
1	F30L18TA-28	275 rpm T.C. 14 ft. lbs. max torque
2	F30L20TA-11F2	115 rpm T.C. 39 ft. lbs. max torque
2	F30L20TA-15	Torque control 28 ft.lbs. max
2	F30L23TA-13-45	130 rpm T.C. 30 ft. ilbs. max torque w / 45 degree offset
1	F30L23TA-13-90	130 rpm T.C. 30 ft. ilbs. max torque w / 90 degree offset
4	F30L23TA-15	
2	F30L23TA-15-45	150 rpm T.C. 23 ft. lbs. max torque w / 45 degree offset
1	F30L32TA-38-90	380 rpm T.C. 11.5 ft. lbs. max torque w / 90 degree offset
1	F30L65-15	
1	F30L65-20-90	
5	F30L65TA-15	
4	F30L65TA-15-345	
1	F30L65TA-54	
1	F30L74ATA-23	
1	F30L74T-15	
1	F30L85TA-54	
1	F30L88TA-11	
2	F30L99TA-11	
1	F30L99TA-21	3/4" socket
2	F30L107TA-15	
4	F33L74ACT-29	290 rpm torque control 11-22 ft.lbs.
3	F40L143TP-4	280 rpm torque control reversible
Uryu		
1	UOW-11-22	
1	UOW-11-30	
TUBE ROLLING TOOLS		
Airetool		
1	1550-900	Two handle roll throttle 4.7-30.7 torque range
Thomas C. Wilson		
Call for Price and Availability		
1	3A-1000:1	Pistol grip
1	910-12	125 rpm

Pryde Industrial Inc

187 Exeter Road
London, Ontario, Canada
Phone 800-619-2219 Local 519-690-1111 Fax 519-690-0048
sales@prydeindustrial.com www.prydeindustrial.com

Qty.	Make & Model	Description
3	910-20	200 rpm
TUGGERS		
Gardner Denver		
2	HK	2,000 lb. Capacity
2	HKL	2,000 Capacity Long drum
Ingersoll-Rand		
3	BU7A	1,000 lb. capacity **1-DEMO**
2	EU	2,000 lb. capacity
1	HUL	2,500 lb. Capacity w/ auto brake
1	HUL-40	4,000 lb. capacity
1	K4U	4,000 lb. capacity

Call for Price and Availability