



Centre Court,
Meridian Business Park, Leicester,
LE 19 1WD, United Kingdom

Telephone +44 (0) 116 263 0330
Facsimile +44 (0) 116 263 0311/12
www.intertek.com/consumergoods

Test Report

Number: H-147177
(HKGH01059084)

Applicant: NEAT-OH! INTERNATIONAL, LLC
790 FRONTAGE ROAD SUITE 303
NORTHFIELD
IL 60093
USA

Date: Sep 09, 2010
EC Notified Body 0362

Attn: PURPLE WU/ ELLEN LAU

Sample Description:

Twelve (12) sets of submitted sample said to be :

- Item Name : - **A1413XX LEGO DUPLO ZipBin® L44**
- **A1082X1 ZipBin® Road & Rail**
- **A1083XX ZipBin® Mansion**
- **A1375 Gonge Fish ZipBin® Toy Box**
- **A1438XX Disney Princess ZipBin Toy Box**
- **A1439XX Disney Pixar Cars ZipBin® Toy Tote**
- **A1440XX CTS - Toy Story ZipBin® Toy Tote**
- **A1431XX LEGO City ZipBin® M20**

Labelled Age Group : 2+ (For item A1413XX LEGO DUPLO ZipBin® L44)
3+ (For items A1082X1 ZipBin® Road & Rail, A1083XX ZipBin® Mansion,
A1431XX LEGO City ZipBin® M20, A1438XX Disney Princess
ZipBin Toy Box, A1439XX Disney Pixar Cars ZipBin® Toy Tote
and A1440XX CTS - Toy Story ZipBin® Toy Tote)
Not specified (For item A1375 Gonge Fish ZipBin® Toy Box)

Packaging Provided : Yes
Vendor : Takepoint
Country of Origin : China

To be continued

Prepared and checked by:
For Intertek Testing Services

Keith S.K. Lue





Approved for and on behalf of
Intertek Testing Services
(Leicester) Ltd

Philip Bullock
Technical Manager



Test Report

Number: H-147177
(HKGH01059084)



To be continued

Prepared and checked by:
For Intertek Testing Services

Keith S.K. Lue



Approved for and on behalf of
Intertek Testing Services
(Leicester) Ltd

Philip Bullock
Technical Manager



Test Report

Number: H-147177
(HKGH01059084)



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Prepared and checked by:
For Intertek Testing Services

Keith S.K. Lue



Approved for and on behalf of
Intertek Testing Services
(Leicester) Ltd

Philip Bullock
Technical Manager



Test Report

Number: H-147177
(HKGH01059084)

Conclusion:

<u>Tested samples</u>	<u>Standard</u>	<u>Result</u>
Submitted samples on item A1413XX LEGO DUPLO ZipBin	EN71-1 : 2005 and A9 : 2009 for mechanical and physical properties	Pass
Submitted samples on items A1082X1, A1083XX, A1431XX, A1375, A1438XX, A1439XX and A1440XX	EN71-1 : 2005 and A9 : 2009 for mechanical and physical properties excluding clause 7.1	Pass
Submitted sample sets	EN71-2 : 2006 + A1 : 2007 flammability test	Pass
Tested components of submitted sample sets	EN71-3 : 1994 and amendment A1 : 2000 and AC : 2002 for toxic elements test	Pass
	Cadmium content requirement in Annex XVII Item 23 of the REACH Regulation (EC) no. 1907/2006 & amendment no.552/2009 (formerly known as Directive 91/338/EEC)	Pass
	Phthalates content requirement in Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 (formerly known as Directive 2005/84/EC)	Pass

Prepared and checked by:
For Intertek Testing Services

Keith S.K. Lue



Approved for and on behalf of
Intertek Testing Services
(Leicester) Ltd

Philip Bullock
Technical Manager



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

1 Mechanical and Physical Test on item A1413XX LEGO DUPLO ZipBin

As per European Standard on Safety of toys EN71-1 : 2005 + A9 : 2009.

Applicant's specified age group for testing : For ages over 2 years.

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4*	General requirements	P
5*	Toys intended for children under 36 months	P
6	Packaging	NA
7	Warnings and instructions for use	P

Remark : P = Pass NA = Not Applicable

* = The following subclauses of Clause 4 and 5 (note) of the standard were applicable :-

- 1) 4.1 Materials - cleanliness visual examination.
- 2) 4.7 Edges.
- 3) 4.8 Points and metallic wires.
- 4) 4.14 Enclosures
- 5) 5.1 General requirements.
- 6) 5.2 Filling materials.
- 7) 5.4 Cords on toys.

Note : The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Date sample received : Sep 02, 2010
Testing period : Sep 02, 2010 to Sep 07, 210

Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

2 Mechanical and Physical Test on items A1082X1, A1083XX, A1431XX, A1375, A1438XX, A1439XX and A1440XX

As per European Standard on Safety of toys EN71-1 : 2005 + A9 : 2009.

Applicant's specified age group for testing : For ages over 3 years.

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4*	General requirements	P
5	Toys intended for children under 36 months	NA
6	Packaging	P
7	Warnings and instructions for use	P/#1/#2

Remark : P = Pass NA = Not Applicable

* = The following subclauses of Clause 4 of the standard were applicable : -

- 1) 4.1 Materials - cleanliness visual examination.
- 2) 4.3 Flexible plastic sheeting.
- 3) 4.7 Edges.
- 4) 4.8 Points and metallic wires.
- 5) 4.14.1 Enclosures - Toys which a child can enter.

#1 = The attention of the applicant was drawn to the need for the item to be labelled with the name and address of the importer in EEC on the toy or on its packaging together with a CE-marking (That complies with requirement of 93/68/EEC) as specified in Clause 7.1. If this information was not fixed to the toy itself, it should be accompanied by a notice in advising the purchaser to retain it.

#2 = Appropriate age warning statement and indication of hazard was found on the packaging.

Date sample received : Sep 02, 2010

Testing period : Sep 02, 2010 to Sep 07, 210



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

3 Flammability Test

As per European Standard on Safety of toys EN71-2 : 2006 + A1 : 2007.

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1*	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys (Animal and Dolls etc.) with a piled or textile surface	NA

Remark : P = Pass NA = Not applicable

* = The test result on surface flash flammability test on pile fabric shall refer to the corresponding test item in this report.

Date sample received : Sep 02, 2010
Testing period : Sep 02, 2010 to Sep 07, 2010

4 Toxic Elements Analysis

As per European Standard on Safety of toys EN71-3 : 1994 and amendment A1 : 2000 and AC : 2002, acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	<u>(1)</u>	<u>(2)</u>	<u>(3)</u>	<u>(4)</u>	<u>(5)</u>	<u>(6)</u>	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	<u>(7)</u>	<u>(8)</u>	<u>(9)</u>	<u>(10)</u>	<u>(11)</u>	<u>(12)</u>	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

	Result in mg/kg						Limit mg/kg
	(13)	(14)	(15)	(16)	(17)	(18)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(19)	(20)	(21)	(22)	(23)	(24)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(25)	(26)	(27)	(28)	(29)	(30)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(31)	(32)	(33)	(34)	(35)	(36)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(37)	(38)	(39)	(30)	(41)	(42)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

	Result in mg/kg						Limit mg/kg
	(43)	(44)	(45)	(46)	(47)	(48)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg			Limit mg/kg
	(49)	(50)	(51)	
Sol. Barium (Ba)	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	25

Sol. = Soluble
< = Less than
mg/kg = milligram per kilogram

Tested Components :

- (1) White woven with (black, white) coatings (sewn in label).
- (2) 18mm red webbing with red thread (binding of ZipBin #A1413XX).
- (3) Black net (window of ZipBin).
- (4) 25mm red webbing (holder strap of ZipBin #A1413XX).
- (5) Red woven with green thread (zipper tape of ZipBin #A1413XX).
- (6) 18mm green webbing (binding of ZipBin #A1082X1).
- (7) 26mm yellow webbing with yellow thread (holder strap of ZipBin #A1082X1).
- (8) Green woven with blue thread (zipper tape of ZipBin #A1082X1).
- (9) Green string (zipper puller of ZipBin #A1082X1).
- (10) 18mm light pink webbing with light pink thread (binding of ZipBin #A1083XX).
- (11) 25mm light pink webbing (holder strap of ZipBin #A1083XX).
- (12) Pink string (zipper puller of ZipBin #A1083XX).
- (13) 38mm light pink webbing (handle of ZipBin #A1083XX).
- (14) Light pink woven (zipper tape of ZipBin #A1083XX).
- (15) 18mm sky blue webbing with sky blue thread (binding of ZipBin #A1375).
- (16) 26mm sky blue webbing (holder strap, handle of ZipBin #A1375).
- (17) Blue woven with navy thread (zipper tape of ZipBin #A1375).
- (18) Blue string (zipper puller of ZipBin #A1375).
- (19) 19mm light purple webbing with light purple thread (binding of ZipBin #A1438XX).
- (20) 25mm light purple webbing (holder strap, handle of ZipBin #A1438XX).
- (21) Light blue woven (zipper tape of ZipBin #A1438XX).
- (22) Light blue string (zipper puller of ZipBin #A1438XX).
- (23) Black non woven fabric with black thread (binding of ZipBin #A1439XX).
- (24) Black woven (zipper tape of ZipBin #A1439XX).
- (25) 26mm black webbing (handle of ZipBin #A1439XX).



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

Tested Components :

- (26) Black string (zipper holder of ZipBin #A1439XX).
- (27) Navy non woven fabric with navy thread (binding of ZipBin #A1440XX).
- (28) 25mm navy webbing (handle of ZipBin #A1440XX).
- (29) Navy woven (zipper tape of ZipBin #A1440XX).
- (30) Navy string (zipper puller of ZipBin #A1440XX).
- (31) 19mm dark blue webbing with blue thread (binding of ZipBin #A1431XX).
- (32) 25mm dark blue webbing (holder strap, handle of ZipBin #A1431XX).
- (33) Dark blue woven (zipper tape of ZipBin #A1431XX).
- (34) Dark blue string (zipper puller of ZipBin #A1431XX).
- (35) Red velcro (body of ZipBin #A1413XX).
- (36) Shiny red plastic (zipper teeth of ZipBin #A1413XX).
- (37) Translucent plastic sheet (body of all ZipBin).
- (38) Translucent plastic sheet (pocket of ZipBin #A1082X1, #A1083XX).
- (39) Green velcro (body of ZipBin #A1082X1).
- (40) Shiny green plastic (zipper teeth of ZipBin #A1082X1).
- (41) Light pink velcro (body of ZipBin #A1083XX).
- (42) Shiny light pink plastic (zipper teeth of ZipBin #A1083XX).
- (43) Shiny blue plastic (zipper teeth of ZipBin #A1375).
- (44) Blue velcro (body of ZipBin #A1375).
- (45) Shiny light blue plastic (zipper teeth of ZipBin #A1438XX).
- (46) Shiny light blue velcro (body of ZipBin #A1438XX).
- (47) Black velcro (body of ZipBin #A1439XX).
- (48) Shiny black plastic (zipper teeth of ZipBin #A1439XX).
- (49) Shiny navy plastic (zipper teeth of ZipBin #A1440XX).
- (50) Navy velcro (body of ZipBin #A1431XX).
- (51) Shiny blue plastic (zipper teeth of ZipBin #A1431XX).

Remark : Since the sample weight of coating was found less than 10mg, coating with base material of tested component (1) was tested.

Date sample received : Sep 02, 2010

Testing period : Sep 02, 2010 to Sep 08, 2010



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

5 Cadmium (Cd) Content

As per Cadmium content requirement in Annex XVII Item 23 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 (formerly known as Directive 91/338/EEC), acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result in %</u>	<u>Limit in %</u>
(1)	<0.0005	0.01
(2)	<0.0005	0.01
(3/4)	<0.0005	0.01
(5/7/9)	<0.0005	0.01
(6)	<0.0005	0.01
(8)	<0.0005	0.01
(10/12/15)	<0.0005	0.01
(11)	<0.0005	0.01
(13)	<0.0005	0.01
(14)	<0.0005	0.01
(16/18)	<0.0005	0.01
(17)	<0.0005	0.01
(19)	<0.0005	0.01
(20)	<0.0005	0.01
(21)	<0.0005	0.01
(22)	<0.0005	0.01
(23)	<0.0005	0.01
(24)	<0.0005	0.01
(25)	<0.0005	0.01
(26)	<0.0005	0.01

< = Less than

Tested Components :

- (1) Coatings (black, white) on woven (sewn in label).
- (2) Red velcro (body of ZipBin #A1413XX).
- (3) Shiny red plastic (zipper teeth of ZipBin #A1413XX).
- (4) Translucent plastic sheet (body of all ZipBin).
- (5) Translucent plastic sheet (pocket of ZipBin #A1082X1, #A1083XX).
- (6) Green velcro (body of ZipBin #A1082X1).
- (7) Shiny green plastic (zipper teeth of ZipBin #A1082X1).
- (8) Light pink velcro (body of ZipBin #A1083XX).
- (9) Shiny light pink plastic (zipper teeth of ZipBin #A1083XX).
- (10) Shiny blue plastic (zipper teeth of ZipBin #A1375).
- (11) Blue velcro (body of ZipBin #A1375).
- (12) Shiny light blue plastic (zipper teeth of ZipBin #A1438XX).
- (13) Shiny light blue velcro (body of ZipBin #A1438XX).
- (14) Black velcro (body of ZipBin #A1439XX).
- (15) Shiny black plastic (zipper teeth of ZipBin #A1439XX).
- (16) Shiny navy plastic (zipper teeth of ZipBin #A1440XX).
- (17) Navy velcro (body of ZipBin #A1431XX).
- (18) Shiny blue plastic (zipper teeth of ZipBin #A1431XX).
- (19) White with base coatings on plastic sheet (pattern of ZipBin #A1413XX) (internal).
- (20) White with base coatings on plastic sheet (pattern of ZipBin #A1082X1) (internal).



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

Tested Components :

- (21) White with base coatings on plastic sheet (pattern of ZipBin #A1083XX) (internal).
- (22) White with base coatings on plastic sheet (pattern of ZipBin #A1375) (internal).
- (23) White with base coatings on plastic sheet (pattern of ZipBin #A1438XX) (internal).
- (24) White with base coatings on plastic sheet (pattern of ZipBin #A1439XX) (internal).
- (25) White with base coatings on plastic sheet (pattern of ZipBin #A1440XX) (internal).
- (26) White with base coatings on plastic sheet (pattern of ZipBin #A1431XX) (internal).

Date sample received : Sep 02, 2010
Testing period : Sep 02, 2010 to Sep 08, 2010

6 Phthalate Content Test

With reference to EN14372, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>(1)</u>	<u>Result (% w/w)</u> <u>(2/3/4)</u>	<u>(5/6/7)</u>
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01
Sum of three phthalates	<0.01	<0.01	<0.01

Limit (max.) 0.1% (w/w)

	<u>(1)</u>	<u>Result (% w/w)</u> <u>(2/3/4)</u>	<u>(5/6/7)</u>
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01
Sum of three phthalates	<0.01	<0.01	<0.01

Limit (max.) 0.1% (w/w)



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

	<u>Result (%. w/w)</u>		
	<u>(8/9/10)</u>	<u>(11/12/13)</u>	<u>(14/15/16)</u>
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01
Sum of three phthalates	<0.01	<0.01	<0.01
Limit (max.)	0.1% (w/w)		

	<u>Result (%. w/w)</u>		
	<u>(8/9/10)</u>	<u>(11/12/13)</u>	<u>(14/15/16)</u>
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01
Sum of three phthalates	<0.01	<0.01	<0.01
Limit (max.)	0.1% (w/w)		

	<u>Result (%. w/w)</u>		
	<u>(17/18)</u>	<u>(19)</u>	<u>(20)</u>
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01
Sum of three phthalates	<0.01	<0.01	<0.01
Limit (max.)	0.1% (w/w)		

	<u>Result (%. w/w)</u>
	<u>(17/18)</u>
Di-iso-nonyl phthalate (DINP)	<0.01
Di-n-octyl phthalate (DnOP)	<0.01
Di-iso-decyl phthalate (DIDP)	<0.01
Sum of three phthalates	<0.01
Limit (max.)	0.1% (w/w)

Remark : The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 (formerly known as Directive 2005/84/EC) for phthalate content in toys and children articles.

Detection Limit = 0.01% (w/w)
< = Less than



Test Report

Number: H-147177
(HKGH01059084)

Tests Conducted

Tested components :

- (1) Coatings (black, white) on woven (sewn in label).
- (2) Red velcro (body of ZipBin #A1413XX).
- (3) Shiny red plastic (zipper teeth of ZipBin #A1413XX).
- (4) Translucent plastic sheet (body of all ZipBin).
- (5) Translucent plastic sheet (pocket of ZipBin #A1082X1, #A1083XX).
- (6) Green velcro (body of ZipBin #A1082X1).
- (7) Shiny green plastic (zipper teeth of ZipBin #A1082X1).
- (8) Light pink velcro (body of ZipBin #A1083XX).
- (9) Shiny light pink plastic (zipper teeth of ZipBin #A1083XX).
- (10) Shiny blue plastic (zipper teeth of ZipBin #A1375).
- (11) Blue velcro (body of ZipBin #A1375).
- (12) Shiny light blue plastic (zipper teeth of ZipBin #A1438XX).
- (13) Shiny light blue velcro (body of ZipBin #A1438XX).
- (14) Black velcro (body of ZipBin #A1439XX).
- (15) Shiny black plastic (zipper teeth of ZipBin #A1439XX).
- (16) Shiny navy plastic (zipper teeth of ZipBin #A1440XX).
- (17) Navy velcro (body of ZipBin #A1431XX).
- (18) Shiny blue plastic (zipper teeth of ZipBin #A1431XX).
- (19) White with base coatings on plastic sheet (pattern of all ZipBin) (internal).
- (20) 18mm beige paper adhesive tape (body of ZipBin) (internal).

Date sample received : Sep 02, 2010

Testing period : Sep 02, 2010 to Sep 08, 2010

End of report

“The items were tested by Intertek Testing Services Hong Kong Ltd., for and on behalf of Intertek Testing Services (Leicester) Ltd.”

