



Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Applicant: NEAT-OH! INTERNATIONAL, LLC  
790 FRONTAGE ROAD SUITE 303  
NORTHFIELD  
IL 60093  
USA  
Attn: ELAN FELDMAN

Date: Sep 01, 2011

Sample Description:


Twelve (12) sets of submitted samples said to be :  
Item Name

- #A1276XX ZipBin® Street Racer
- #A1400XX Hot Wheels™ ZipBin® Impavido
- #A1419XX Hot Wheels™ ZipBin® Patch Racer Assortment  
(Red,Blue, and Black)
  - 1) A1419X1 Hot Wheels™ ZipBin® Red Patch Racer
  - 2) A1419X2 Hot Wheels™ ZipBin® Blue Patch Racer
  - 3) A1419X3 Hot Wheels™ ZipBin® Black Patch Racer
- #A1289XX ZipBin® DinoPack
- #A1290XX ZipBin® Digger
- #A1043X2 ZipBin® Mini Dinosaur
- #A1089X1 ZipBin® Mini Unicorn
- #A1100X1 ZipBin® Mini Farm
- #A1101X1 ZipBin® Mini Mansion with doll in pink or dark pink dress
- #A1204X1 ZipBin® Mini Speedway
- #A1291X1 ZipBin® Mini Zoo
- #A1261X2 ZipBin® Wheelie
- #A1396XX Hot Wheels™ ZipBin® Wheelie
- #A1242X2 ZipBin® Country Stable
- #A1243X5 ZipBin® Train Depot
- #A1466X2 Barbie™ ZipBin® Clutch
- #M1478X1 Barbie™ ZipBin® Clutch And Dream House
  - Reference Item # A1478X1 and Zellers SKU# 84771417
- #A1459XX Barbie™ ZipBin® Malibu Beach Bag
  - Reference Zellers SKU# 84771416
- #A1386XX ZipBin® Dollhouse with doll in pink or dark pink dress
- #A1471XX LEGO® Star Wars™ ZipBin® Millennium Falcon
- #A1041X1 ZipBin® Small Town
- #A1079X1 ZipBin® Farm

\*\*\*\*\*

To be continued

Prepared and checked by:  
For Intertek Testing Services



William S.K. Wong



Approved for and on behalf of  
Intertek Testing Services  
France



Yingchun Yang  
Manager for Electrical Testing





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Sample Description:


Twelve (12) sets of submitted samples said to be :  
Item Name

- : #A1081X1 ZipBin® Dinosaur
- : #A1107X1 ZipBin® Fairy Castle with doll in pink or dark pink dress
- : #A1397XX Hot Wheels™ ZipBin® Ramp It Up
- : #A1431X1 LEGO® City ZipBin® Minifigure Case
- : "3+"
- : Yes
- : Huizhou Take Point Manufacturing Co. Ltd.
- : China
- : A1276X8 ZipBin® Street Racer
- : A1276X9 ZipBin® Street Racer
- : A1419X6 Hot Wheels™ ZipBin® Red Patch Racer
- : A1419X7 Hot Wheels™ ZipBin® Red Patch Racer
- : A1419X8 Hot Wheels™ ZipBin® Red Patch Racer
- : A1419X9 Hot Wheels™ ZipBin® Red Patch Racer
- : A141910 Hot Wheels™ ZipBin® Red Patch Racer
- : A141911 Hot Wheels™ ZipBin® Red Patch Racer
- : A1289X7 ZipBin® DinoPack
- : A1290X3 ZipBin® Digger
- : A1261X7 ZipBin® Wheelie
- : A1261X8 ZipBin® Wheelie
- : A1396X1 Hot Wheels™ ZipBin® Wheelie
- : A1396X2 Hot Wheels™ ZipBin® Wheelie
- : A1242X4 ZipBin® Country Stable
- : A1243X6 ZipBin® Train Depot
- : A1466X3 Barbie™ ZipBin® Clutch
- : A1386X2 ZipBin® Doll House
- : A1041X3 ZipBin® Small Town
- : A1079X3 ZipBin® Farm
- : A1081X4 ZipBin® Dinosaur

\*\*\*\*\*

To be continued


Prepared and checked by:  
For Intertek Testing Services



William S.K. Wong



Approved for and on behalf of  
Intertek Testing Services  
France



Yingchun Yang  
Manager for Electrical Testing



**TEST REPORT**

Number: FH-01036  
(HKGH01198020)



\*\*\*\*\*

To be continued

Prepared and checked by:  
For Intertek Testing Services

William S.K. Wong



Approved for and on behalf of  
Intertek Testing Services  
France

Yingchun Yang  
Manager for Electrical Testing



**TEST REPORT**

Number: FH-01036  
(HKGH01198020)



\*\*\*\*\*

To be continued

Prepared and checked by:  
For Intertek Testing Services

William S.K. Wong



Approved for and on behalf of  
Intertek Testing Services  
France

Yingchun Yang  
Manager for Electrical Testing



**TEST REPORT**

Number: FH-01036  
(HKGH01198020)



\*\*\*\*\*

To be continued

Prepared and checked by:  
For Intertek Testing Services

William S.K. Wong



Approved for and on behalf of  
Intertek Testing Services  
France

Yingchun Yang  
Manager for Electrical Testing





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)



\*\*\*\*\*

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

\*\*\*\*\*

Conclusion:

<u>Tested samples</u>	<u>Standard</u>	<u>Result</u>
Submitted sample sets	EN71-1 : 2011 for mechanical and physical properties	Pass
	EN71-2 : 2011 for flammability test	Pass
Tested components of submitted sample sets	EN71-3 : 1994 and amendment A1 : 2000 and AC : 2002 for toxic elements test	Pass
	Cadmium content requirement in Annex XVII Item 23 of the REACH Regulation (EC) no. 1907/2006 & amendment no.552/2009 (formerly known as Directive 91/338/EEC)	Pass
	Phthalates content requirement in Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 (formerly known as Directive 2005/84/EC)	Pass
	Azocolourants content requirement in Annex XVII Item 43 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 (formerly known as Directive 2002/61/EC)	Pass

\*\*\*\*\*

Prepared and checked by:  
For Intertek Testing Services

William S.K. Wong



Approved for and on behalf of  
Intertek Testing Services  
France

Yingchun Yang  
Manager for Electrical Testing





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

1 Chemical and Physical Test

As per European Standard on Safety of toys EN71-1 : 2011.

Applicant's specified age group for testing : Ages over 3 years.

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4*	General requirements	P
5	Toys intended for children under 36 months	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	P / #

Remark : P = Pass NA = Not Applicable

\* = The following subclauses of Clause 4 of the standard were applicable : -

- 1) 4.1 Material.
- 2) 4.7 Edges.
- 2) 4.8 Points and metallic wires.

# = Age warning statement, graphical symbol and the indication of hazard was found on the packaging.

Remark : Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

**Marking**

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys shall also bear the CE-marking.

After checking, it was found that:

Importer's name and address was missed (For A1396XX, A1419X1, A1459XX, A1471XX and A1478X1)

Importer's name was found on the packaging but the importer's address was missed (For A1107X1, A1261X2, A1276XX, A1289XX, A1290XX, A1400XX and A1419X3)

Date sample received : Aug 01, 2011

Testing period : Aug 01, 2011 to Aug 08, 2011

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

2 Flammability Test

As per European Standard on Safety of Toys EN71-2:2011

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	P

Remark : P = Pass NA = Not applicable

Date sample received : Aug 01, 2011  
Testing period : Aug 01, 2011 to Aug 08, 2011

3 Toxic Elements Analysis

As per European Standard on Safety of toys EN71-3 : 1994 and amendment A1 : 2000 and AC : 2002, acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result in mg/kg</u>						<u>Limit</u>
	<u>(2)</u>	<u>(5)</u>	<u>(6)</u>	<u>(7)</u>	<u>(8)</u>	<u>(9)</u>	<u>mg/kg</u>
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit</u>
	<u>(10)</u>	<u>(11)</u>	<u>(12)</u>	<u>(13)</u>	<u>(14)</u>	<u>(15)</u>	<u>mg/kg</u>
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

\*\*\*\*\*







Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

Service Commercial :  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

Laboratoire Textile :  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

Laboratoire Jouet et Bazar :  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

Dpt. Inspection :  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

Dpt. CSR Audits Qualité :  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

Dpt. Alimentaire :  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	(16)	(17)	Result in mg/kg		(20)	(21)	Limit
			(18)	(19)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(23)	(24)	Result in mg/kg		(27)	(28)	Limit
			(25)	(26)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(29)	(30)	Result in mg/kg		(33)	(34)	Limit
			(31)	(32)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(35)	(36)	Result in mg/kg		(39)	(40)	Limit
			(37)	(38)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(41)	(42)	Result in mg/kg		(46)	(47)	Limit
			(43)	(44)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	(48)	(49)	Result in mg/kg		(52)	(53)	Limit
			(50)	(51)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	17	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(54)	(55)	Result in mg/kg		(62)	(63)	Limit
			(58)	(61)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(64)	(65)	Result in mg/kg		(68)	(69)	Limit
			(66)	(67)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(70)	(72)	Result in mg/kg		(75)	(76)	Limit
			(73)	(74)			mg/kg
Sol. Barium (Ba)	7	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	(77)	(78)	Result in mg/kg		(81)	(82)	Limit
			(79)	(80)			mg/kg
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

Service Commercial :  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

Laboratoire Textile :  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

Laboratoire Jouet et Bazar :  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

Dpt. Inspection :  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

Dpt. CSR Audits Qualité :  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

Dpt. Alimentaire :  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	Result in mg/kg						Limit mg/kg
	(83)	(84)	(85)	(86)	(87)	(88)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(89)	(90)	(91)	(92)	(93)	(94)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(95)	(96)	(97)	(98)	(99)	(100)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(101)	(102)	(103)	(108)	(109)	(110)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	Result in mg/kg						Limit mg/kg
	(111)	(112)	(113)	(114)	(115)	(116)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

Service Commercial :  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

Laboratoire Textile :  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

Laboratoire Jouet et Bazar :  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

Dpt. Inspection :  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

Dpt. CSR Audits Qualité :  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

Dpt. Alimentaire :  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	<u>(117)</u>	<u>(118)</u>	<u>(119)</u>	<u>(120)</u>	<u>(121)</u>	<u>(122)</u>	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	<u>(123)</u>	<u>(124)</u>	<u>(125)</u>	<u>(126)</u>	<u>(127)</u>	<u>(128)</u>	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	<u>(129)</u>	<u>(130)</u>	<u>(131)</u>	<u>(132)</u>	<u>(133)</u>	<u>(134)</u>	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	23	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	<u>(135)</u>	<u>(136)</u>	<u>(137)</u>	<u>(138)</u>	<u>(139)</u>	<u>(146)</u>	
Sol. Barium (Ba)	8	<5	<5	<5	54	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	<u>(147)</u>	<u>(148)</u>	<u>(149)</u>	<u>(150)</u>	<u>(151)</u>	<u>(152)</u>	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	(153)	(154)	(155)	(156)	(157)	(158)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	(159)	(160)	(161)	(162)	(163)	(164)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	(165)	(166)	(167)	(168)	(169)	(170)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	(171)	(172)	(173)	(174)	(175)	(176)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result in mg/kg</u>						<u>Limit mg/kg</u>
	(177)	(178)	(179)	(182)	(183)	(184)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	Result in mg/kg				Limit mg/kg
	(185)	(186)	(187)	(188)	
Sol. Barium (Ba)	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	25

Sol. = Soluble  
< = Less than  
mg/kg = milligram per kilogram

Tested Components :

- (1) Gold color hot stamp foil (wheel of car #A1396XX, #A1400XX, #A1397XX).
- (2) Silver color vacuum plated coating on plastic (engine, pipe of car #A1396XX, #A1204X1, bumper of police car #A1041X1).
- (3)@ Green coating on plastic (body of car #A1396XX).
- (4)@ Black coating on plastic (body of car #A1396XX, body of truck #A1290XX, eyes of Unicorn #A1089X1).
- (5) Coatings (white, black) on woven (sewn in label, warning label of #A1396XX).
- (6) Off white plastic excluding coating (engine, pipe of car #A1396XX).
- (7) Black plastic (wheels of car #A1396XX, #A1400XX, #A1397XX, front wheel of car #A1204X1).
- (8) Pearlized white plastic (body of car #A1396XX).
- (9) Transparent green plastic (windshiedl of car of #A1396XX).
- (10) Black velcro (opener of #A1396XX, #A1261X2, #A1041X1).
- (11) Yellow elastic band (binding of pocket of #A1396XX, #A1261X2, #A1041X1).
- (12) Translucent plastic sheet (pocket of #A1396XX, #A1261X2, #A1041X1, #A1466X2, #A1471XX, #A1107X1).
- (13) Transparent plastic sheet with inaccessible coatings backed with white non woven fabric (body of all styles).
- (14) Transparent black plastic (zipper teeth of #A1396XX, #A1261X2, A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX).
- (15) Shiny black plastic (buckle of #A1396XX, #A1276XX, #A1400XX, #A1290XX, # A1261X2, #A1419X3, #A1419X2, #A1419X1, #A1289XX, #A1386XX).
- (16) Dull white woven excluding (white, black) coatings (wranging label).
- (17) White woven excluding (white, black) coatings (sewn in label).
- (18) Black non woven fabric with black thread (binding of #A1396XX, #A1261X2, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX).
- (19) Black woven with green thread (zipper tape of #A1396XX, #A1261X2, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX).
- (20) Shiny black webbing (end of zipper teeth of #A1396XX, #A1261X2, #A1471XX).
- (21) Black webbing (handle, strap of #A1396XX, #A1261X2, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1041X1, #A1471XX).
- (22)@ Silver color hot stamp foil coating (wheels of car #A1276XX, #A1261X2, #A1290XX, #A1041X1, #A1204X1).
- (23) Coatings (yellow, black) on metal (body of yellow car #A1276XX, #A1261X2).
- (24) Coatings (red, silver color, dark yellow, black) on metal (body of red car #A1276XX, #A1041X1).
- (25) Transparent plastic (windshield of car #A1276XX, #A1400XX, #A1397XX).
- (26) Dull black plastic (base of car #A1276XX, #A1400XX, #A1397XX, #A1290XX, #A1041X1, base, engine of #A1204X1, windshield of red car #A1261X2, windshield, base, pumper of police car #A1041X1).
- (27) Transparent red plastic (zipper teeth of #A1276XX, #A1204X1).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested Components :

- (28) Red non woven fabric with red thread (binding of #A1276XX, #A1204X1).
- (29) Red woven (zipper tape of #A1276XX, #A1204X1).
- (30) Red webbing (handle, strap of #A1276XX).
- (31) Dark red woven with black / yellow / white thread stitching (logo of #A1276XX, #A1290XX, #A1291X1, #A1100X1, #A1289XX, #A1242X2, #A1041X1, #A1204X1, #A1043X2, #A1079X1, #A1081X1, #A1243X5, #A1107X1, #A1101X1, #A1089X1).
- (32) Coatings (red, white, silver color, brown) on metal (body of car #A1400XX, #A1397XX).
- (33) Shiny black plastic (fin of car #A1400XX, #A1397XX).
- (34) Transparent light red plastic (zipper teeth of #A1400XX).
- (35) Light red webbing (handle, strap of #A1400XX).
- (36) Light red non woven fabric with light red thread (binding of #A1400XX).
- (37) Light red woven (zipper tape of #A1400XX).
- (38) Dark red coating on metal (red car of #A1261X2).
- (39) Deep grey plastic (wheels of #A1261X2, #A1276XX, #A1041X1, #A1204X1).
- (40) Grey plastic (base of #A1261X2).
- (41) Transparent brown plastic (windshield of yellow car #A1261X2).
- (42) Yellow string with yellow thread (inner binding of #A1261X2).
- (43) Coatings (orange, white, dull black) on metal (truck of #A1290XX).
- (44) Silver color coating on plastic (base of truck of #A1290XX).
- (45)@ Yellow coating on plastic (truck of #A1290XX).
- (46) Black plastic (wheels of truck #A1290XX).
- (47) Silver color plastic (bucket of truck #A1290XX).
- (48) Dull silver color plastic (fork of truck #A1290XX).
- (49) White plastic (steering wheel of truck #A1290XX).
- (50) Silver color metal excluding coatings (truck of #A1290XX).
- (51) Black flet (badge of #A1419X3, #A1419X2, #A1419X1).
- (52) Red embroidery thread (badge of #A1419X3, #A1419X2, #A1419X1).
- (53) White embroidery thread (badge of #A1419X3, #A1419X2, #A1419X1).
- (54) Silver color embroidery thread (badge of #A1419X3, #A1419X2, #A1419X1).
- (55) Black string (zipper puller of #A1397XX, #A1291X1, #A1041X1).
- (56)@ Shiny black coating on plastic (eyes of Gorilla #A1291X1, eyes of cow, horse #A1100X1, eyes of dinosaur #A1289XX, eyes of dinosaur #A1043X2, #A1081X1).
- (57)@ Brown coating on plastic (Gorilla #A1291X1).
- (58) Dark blue coating on plastic (Elephant of #A1291X1).
- (59)@ Shiny white coating on plastic (teeth of Elephant of #A1291X1, eyes of dinosaur #A1289XX, #A1081X1).
- (60)@ Shiny red coating on plastic (eyes of Elephant of #A1291X1).
- (61) Dull white plastic (Elephant of #A1291X1).
- (62) Dull black plastic (Gorilla #A1291X1).
- (63) Coating (dull black, brown) on plastic (horse, cow of #A1100X1, wheels of tractor, horse of #A1079X1).
- (64) Dull off white plastic (horse, figure, barrier of A1242X2, tractor, figure of #A1079X1).
- (65) Milky white plastic (cow, horse of #A1100X1, horse of #A1079X1).
- (66) Transparent reddish brown plastic (zipper teeht of #A1100X1, #A1079X1).
- (67) Reddish brown non woven fabric with reddish brown thread (binding, handle of #A1100X1, #A1079X1).
- (68) Reddish brown woven (zipper tape of #A1100X1, #A1079X1).
- (69) Reddish brown string (zipper puller of #A1100X1, #A1079X1).
- (70) Aqua coating on plastic (body of dinosaur #A1289XX).
- (71)@ Yellow coating on plastic (body of dinosaur #A1289XX).
- (72) Grey plastic (dinosaur of #A1289XX).
- (73) Transparent light green plastic (zipper teeth of #A1289XX).
- (74) Light green woven with green thread (zipper tape of #A1289XX).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested Components :

- (75) Light green webbing (handle, strap of #A1289XX).
- (76) Green webbing (inner binding of #A1289XX).
- (77) Coatings (dark brown, beige) on plastic (beige horse of A1242X2).
- (78) Coatings (deep brown, white, flesh color, black) on plastic (black figure of A1242X2).
- (79) Coatings (dull black, flesh color, black, red) on plastic (red figure of A1242X2).
- (80) Shiny dark brown coating on plastic (wood of barrier of A1242X2).
- (81) Shiny dark green coating on plastic (base of barrier A1242X2).
- (82) Coatings (red, pink, orange) on plastic (base of barrier of A1242X2).
- (83) Dark green coating on plastic (base of barrier of A1242X2).
- (84) Coatings (deep green, dull dark green) on plastic (grass of barrier of A1242X2).
- (85) Coatings (white, grey) on plastic (white horse of A1242X2).
- (86) Transparent green plastic (zipper teeth of A1242X2).
- (87) Green string (zipper puller of A1242X2).
- (88) Dark green webbing (handle of A1242X2).
- (89) Dull dark green webbing (binding of A1242X2).
- (90) Green wove with green thread (zipper tape of A1242X2).
- (91) Coatings (white, black, red, blue) on metal (body of police car #A1041X1).
- (92) Translucent red plastic (light of police car #A1041X1).
- (93) Coatings (white, black, dark yellow, red) on metal (body of car #A1204X1).
- (94) Red string (zipper puller of #A1204X1).
- (95) Dark green coating on plastic (dark green dinosaur of #A1043X2).
- (96) Green coating on plastic (green dinosaur of #A1043X2).
- (97) Yellow plastic (dark green dinosaur of #A1043X2).
- (98) Green plastic (green dinosaur of #A1043X2).
- (99) Transparent deep green plastic (zipper teeth of #A1043X2, #A1081X1).
- (100) Deep green string (zipper puller of #A1043X2).
- (101) Deep green non woven fabric with deep green thread (handle, binding of #A1043X2, #A1081X1).
- (102) Deep green woven with light blue thread (zipper tape of #A1043X2, #A1081X1).
- (103) Shiny deep green coating on plastic (deep green dinosaur #A1081X1).
- (104)@ Dark beige coating on plastic (brown dinosaur #A1081X1).
- (105)@ Grey coating on plastic (brown dinosaur #A1081X1).
- (106)@ Dark yellow coating on plastic (brown dinosaur #A1081X1).
- (107)@ Reddish brown coating on plastic (brown dinosaur #A1081X1).
- (108) Brown plastic (brown dinosaur #A1081X1).
- (109) Light yellow plastic (deep green dinosaur #A1081X1).
- (110) Light blue velcro (#A1081X1).
- (111) Red coating on plastic (tractor of #A1079X1).
- (112) Dark blue coating on plastic (clothes of figure #A1079X1).
- (113) Coatings (dark grey, dark flesh color, shiny black, light red, dull beige) on plastic (head, hat, hands, rake, basket of figure #A1079X1).
- (114) Reddish brown webbing (handle of #A1079X1).
- (115) Reddish brown velcro (#A1079X1).
- (116) Blue velcro (#A1431X1).
- (117) Transparent blue plastic (zipper teeth of #A1431X1).
- (118) Blue woven with blue thread (zipper tape of #A1431X1).
- (119) Blue webbing (handle of #A1431X1).
- (120) Blue string (zipper puller of #A1431X1).
- (121) Dull blue webbing (binding of #A1431X1).
- (122) Black coating on wood (train of #A1243X5).
- (123) Dark green coating on wood (train of #A1243X5).
- (124) Grey coating on wood (train of #A1243X5).
- (125) Light green coating on wood (train of #A1243X5).
- (126) Light yellow with black base coatings on wood (train of #A1243X5).

\*\*\*\*\*







Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested Components :

- (127) Transparent brown plastic (zipper teeth of #A1243X5).
- (128) Dull black plastic (wheels, connector of #A1243X5).
- (129) Brown wood excluding coatings (train of #A1243X5).
- (130) Light brown webbing (handle of #A1243X5).
- (131) Light brown woven with light brown thread (zipper tape of #A1243X5).
- (132) Light brown string (zipper puller of #A1243X5).
- (133) Dull light brown webbing (binding of #A1243X5).
- (134) White coating on fabric (logo of #A1466X2, #M1478X1).
- (135) Dark pink satin with white printing and dark pink thread (body, strap of #A1466X2, #M1478X1).
- (136) Dark pink satin with dark pink thread (body, strap of #A1466X2, #M1478X1).
- (137) Dark pink embroidery thread (logo of #A1466X2, #M1478X1).
- (138) Light silver color embroidery thread (logo of #A1466X2, #M1478X1).
- (139) Dark pink elastic band (binding of pocket #A1243X5, #M1478X1).
- (140)@ Brown coating on plastic (eyebrows of girl #A1386XX, #A1107X1, #A1101X1).
- (141)@ White coating on plastic (eyes, teeth of girl #A1386XX, #A1107X1, #A1101X1).
- (142)@ Dark blue coating on plastic (eyes of girl #A1386XX, #A1107X1, #A1101X1).
- (143)@ Light blue coating on plastic (eyes of girl #A1386XX, #A1107X1, #A1101X1).
- (144)@ Red coating on plastic (lips of girl #A1386XX, #A1107X1, #A1101X1).
- (145)@ Pink coating on plastic (blush of girl #A1386XX, #A1107X1, #A1101X1).
- (146) White velcro (velcro of dress #A1386XX, #A1107X1, #A1101X1).
- (147) Metallic plastic sheet backed with white mesh (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (148) Metallic color printed fabric with gold color lurex insert (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (149) Silver color plastic webbing (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (150) Light gold color plastic (hair of girl #A1386XX, #A1107X1, #A1101X1).
- (151) Light flesh color PVC plastic (head of girl #A1386XX, #A1107X1, #A1101X1).
- (152) Flesh color plastic (body of girl #A1386XX, #A1107X1, #A1101X1).
- (153) Shiny flesh color plastic (hands, legs of girl #A1386XX, #A1107X1, #A1101X1).
- (154) Transparent plastic (hairband of girl #A1386XX, #A1107X1, #A1101X1).
- (155) Pink plastic (zipper teeth of #A1386XX, #A1107X1).
- (156) Translucent white plastic sheet (end of zipper tape of #A1386XX).
- (157) Pink velcro (velcro of #A1386XX).
- (158) Deep pink satin with dark pink thread (dress of girl #A1386XX).
- (159) Light pink satin with light pink thread (dress of girl #A1386XX).
- (160) Pink webbing (handle, strap of #A1386XX).
- (161) Pink woven with pink thread (zipper tape of #A1386XX).
- (162) Pale pink non woven fabric (binding of #A1386XX).
- (163) Pale purple webbing (handle of #A1107X1).
- (164) Light purple string (zipper puller of #A1107X1).
- (165) Light pink woven (zipper tape of #A1107X1).
- (166) Light purple webbing with light purple thread (binding of #A1107X1).
- (167) Light purple velcro (velcro of #A1107X1).
- (168) Transparent light pink plastic (zipper teeth of #A1107X1).
- (169) Light pink non woven fabric with light pink thread (handle, binding of #A1101X1).
- (170) Pale pink woven (zipper tape of #A1101X1).
- (171) Pale pink string (zipper puller of #A1101X1).
- (172) Transparent pale pink plastic (zipper teeth of #A1101X1).
- (173) Deep pink webbing with deep pink thread (binding of #M1478X1).
- (174) Deep pink woven (zipper tape of #M1478X1).
- (175) Deep pink string (zipper puller of #M1478X1).
- (176) Transparent deep pink plastic (zipper teeth of #M1478X1).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested Components :

- (177) Dull pink webbing with dull pink thread (binding of #A1459XX).
- (178) Dull pink woven (zipper tape of #A1459XX).
- (179) Transparent dull pink plastic (zipper teeth of #A1459XX).
- (180)@ White coating on plastic (eyes of Unicorn #A1089X1).
- (181)@ Gold color coating on plastic (Unicorn of #A1089X1).
- (182) Pink plastic (hair, tail of Unicorn #A1089X1).
- (183) Yellow plastic (hair, tail of Unicorn #A1089X1).
- (184) Purple plastic (Unicorn of #A1089X1).
- (185) Transparent light blue plastic (zipper teeth of #A1089X1).
- (186) Light blue non woven fabric with light blue thread (binding, handle of #A1089X1).
- (187) Light blue string (zipper puller of #A1089X1).
- (188) Light blue woven (zipper tape of #A1089X1).
- (189)@ Shiny dark brown coating on plastic (deep green dinosaur #A1081X1).

@ : Since the sample weight of the component was less than 10 mg, toxic elements analysis was not conducted.

Date sample received : Aug 01, 2011  
Testing period : Aug 01, 2011 to Aug 24, 2011

4 Cadmium (Cd) Content

As per Cadmium content requirement in Annex XVII Item 23 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 (formerly known as Directive 91/338/EEC), acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result in %</u>	<u>Limit in %</u>
(1/123)	<0.0005	0.01
(2/3/4)	<0.0005	0.01
(5)	<0.0005	0.01
(6/7/8)	<0.0005	0.01
(9/10/11)	<0.0005	0.01
(12/14/15)	<0.0005	0.01
(13)	<0.0005	0.01
(16/29)	<0.0005	0.01
(17)	<0.0005	0.01
(18)	<0.0005	0.01
(19/20/21)	<0.0005	0.01
(22/26//28)	<0.0005	0.01
(23)	<0.0005	0.01
(24/25/30)	<0.0005	0.01
(27)	<0.0005	0.01
(31/32/36)	<0.0005	0.01
(33)	<0.0005	0.01
(34/35)	<0.0005	0.01
(37/38/39)	<0.0005	0.01
(40/41/42)	<0.0005	0.01
(43/44/51)	<0.0005	0.01
(45/46/49)	<0.0005	0.01
(47)	<0.0005	0.01
(48/50/54)	<0.0005	0.01
(52/58/59)	<0.0005	0.01

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

<u>Tested Component</u>	<u>Result in %</u>	<u>Limit in %</u>
(53/70/71)	<0.0005	0.01
(55)	<0.0005	0.01
(56)	<0.0005	0.01
(57)	<0.0005	0.01
(60)	<0.0005	0.01
(61/68/69)	<0.0005	0.01
(62)	<0.0005	0.01
(63)	<0.0005	0.01
(64/87)	<0.0005	0.01
(65)	<0.0005	0.01
(66/117)	<0.0005	0.01
(67)	<0.0005	0.01
(72/93/94)	<0.0005	0.01
(73/74/75)	<0.0005	0.01
(76/77)	<0.0005	0.01
(78)	<0.0005	0.01
(79/80/109)	<0.0005	0.01
(81/85/86)	<0.0005	0.01
(82/83/88)	<0.0005	0.01
(84)	<0.0005	0.01
(89/90/91)	<0.0005	0.01
(92/95/98)	<0.0005	0.01
(96/104/107)	<0.0005	0.01
(97/118)	<0.0005	0.01
(99/100/101)	<0.0005	0.01
(102/103/122)	<0.0005	0.01
(105/108)	<0.0005	0.01
(106)	<0.0005	0.01
(110/111/112)	<0.0005	0.01
(113/114/115)	<0.0005	0.01
(116/119/120)	<0.0005	0.01
(121/124/125)	<0.0005	0.01
(126/127)	<0.0005	0.01

< = Less than

Tested Components :

- (1) Gold color hot stamp foil (wheel of car #A1396XX, #A1400XX, #A1397XX).
- (2) Silver color vacuum plated coating on plastic (engine, pipe of car #A1396XX, #A1204X1, bumper of police car #A1041X1).
- (3) Green coating on plastic (body of car #A1396XX).
- (4) Black coating on plastic (body of car #A1396XX, body of truck #A1290XX, eyes of Unicorn #A1089X1).
- (5) Coatings (white, black) on woven (sewn in label, warning label of #A1396XX).
- (6) Off white plastic excluding coating (engine, pipe of car #A1396XX).
- (7) Black plastic (wheels of car #A1396XX, #A1400XX, #A1397XX, front wheel of car #A1204X1).
- (8) Pearlized white plastic (body of car #A1396XX).
- (9) Transparent green plastic (windshield of car of #A1396XX).
- (10) Black velcro (opener of #A1396XX, #A1261X2, #A1041X1).
- (11) Yellow elastic band (binding of pocket of #A1396XX, #A1261X2, #A1041X1).
- (12) Translucent plastic sheet (pocket of #A1396XX, #A1261X2, #A1041X1, #A1466X2, #A1471XX, #A1107X1).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested Components :

- (13) Transparent plastic sheet with inaccessible coatings backed with white non woven fabric (body of all styles).
- (14) Transparent black plastic (zipper teeth of #A1396XX, #A1261X2, A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX).
- (15) Shiny black plastic (buckle of #A1396XX, #A1276XX, #A1400XX, #A1290XX, #A1261X2, #A1419X3, #A1419X2, #A1419X1, #A1289XX, #A1386XX).
- (16) Silver color hot stamp foil coating (wheels of car #A1276XX, #A1261X2, #A1290XX, #A1041X1, #A1204X1).
- (17) Coatings (yellow, black) on metal (body of yellow car #A1276XX, #A1261X2).
- (18) Coatings (red, silver color, dark yellow, black) on metal (body of red car #A1276XX, #A1041X1).
- (19) Transparent plastic (windshield of car #A1276XX, #A1400XX, #A1397XX).
- (20) Dull black plastic (base of car #A1276XX, #A1400XX, #A1397XX, #A1290XX, #A1041X1, base, engine of #A1204X1, windshield of red car #A1261X2, windshield, base, pumper of police car #A1041X1).
- (21) Transparent red plastic (zipper teeth of #A1276XX, #A1204X1).
- (22) White foam (#A1276XX, #A1400XX, #A1419X1, #A1419X2, #A1419X3, #A1100X1, #A1291X1, #A1242X2, #A1041X1, #A1204X1, #A1043X2, #A1079X1, #A1081X1, #A1243X5, #A1101X1, #A1459XX, #A1089X1) (internal).
- (23) Coatings (red, white, silver color, brown) on metal (body of car #A1400XX, #A1397XX).
- (24) Shiny black plastic (fin of car #A1400XX, #A1397XX).
- (25) Transparent light red plastic (zipper teeth of #A1400XX).
- (26) Black plastic sheet (handle of #A1400XX, inner layer of #A1466X2, #M1478X1) (internal).
- (27) Dull white plastic excluding silver grey vacuum plated coating (seat of car #A1400XX, #A1397XX) (internal).
- (28) Silver grey vacuum plated coating on plastic (seat of car #A1400XX, #A1397XX) (internal).
- (29) Dark red coating on metal (red car of #A1261X2).
- (30) Deep grey plastic (wheels of #A1261X2, #A1276XX, #A1041X1, #A1204X1).
- (31) Grey plastic (base of #A1261X2).
- (32) Transparent brown plastic (windshield of yellow car #A1261X2).
- (33) Coatings (orange, white, dull black) on metal (truck of #A1290XX).
- (34) Silver color coating on plastic (base of truck of #A1290XX).
- (35) Yellow coating on plastic (truck of #A1290XX).
- (36) Black plastic (wheels of truck #A1290XX).
- (37) Silver color plastic (bucket of truck #A1290XX).
- (38) Dull silver color plastic (fork of truck #A1290XX).
- (39) White plastic (steering wheel of truck #A1290XX).
- (40) Shiny black coating on plastic (eyes of Gorilla #A1291X1, eyes of cow, horse #A1100X1, eyes of dinosaur #A1289XX, eyes of dinosaur #A1043X2, #A1081X1).
- (41) Brown coating on plastic (Gorilla #A1291X1).
- (42) Dark blue coating on plastic (Elephant of #A1291X1).
- (43) Shiny white coating on plastic (teeth of Elephant of #A1291X1, eyes of dinosaur #A1289XX, #A1081X1).
- (44) Shiny red coating on plastic (eyes of Elephant of #A1291X1).
- (45) Dull white plastic (Elephant of #A1291X1).
- (46) Dull black plastic (Gorilla #A1291X1).
- (47) Coating (dull black, brown) on plastic (horse, cow of #A1100X1, wheels of tractor, horse of #A1079X1).
- (48) Dull off white plastic (horse, figure, barrier of A1242X2, tractor, figure of #A1079X1).
- (49) Milky white plastic (cow, horse of #A1100X1, horse of #A1079X1).
- (50) Transparent reddish brown plastic (zipper teeth of #A1100X1, #A1079X1).
- (51) Aqua coating on plastic (body of dinosaur #A1289XX).
- (52) Yellow coating on plastic (body of dinosaur #A1289XX).
- (53) Grey plastic (dinosaur of #A1289XX).
- (54) Transparent light green plastic (zipper teeth of #A1289XX).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested Components :

- (55) Coatings (dark brown, beige) on plastic (beige horse of A1242X2).
- (56) Coatings (deep brown, white, flesh color, black) on plastic (black figure of A1242X2).
- (57) Coatings (dull black, flesh color, black, red) on plastic (red figure of A1242X2).
- (58) Shiny dark brown coating on plastic (wood of barrier of A1242X2).
- (59) Shiny dark green coating on plastic (base of barrier A1242X2).
- (60) Coatings (red, pink, orange) on plastic (base of barrier of A1242X2).
- (61) Dark green coating on plastic (base of barrier of A1242X2).
- (62) Coatings (deep green, dull dark green) on plastic (grass of barrier of A1242X2).
- (63) Coatings (white, grey) on plastic (white horse of A1242X2).
- (64) Transparent green plastic (zipper teeth of A1242X2).
- (65) Coatings (white, black, red, blue) on metal (body of police car #A1041X1).
- (66) Translucent red plastic (light of police car #A1041X1).
- (67) Coatings (white, black, dark yellow, red) on metal (body of car #A1204X1).
- (68) Dark green coating on plastic (dark green dinosaur of #A1043X2).
- (69) Green coating on plastic (green dinosaur of #A1043X2).
- (70) Yellow plastic (dark green dinosaur of #A1043X2).
- (71) Green plastic (green dinosaur of #A1043X2).
- (72) Transparent deep green plastic (zipper teeth of #A1043X2, #A1081X1).
- (73) Shiny deep green coating on plastic (deep green dinosaur #A1081X1).
- (74) Dark beige coating on plastic (brown dinosaur #A1081X1).
- (75) Grey coating on plastic (brown dinosaur #A1081X1).
- (76) Dark yellow coating on plastic (brown dinosaur #A1081X1).
- (77) Reddish brown coating on plastic (brown dinosaur #A1081X1).
- (78) Coatings (shiny dark brown, shiny deep green, shiny black) on plastic (deep green dinosaur #A1081X1).
- (79) Brown plastic (brown dinosaur #A1081X1).
- (80) Light yellow plastic (deep green dinosaur #A1081X1).
- (81) Light blue velcro (#A1081X1).
- (82) Red coating on plastic (tractor of #A1079X1).
- (83) Dark blue coating on plastic (clothes of figure #A1079X1).
- (84) Coatings (dark grey, dark flesh color, shiny black, light red, dull beige) on plastic (head, hat, hands, rake, basket of figure #A1079X1).
- (85) Reddish brown velcro (#A1079X1).
- (86) Blue velcro (#A1431X1).
- (87) Transparent blue plastic (zipper teeth of #A1431X1).
- (88) Black coating on wood (train of #A1243X5).
- (89) Dark green coating on wood (train of #A1243X5).
- (90) Grey coating on wood (train of #A1243X5).
- (91) Light green coating on wood (train of #A1243X5).
- (92) Light yellow with black base coatings on wood (train of #A1243X5).
- (93) Transparent brown plastic (zipper teeth of #A1243X5).
- (94) Dull black plastic (wheels, connector of #A1243X5).
- (95) White coating on fabric (logo of #A1466X2, #M1478X1).
- (96) Dark pink elastic band (binding of pocket #A1243X5, #M1478X1).
- (97) Off white foam (inner layer of #A1466X2, #M1478X1) (internal).
- (98) Brown coating on plastic (eyebrows of girl #A1386XX, #A1107X1, #A1101X1).
- (99) White coating on plastic (eyes, teeth of girl #A1386XX, #A1107X1, #A1101X1).
- (100) Dark blue coating on plastic (eyes of girl #A1386XX, #A1107X1, #A1101X1).
- (101) Light blue coating on plastic (eyes of girl #A1386XX, #A1107X1, #A1101X1).
- (102) Red coating on plastic (lips of girl #A1386XX, #A1107X1, #A1101X1).
- (103) Pink coating on plastic (blush of girl #A1386XX, #A1107X1, #A1101X1).
- (104) White velcro (velcro of dress #A1386XX, #A1107X1, #A1101X1).
- (105) Metallic plastic sheet backed with white mesh (dress of girl #A1386XX, #A1107X1, #A1101X1).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested Components :

- (106) Metallic color printed fabric with gold color lurex insert (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (107) Silver color plastic webbing (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (108) Light gold color plastic (hair of girl #A1386XX, #A1107X1, #A1101X1).
- (109) Light flesh color PVC plastic (head of girl #A1386XX, #A1107X1, #A1101X1).
- (110) Flesh color plastic (body of girl #A1386XX, #A1107X1, #A1101X1).
- (111) Shiny flesh color plastic (hands, legs of girl #A1386XX, #A1107X1, #A1101X1).
- (112) Transparent plastic (hairband of girl #A1386XX, #A1107X1, #A1101X1).
- (113) Pink plastic (zipper teeth of #A1386XX, #A1107X1).
- (114) Translucent white plastic sheet (end of zipper tape of #A1386XX).
- (115) Pink velcro (velcro of #A1386XX).
- (116) Light purple velcro (velcro of #A1107X1).
- (117) Transparent light pink plastic (zipper teeth of #A1107X1).
- (118) White plastic sheet (backing of velcro) (internal).
- (119) Transparent pale pink plastic (zipper teeth of #A1101X1).
- (120) Transparent deep pink plastic (zipper teeth of #M1478X1).
- (121) Transparent dull pink plastic (zipper teeth of #A1459XX).
- (122) White coating on plastic (eyes of Unicorn #A1089X1).
- (123) Gold color coating on plastic (Unicorn of #A1089X1).
- (124) Pink plastic (hair, tail of Unicorn #A1089X1).
- (125) Yellow plastic (hair, tail of Unicorn #A1089X1).
- (126) Purple plastic (Unicorn of #A1089X1).
- (127) Transparent light blue plastic (zipper teeth of #A1089X1).

Date sample received : Aug 01, 2011, Aug 15, 2011 and Aug 19, 2011  
Testing period : Aug 01, 2011 to Aug 24, 2011

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

5 Phthalate Content Test

With reference to EN14372, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(1)</u>	<u>(2)</u>	<u>(3)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1
	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(4)</u>	<u>(5)</u>	<u>(6/7/8)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1
	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(9/10/11)</u>	<u>(12/14/15)</u>	<u>(13)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1
	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(16/17/18)</u>	<u>(19/21/22)</u>	<u>(20/23/52)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	--	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	--	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	--	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	--	0.1

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(24/67)</u>	<u>(25/26/27)</u>	<u>(28/29/30)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	--	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	--	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	--	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	--	<0.01	<0.01	0.1
	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(31/32/34)</u>	<u>(33/36/37)</u>	<u>(35/38/40)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1
	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(39/42/43)</u>	<u>(41/44)</u>	<u>(45/57)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1
	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(46/47/48)</u>	<u>(49/50/51)</u>	<u>(53/54/58)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1

\*\*\*\*\*







Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Result (% w/w)</u>			<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(55/59)</u>	<u>(56/60)</u>	<u>(61/62/63)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1

	<u>Result (% w/w)</u>				<u>Limit (% w/w)</u> <u>(max.)</u>
	<u>(64/65/66)</u>	<u>(68/69/70)</u>	<u>(71/72)</u>	<u>(73/74)</u>	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	<0.01	0.1
Di-iso-nonyl phthalate (DINP)	<0.01	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	<0.01	--
Di-iso-decyl phthalate (DIDP)	<0.01	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	<0.01	0.1

Remark : The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 (formerly known as Directive 2005/84/EC) for phthalate content in toys and children articles.

< = Less than

Tested components :

- (1) Coatings on plastic (all cars, unicorn of #A1089X1).
- (2) Coatings on plastic (all animals, dinosaurs, figures, tractor, horses/ head of girl #A1386XX, #A1107X1).
- (3) Coatings on metal (all cars).
- (4) Coatings on wood (train of #A1243X5).
- (5) Coatings (black, white) on fabric (sewn- in label, logo of #A1466X2).
- (6) Off- white plastic excluding coatings (engine, pipe of car #A1396XX).
- (7) Black plastic (wheels of car #A1396XX, #A1400XX, #A1397XX/ front wheels of #A1204X1).
- (8) Peralized white plastic (body of car #A1396XX).
- (9) Transparent green plastic (windshield of car #A1396XX).
- (10) Black velcro (opener of #A1396XX, #A1261X2, #A1041X1).
- (11) Yellow elastic band (binding of pocket of #A1396XX, #A1261X2, #A1041X1).
- (12) Translucent plastic sheet (pocket of #A1396XX, #A1261X2, #A1041X1, #A1081X1, #A1466X2, #A1471XX, #A1107X1, #M1478X1).
- (13) Transparent plastic sheet with inaccessible coatings backed with white non- woven fabric (body of all styles).
- (14) Transparent black plastic (zipper teeth of #A1396XX, #A1261X2, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX).
- (15) Shiny black plastic (buckle of #A1276XX, #A1400XX, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1289XX, #A1386XX).
- (16) Transparent red plastic (zipper teeth of #A1276XX, #A1204X1).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested components :

- (17) Transparent plastic (windshield of car #A1276XX, #A1400XX, #A1397XX).
- (18) Dull black plastic (base of car #A1276XX, #A1400XX, #A1290XX, #A1397XX/ windshield of red car #A1261X2/ windshield, bumper, base of police car #A1041X1/ base, engine of #A1204X1).
- (19) Deep grey plastic (wheels of #A1276XX, #A1261X2, #A1041X1/ rear wheels of #A1204X1).
- (20) White foam (#A1276XX, #A1400XX, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1291X1, #A1100X1, #A1289XX, #A1242X2, #A1041X1, #A1043X2, #A1079X1, #A1243X5, #A1107X1, #A1101X1, #A1459XX, #A1089X1) (internal).
- (21) Shiny black plastic (fin of car #A1400XX, #A1397XX).
- (22) Transparent light red plastic (zipper teeth of #A1400XX).
- (23) Black plastic sheet (handle of #A1400XX/ inner layer of #A1466X2, #M1478X1) (internal).
- (24) Dull white plastic with inaccessible silver grey vacuum plated coating (seat of car #A1400XX, #A-1397XX) (internal).
- (25) Grey plastic (base of #A1261X2).
- (26) Transparent brown plastic (windshield of yellow car #A1261X2, red car of #A1041X1).
- (27) Black plastic (wheels of trucks #A1290XX).
- (28) Silver color plastic (bucket of truck #A1290XX).
- (29) Dull silver color plastic (frok of truck #A1290XX).
- (30) White plastic (steering wheel of truck #A1290XX).
- (31) Dull white plastic (elephant of #A1291X1).
- (32) Dull black plastic (gorilla of #A1291X1).
- (33) Transparent reddish brown plastic (zipper teeth of #A1100X1, #A1079X1).
- (34) Milky white plastic (cow, horse of #A1100X1/ horse of #A1079X1).
- (35) Grey plastic (dinosaur of #A1289XX).
- (36) Transparent light green plastic (zipper teeth of #A1289XX).
- (37) Transparent green plastic (zipper teeth of #A1242X2).
- (38) Dull off- white plastic (figures, horses, barrier of #A1242X2/ figure, tractor of #A1079X1).
- (39) Translucent red plastic (light of police car #A1041X1).
- (40) Yellow plastic (dark green dinosaur of #A1043X2).
- (41) Green plastic (green dinosaur of #A1043X2).
- (42) Transparent deep green plastic (zipper teeth of #A1043X2, #A1081X1).
- (43) Light blue velcro (#A1081X1).
- (44) Light yellow plastic (deep green dinosaur of #A1081X1).
- (45) Brown plastic (brown dinosaur of #A1081X1).
- (46) Reddish brown velcro (#A1079X1).
- (47) Transparent blue plastic (zipper teeth of #A1431X1).
- (48) Blue velcro (#A1431X1).
- (49) Transparent light brown plastic (zipper teeth of #A1243X5).
- (50) Dull black plastic (wheels, connectors of #A1243X5).
- (51) Dark pink elastic band (binding of pocket #A1466X2).
- (52) Off- white foam (inner layer of #A1466X2, #M1478X1) (internal).
- (53) White velcro (velcro of #A1386XX, #A1107X1, #A1101X1).
- (54) Silver color plastic ribbon (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (55) Multi- color printed fabric with gold color lurex inserted (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (56) Metallic plastic sheet backed with white mesh (dress of girl #A1386XX, #A1107X1, #A1101X1).
- (57) Light flesh color plastic (head of girl #A1386XX, #A1107X1, #A1101X1).
- (58) Flesh color plastic (body of girl #A1386XX, #A1107X1, #A1101X1).
- (59) Shiny flesh color plastic (hands, legs of girl #A1386XX, #A1107X1, #A1101X1).
- (60) Light gold color plastic (hair of girl #A1386XX, #A1107X1, #A1101X1).
- (61) Transparent plastic (hairband of girl #A1386XX, #A1107X1, #A1101X1).
- (62) Pink plastic (zipper teeth of #A1386XX).
- (63) Pink velcro (#A1386XX).
- (64) Translucent white plastic sheet (end of zipper teeth #A1386XX).
- (65) Light purple velcro (#A1107X1).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested components :

- (66) Transparent light pink plastic (zipper teeth of #A1107X1).
- (67) White plastic sheet (backing of velcro) (internal).
- (68) Transparent pale pink plastic (zipper teeth of #A1101X1).
- (69) Transparent deep pink plastic (zipper teeth of #M1478X1).
- (70) Transparent dull pink plastic (zipper teeth of #A1459XX).
- (71) Transparent light blue plastic (zipper teeth of #A1089X1).
- (72) Yellow plastic (hair, tail of unicorn #A1089X1).
- (73) Pink plastic (hair, tail of unicorn #A1089X1).
- (74) Purple plastic (body of unicorn #A1089X1).

Date sample received : Aug 01, 2011  
Testing period : Aug 01, 2011 to Aug 05, 2011

6 Detection of Amines in Dyestuff

By extraction on cut sample according to the below listed test method(s), followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis.

Test method : Textile method (EN 14362-1 : 2003)  
Polyester method (EN 14362-2 : 2003)

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(1/11/16)</u>	<u>Non-polyester (3/4/5)</u>	<u>(6/7)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(8/13)</u>	<u>(9)</u>	<u>(10)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(17/18/23)</u>	<u>(19)</u>	<u>(21)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(22)</u>	<u>Non-polyester</u> <u>(24)</u>	<u>(25)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(26/42/68)</u>	<u>Non-polyester</u> <u>(28/29/30)</u>	<u>(32)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(33)</u>	<u>Non-polyester</u> <u>(35/36/37)</u>	<u>(38)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(39)</u>	<u>Non-polyester</u> <u>(40/44/45)</u>	<u>(41)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>Non-polyester</u>		
			<u>(47/49/50)</u>	<u>(48)</u>	<u>(51/52/53)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>Non-polyester</u>		
			<u>(54/58/59)</u>	<u>(56)</u>	<u>(57)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>Non-polyester</u>		
			<u>(60/63/67)</u>	<u>(62)</u>	<u>(64)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>Non-polyester</u>		
			<u>(65)</u>	<u>(66)</u>	<u>(71)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*







Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>Non-polyester</u>		
			<u>(72/76/77)</u>	<u>(74)</u>	<u>(78/79/81)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>Non-polyester</u>		
			<u>(82/93)</u>	<u>(84/85/87)</u>	<u>(88/92)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(90)</u>	<u>Non-polyester</u>	<u>(46)</u>
1.	4-Aminodiphenyl	92-67-1	N		N
2.	Benzidine	92-87-5	N		N
3.	4-Chloro-o-toluidine	95-69-2	N		N
4.	2-Naphthylamine	91-59-8	N		N
5.	o-Aminoazotoluene	97-56-3	N		N
6.	2-Amino-4-nitrotoluene	99-55-8	N		N
7.	p-Chloroaniline	106-47-8	N		N
8.	2,4-Diaminoanisole	615-05-4	N		N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N		N
10.	3,3'-Dichlorobenzidine	91-94-1	N		N
11.	3,3'-Dimethoxybenzidine	119-90-4	N		N
12.	3,3'-Dimethylbenzidine	119-93-7	N		N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N		N
14.	p-Cresidine	120-71-8	N		N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N		N
16.	4,4'-Oxydianiline	101-80-4	N		N
17.	4,4'-Thiodianiline	139-65-1	N		N
18.	o-Toluidine	95-53-4	N		N
19.	2,4-Toluylenediamine	95-80-7	N		N
20.	2,4,5-Trimethylaniline	137-17-7	N		N
21.	o-Anisidine	90-04-0	N		N
22.	p-Aminoazobenzene	60-09-3	N		N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(2/12/15)</u>	<u>Polyester</u>	<u>(20)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>		
			<u>(27/31/34)</u>	<u>Polyester</u> <u>(43/55/61)</u>	<u>(62)</u>
1.	4-Aminodiphenyl	92-67-1	N	N	N
2.	Benzidine	92-87-5	N	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N	N
4.	2-Naphthylamine	91-59-8	N	N	N
5.	o-Aminoazotoluene	97-56-3	N	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7.	p-Chloroaniline	106-47-8	N	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N	N
14.	p-Cresidine	120-71-8	N	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N	N
18.	o-Toluidine	95-53-4	N	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N	N
21.	o-Anisidine	90-04-0	N	N	N
22.	p-Aminoazobenzene	60-09-3	N	N	N

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>	
			<u>(69/70/75)</u>	<u>Polyester</u> <u>(80/83/86)</u>
1.	4-Aminodiphenyl	92-67-1	N	N
2.	Benzidine	92-87-5	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N
4.	2-Naphthylamine	91-59-8	N	N
5.	o-Aminoazotoluene	97-56-3	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N
7.	p-Chloroaniline	106-47-8	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N
14.	p-Cresidine	120-71-8	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N
18.	o-Toluidine	95-53-4	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N
21.	o-Anisidine	90-04-0	N	N
22.	p-Aminoazobenzene	60-09-3	N	N

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

	<u>Forbidden Amine</u>	<u>CAS No.</u>	<u>Result</u>	
			<u>(89/91)</u>	<u>Polyester (73)</u>
1.	4-Aminodiphenyl	92-67-1	N	N
2.	Benzidine	92-87-5	N	N
3.	4-Chloro-o-toluidine	95-69-2	N	N
4.	2-Naphthylamine	91-59-8	N	N
5.	o-Aminoazotoluene	97-56-3	N	N
6.	2-Amino-4-nitrotoluene	99-55-8	N	N
7.	p-Chloroaniline	106-47-8	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N
13.	3,3'-Dimethyl-4,4' diaminodiphenylmethane	838-88-0	N	N
14.	p-Cresidine	120-71-8	N	N
15.	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N
18.	o-Toluidine	95-53-4	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N
21.	o-Anisidine	90-04-0	N	N
22.	p-Aminoazobenzene	60-09-3	N	N

Remark : N = Not detected (less than 20 ppm)  
Detection limit = 5 ppm  
Requirement = 30 ppm (max.)  
ppm = parts per million = mg/kg

Tested components :

- (1) Black non- woven fabric (binding of #A1396XX, #A1261X2, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX) (100% polypropylene).
- (2) Black woven (zipper tape of #A1396XX, #A1261X2, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX) (100%Polyester).
- (3) Black velcro (opener of #A1396XX, #A1261X2, #A1041X1) (100%Nylon).
- (4) Black webbing (handle, strap of #A1396XX, #A1261X2, #A1290XX, #A1419X3, #A1419X2, #A1419X1, #A1397XX, #A1291X1, #A1041X1, #A1471XX) (100%Polypropylene).
- (5) Shiny black webbing (end of zipper teeth of #A1396XX, #A1261X2, #A1471XX) (100%Polypropylene).
- (6) Yellow elastic band (binding of pocket of #A1396XX, #A1261X2, #A1041X1) (100%Nylon).
- (7) White woven with black printing (sewn- in label) (100%Nylon).
- (8) Dull white woven with black printing (warning label) (100%Nylon).
- (9) Transparent synthetic sheet with inaccessible printing backed white non- woven fabric (body of #A1396XX, #A1261X2, #A1419X3) (100% Bi-oriented polypropylene).
- (10) Transparent synthetic sheet with inaccessible printing backed white non- woven fabric (body of #A1276XX, #A1400XX, #A1419X1) (100% Bi-oriented polypropylene).
- (11) Red non- woven fabric (binding of #A1276XX, #A1204X1) (100% Bi-oriented polypropylene).
- (12) Red woven (zipper tape of #A1276XX, #A1204X1) (100%Polyester).
- (13) Red webbing (handle, strap of #A1276XX) (100%Polypropylene).
- (14) Dark red woven with white / black / yellow thread stitching (logo of #A1276XX, , #A1290XX, #A1291X1, #A1100X1, #A1289XX, #A1242X2, #A1041X1, #A1204X1, #A1043X2, #A1081X1, #A1079X1, #A1243X5, #A1107X1, #A1101X1, #A1089X1) (100%Polyester).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested components :

- (15) Light red woven (zipper tape of #A1400XX) (100%Polyester).
- (16) Light red non- woven fabric (binding of #A1400XX) (100% polypropylene).
- (17) Light red webbing (handle, strap of #A1400XX) (100%Polypropylene).
- (18) Yellow string (inner binding of #A1261X2) (100%Polypropylene).
- (19) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1290XX) (100% Bi-oriented polypropylene).
- (20) Black felt with black / white / red / silver color embroidery thread (badge of #A1419X3, #A1419X2, #A1419X1) (100%Polyester).
- (21) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1419X2) (100% Bi-oriented polypropylene).
- (22) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1397XX) (100% Bi-oriented polypropylene).
- (23) Black string (zipper puller of #A1397XX, #A1291X1) (100%Polypropylene).
- (24) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1291X1) (100% Bi-oriented polypropylene).
- (25) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1100X1) (100% Bi-oriented polypropylene).
- (26) Reddish brown non- woven fabric (binding, handle of #A1100X1, A-1079X1) (100% polypropylene).
- (27) Reddish brown woven (zipper tape of #A1100X1, A-1079X1) (100%Polyester).
- (28) Reddish brown string (zipper puller of #A1100X1, A-1079X1) (100%Polypropylene).
- (29) Light green webbing (handle, strap of #A1289XX) (100%Polypropylene).
- (30) Green webbing (inner binding of #A1289XX) (100%Polypropylene).
- (31) Light green woven (zipper tape of #A1289XX) (100%Polyester).
- (32) Transparent plastic sheet with inaccessible printings backed with white non- woven fabric (body of #A1289XX) (100% Bi-oriented polypropylene).
- (33) Transparent plastic sheet with inaccessible printings backed with white non- woven fabric (body of #A1242X2) (100% Bi-oriented polypropylene).
- (34) Green woven (zipper tape of #A1242X2) (100%Polyester).
- (35) Dark green webbing (handle of #A1242X2) (100%Polypropylene).
- (36) Dull dark green webbing (binding of #A1242X2) (100%Polypropylene).
- (37) Green string (zipper puller of #A1242X2) (100%Polypropylene).
- (38) Transparent plastic sheet with inaccessible printings backed with white non- woven fabric (body of #A1041X1) (100% Bi-oriented polypropylene).
- (39) Transparent plastic sheet with inaccessible printings backed with white non- woven fabric (body of #A1204X1) (100% Bi-oriented polypropylene).
- (40) Red string (zipper puller of #A1204X1) (100%Polypropylene).
- (41) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1043X2) (100% Bi-oriented polypropylene).
- (42) Deep green non- woven fabric (handle, binding of #A1043X2, #A1081X1) (100% polypropylene).
- (43) Deep green woven (zipper tape of #A1043X2, #A1081X1) (100%Polyester).
- (44) Deep green string (zipper puller of #A1043X2, #A1081X1) (100%Polypropylene).
- (45) Deep green webbing (handle of #A1081X1) (100%Polypropylene).
- (46) Transparent synthetic sheet inaccessible printings backed with white non- woven fabric (body of #A1081X1) (100% Bi-oriented polypropylene).
- (47) Light blue velcro (#A1081X1) (100%Nylon).
- (48) Transparent synthetic sheet inaccessible printings backed with white non- woven fabric (body of A1079X1) (100% Bi-oriented polypropylene).
- (49) Reddish brown velcro (A-1079X1) (100%Nylon).
- (50) Reddish brown webbing (handle of A-1079X1) (100%Polypropylene).
- (51) Blue webbing (handle of #A1431X1) (100%Polypropylene).
- (52) Dull blue webbing (binding of #A1431X1) (100%Polypropylene).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59  
**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28  
**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37  
**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37  
**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested components :

- (53) Blue velcro (#A1431X1) (100%Nylon).
- (54) Blue string (zipper puller of #A1431X1) (100%Polypropylene).
- (55) Blue woven (zipper tape of #A1431X1) (100%Polyester).
- (56) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1431X1) (100% Bi-oriented polypropylene).
- (57) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1243X5) (100% Bi-oriented polypropylene).
- (58) Light brown webbing (handle of #A1243X5) (100%Polypropylene).
- (59) Dull light brown webbing (binding of #A1243X5) (100%Polypropylene).
- (60) Light brown string (zipper puller of #A1243X5) (100%Polypropylene).
- (61) Light brown woven (zipper tape of #A1243X5) (100%Polyester).
- (62) Dark pink satin with light silver color / dark pink embroidery thread and white coating (body, strap of #A1466X2, #M1478X1) (100%Polyester).
- (63) Dark pink elastic band (binding of pocket #A1466X2, #M1478X1) (100%Nylon).
- (64) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1466X2, #M1478X1, #A1459XX) (100% Bi-oriented polypropylene).
- (65) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1471XX) (100% Bi-oriented polypropylene).
- (66) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1386XX, #A1107X1, #A1101X1) (100% Bi-oriented polypropylene).
- (67) Pink webbing (handle, strap of #A1386XX) (100%Polypropylene).
- (68) Pale pink non- woven fabric (binding of #A1386XX) (100% polypropylene).
- (69) Pink woven (zipper tape of #A1386XX) (100%Polyester).
- (70) Light pink satin (dress of girl #A1386XX, #A1107X1, #A1101X1) (100%Polyester).
- (71) Metallic synthetic sheet backed with white mesh (dress of girl #A1386XX, #A1107X1, #A1101X1) (100% polypropylene).
- (72) White velcro (velcro of dress #A1386XX, #A1107X1, #A1101X1) (100%Nylon).
- (73) Silver color ribbon (dress of girl #A1386XX, #A1107X1, #A1101X1) (100% PET).
- (74) Multi- color printed fabric with gold color lurex inserted (dress of girl #A1386XX, #A1107X1, #A1101X1) (51% nylon + 49% metallic).
- (75) Deep pink satin (dress of girl #A1386XX, #A1107X1, #A1101X1) (100%Polyester).
- (76) Pink velcro (#A1386XX) (100%Nylon).
- (77) Pale purple webbing (handle of #A1107X1) (100%Polypropylene).
- (78) Light purple webbing (binding of #A1107X1) (100%Polypropylene).
- (79) Light purple string (zipper puller of #A1107X1) (100%Polypropylene).
- (80) Light pink woven (zipper tape of #A1107X1) (100%Polyester).
- (81) Light purple velcro (#A1107X1) (100%Nylon).
- (82) Light pink non- woven fabric (handle, binding of #A1101X1) (100% polypropylene).
- (83) Pale pink woven (zipper tape of #A1101X1) (100%Polyester).
- (84) Pale pink string (zipper puller of #A1101X1) (100%Polypropylene).
- (85) Deep pink webbing (binding of #M1478X1) (100%Polypropylene).
- (86) Deep pink woven (zipper tape of #M1478X1) (100%Polyester).
- (87) Deep pink string (zipper puller of #M1478X1) (100%Polypropylene).
- (88) Dull pink webbing (binding of #A1459XX) (100%Polypropylene).
- (89) Dull pink woven (zipper tape of #A1459XX) (100%Polyester).
- (90) Transparent synthetic sheet with inaccessible printings backed with white non- woven fabric (body of #A1089X1) (100% Bi-oriented polypropylene).

\*\*\*\*\*





Ecoparc 2  
27400 Heudebouville - France  
www.intertek.com  
consumergoods.france@intertek.com

**Service Commercial :**  
Tel. +33 (0)2 32 63 31 45  
Fax. +33 (0)2 32 09 36 59

**Laboratoire Textile :**  
Tel. +33 (0)2 32 63 31 67  
Fax. +33 (0)2 32 63 71 28

**Laboratoire Jouet et Bazar :**  
Tel. +33 (0)2 32 63 31 42  
Fax. +33 (0)2 32 63 71 28

**Dpt. Inspection :**  
Tel. +33 (0)2 32 09 36 36  
Fax. +33 (0)2 32 09 36 37

**Dpt. CSR Audits Qualité :**  
Tel. +33 (0)2 32 63 31 60  
Fax. +33 (0)2 32 09 36 37

**Dpt. Alimentaire :**  
Tel. +33 (0)2 32 63 31 66  
Fax. +33 (0)2 32 09 36 59

**TEST REPORT**

Number: FH-01036  
(HKGH01198020)

Tests Conducted

Tested components :

- (91) Light blue woven (zipper tape of #A1089X1) (100%Polyester).
- (92) Light blue string (zipper puller of #A1089X1) (100%Polypropylene).
- (93) Light blue non- woven fabric (handle, binding of #A1089X1) (100% polypropylene).

Date sample received : Aug 01, 2011 and Aug 05, 2011

Testing period : Aug 01, 2011 to Aug 16, 2011v

\*\*\*\*\*

End of report

“The items were tested by an approved laboratory, Intertek Testing Services Hong Kong Ltd., for and on behalf of Intertek Testing Services France.”

“Ces articles ont ete testes par un laboratoire approuve, Intertek HK, pour le compte d’Intertek France”

