

1. Barzilai N, Huffman D, Muzumdar R et al: The Critical Role of Metabolic Pathways in Aging. *Diabetes*. 2012. 61(6):1315-1322
<https://diabetes.diabetesjournals.org/content/diabetes/61/6/1315.full.pdf>
2. Bobrowski P (PI): Enhanced IGF-1 Production in Human Cartilage. Grant No. 1R43AG024733-01, US National Institutes of Health (NIH): National Institute on Aging & National Institute of Arthritis and Musculoskeletal Disease. 2004-2005.
<http://ewh.ieee.org/r6/ocs/cn/en/PresentationMaterial/CRISP/2004/1R43AG024733-01.html>
3. Bobrowski, PJ: Methods and compositions to enhance endogenous IGF production and their use. USPTO No. 8182847: 2012 May 22.
http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HTOFF&p=1&u=%2Fnet_ahtml%2FPTO%2Fsearch-bool.html&r=1&f=G&l=50&co1=AND&d=PTXT&s1=bobrowski_INNM.&s2=paul.INNM.&OS=IN/bobrowski+AND+IN/paul&RS=IN/bobrowski+AND+IN/paul
4. Brugts M, Ranke M, Hofland L et al: Normal Values of Circulating Insulin-Like Growth Factor-I Bioactivity in the Healthy Population: Comparison with Five Widely Used IGF-I Immunoassays. *J Clin Endocrinol Metab*. 2008. 93(7):2539–2545.
5. Gong Z, Kennedy O, Sun H et al: Reductions in serum IGF-1 during aging impair health span. *Aging Cell*. 2014. 13(3):408-18.
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/acel.12188>
6. Juul A, Bang P, Hertel N et al: Serum insulin-like growth factor-I in 1030 healthy children, adolescents, and adults: relation to age, sex, stage of puberty, testicular size, and body mass index. *J Clin Endocrinol Metab*. 1994. 78(3):744-52.
https://www.researchgate.net/publication/15073405_Serum_Insulin-Like_Growth_Factor_I_in_1030_Healthy_Children_Adolescents_and_Adults_Relation_to_Age_Sex_Stage_of_Puberty_Testicular_Size_and_Body_Mass_Index
7. Mehta K, Gala J, Bhasale S et al: Comparison of glucosamine sulfate and a polyherbal supplement for the relief of osteoarthritis of the knee: a randomized controlled trial [ISRCTN25438351]. *BMC Comp Alt Med*. 2007. 7:34.
8. Miller M, Ahmed S, Bobrowski P et al: The chondroprotective actions of a natural product are associated with the activation of IGF-1 production by human chondrocytes despite the presence of IL-1beta. *BMC Complement Altern Med*. 2006. 6:13.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1456997/pdf/1472-6882-6-13.pdf>

9. Noordam R, Gunn D, Tomlin C et al: Serum insulin-like growth factor 1 and facial ageing: high levels associate with reduced skin wrinkling in a cross-sectional study. Br J Dermatol. 2013. 168(3):533-8.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/bjd.12131>
10. O'Neill C, Kiely A, Coakley M et al: Insulin and IGF-1 signaling: longevity, protein homoeostasis and Alzheimer's disease. Biochem Soc Trans. 2012. 40(4):721-7.
[http://positivedesigns.com/phytozon/](https://watermark.silverchair.com/bst0400721.pdf?token=AQECAHi208BE49Ooan9khhW_Ercy7Dm3ZL_9Cf3qfKAc485ysgAAA4kwggOFBqkhkiG9w0BBwagggN2MIIDcgIBADCCA2sGCSqGSib3DQEHTAeBglghkgBZQMEAS4wEQQMhaMyJE0itjNcZnmMAgEQgIIDPPw9LEec88U6qP0RYrCN1PBFexlVh9CKdW1dkpmgW78KTUXFVshBPJmxEpaEFVA8nnTsyEq6U3fb88LB6QFGV45YIzaExP-fxnp-Kn_OmelxOLF8R-Vi5ifGcAw6e4KFyWXCZYYgSpph26Gc5KinWdsyc2sNDq5Fna6xBA3m1xwJpKbS0khXcLuun0q2D3eJqAR5rhu--Yh9ocoKEYzNsrAqJb1Pcc9HfONHRno2IQXBtJ3gJPeS2XAtjec3xLCXLX01scY7vrOTvYzM_VVV21tqYc9L7VydhSTueCFeylBEEmECpLVs3XpAWG1mHV29pRPur8brXxTwuh4HJpWoKbW2ceoWJZa-xl3ZCpNGXAMyUXaAZ2wyIDnVOA09BL7ux_vJUA1gEPXzoqwfRSkGAUWf5tcJg_HOsFOE1Sq1u9R-YsS3ZfbP6Q4XiWV3MyCFqvGG04pDt8VFJsR8CY1WhqpRbry_Cpc6Wu-l07wvvcsnvwDghDB0STzmQKqnryxlymhV69YpvKko47ij0TDmJOznYyJEV63b_8y8fgDrwmnHTXPiKu-QQjHeMnvxUpUgSrxPt9ycdb4YL9amlKCSX1wxF3_muC2h-k3IAG8ioTJ7dYshsmZExt07XK5MDYSMrKttGOVjz9ZgosodfcN41WSPLhzehZsPXIpZcAwvKHpaqR0Roh6rMCOow1VYCIQdeDt6Fesi5-X21ZHtnSRBTWXWyT_E6qA-ry8DxLc_egrKDXnWACHyIsoCbxOHH1vMCjxhdZvV8kAfK--qZD6wzwLfwULmmz6QbMApkon2gNfi2UhC9648LDtBBb9tCyL-M0BH2H5U5XuoDA87ZpN9MCIThaFEmrKNT_dp6mHoiLxdrw9ZA0sxVDKReMPVdf8k2w_uthJJLJkTm8b7TADkQouBrY1GbEIAJQU8m7W3DzDrNHgJRK9-1xfxS51IG7Y47wsnaWKO7D9Xahe5dcMr97Gv_HRShGsN-aVST-N-MSVtMhDufzAIB92Op46CfgnxsnoG1oFSPN1MFwxZzVWTtgvQZ-yB-H1wA5yhLSDZuBKGg72jvzOfb932RJZZJJ-f2fPjxTrTu1DA</p><p>11. Sandoval M, Okuhama N, Angeles F et al: Antioxidant activity of the cruciferous vegetable Maca (<i>Lepidium meyenii</i>). Food Chemistry, 2002, 79: 207-213. (Download PDF #10)
<a href=) [phytozon_research_10.pdf](http://positivedesigns.com/phytozon_research_10.pdf)
12. Sjögren K, Jansson J, Isaksson O et al: A model for tissue-specific inducible insulin-like growth factor-I (IGF-I) inactivation to determine the physiological role of liver-derived IGF-I. Endocrine. 2002. 19(3):249-56
https://www.researchgate.net/publication/10867882_A_Model_for_Tissue-Specific_Inducible_Insulin-like_Growth_Factor-I_IGF-I_Inactivation_to_Determine_the_Physiological_Role_of_Liver-Derived_IGF-I
13. Xu S, Gu X, Pan H et al: Reference ranges for serum IGF-1 and IGFBP-3 levels in Chinese children during childhood and adolescence. Endocr J. 2010. 57(3):221-8.
https://www.jstage.jst.go.jp/article/endocrj/advpub/0/advpub_K09E-200/_pdf

Vincaria®

1. Bobrowski PJ: Methods and preparations of extracts of Uncaria species with reduced alkaloid content. USPTO 6,797,286: Sep 28, 2004.
<https://patents.google.com/patent/US6797286>
2. Carvalho M, Penido C, Siani A et al: Investigations on the anti-inflammatory and anti-allergic activities of the leaves of Uncaria guianensis (Aublet) J. F. Gmelin. Inflammopharmacology. 2006. 14(1-2):48-56.
https://www.researchgate.net/publication/6949296_Investigations_on_the_anti-inflammatory_and_anti-allergic_activities_of_the_leaves_of_Uncaria_guianensis_Aublet_J_F_Gmelin?_sg=4opLbaF7eWI3IveHHAALZMpG2keKu433SeZjrS1X2TXwbWYRUXtuVSBOel2tOSSWZCV5p64Ubw
3. Hunter P. The inflammation theory of disease: The growing realization that chronic inflammation is crucial in many diseases opens new avenues for treatment. EMBO Reports. 2012. 13(11):968-970.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3492709/pdf/embor2012142a.pdf>
4. Hardin SR: Cat's claw: an Amazonian vine decreases inflammation in osteoarthritis. Complement Ther Clin Pract. 2007. 13(1):25-28.
<https://www.sciencedirect.com/science/article/abs/pii/S1744388106000879?via%3Dhub>
5. Mehta K, Gala J, Bhasale S et al: Comparison of glucosamine sulfate and a polyherbal supplement for the relief of osteoarthritis of the knee: a randomized controlled trial [ISRCTN25438351]. BMC Complement Altern Med. 2007. 7:34.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2131759/pdf/1472-6882-7-34.pdf>
6. Miller M, Ahmed S, Bobrowski P et al: Suppression of Human Cartilage Degradation and Chondrocyte Activation by a Unique Mineral Supplement (SierraSil™) and a Cat's Claw Extract, Vincaria®. JANA, 2004, 7(2): 32-39.
<http://rainforestnaturals.com/wp-content/uploads/2013/12/pdf-7.pdf>
7. Miller M, Angeles F, Reuter B et al: Dietary antioxidants protect gut epithelial cells from oxidant-induced apoptosis. BMC Complement Altern Med. 2001. 1:11.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC61450/pdf/1472-6882-1-11.pdf>
8. Miller M, Mehta K, Kunte S et al: Early relief of osteoarthritis symptoms with a natural mineral supplement and a herbomineral combination: a randomized controlled trial

[ISRCTN38432711]. J Inflamm (Lond). 2005. 2:11.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1276811/pdf/1476-9255-2-11.pdf>

9. Miller M, Ahmed S, Bobrowski P et al: The chondroprotective actions of a natural product are associated with the activation of IGF-1 production by human chondrocytes despite the presence of IL-1beta. BMC Complement Altern Med. 2006. 6:13.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1456997/pdf/1472-6882-6-13.pdf>
10. Monaco C, Andreakos E, Kiriakidis S et al: Canonical pathway of nuclear factor kappa B activation selectively regulates proinflammatory and prothrombotic responses in human atherosclerosis. Proc Natl Acad Sci U S A. 2004. 13;101(15):5634-9.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC397455/pdf/1015634.pdf>
11. Piscoya J, Rodriguez Z, Bustamante S et al: Efficacy and safety of freeze-dried cat's claw in osteoarthritis of the knee: mechanisms of action of the species Uncaria guianensis. Inflamm Res. 2001. 50(9):442-8.
<http://rainforestnaturals.com/wp-content/uploads/2013/12/pdf-4.pdf>
12. Sandoval M, Okuhama NN, Zhang XJ et al: Anti-inflammatory and antioxidant activities of cat's claw (Uncaria tomentosa and Uncaria guianensis) are independent of their alkaloid content. Phytomedicine. 2002. 9(4):325-37
https://erbeofficinali.org/dati/nacci/studi/Uncaria_species.pdf
13. Urdanibia I, Michelangeli F, Ruiz MC et al: Anti-inflammatory and antitumoural effects of Uncaria guianensis bark. J Ethnopharmacol. 2013. 150(3):1154-62.
https://www.researchgate.net/publication/258428864_Anti-inflammatory_and_antitumoural_effects_of_Uncaria_guianensis_bark

Zangrado® & Progrado®

1. Investigations on the anti-inflammatory and anti-allergic activities of the leaves of Uncaria guianensis (Aublet) J. F. Gmelin. Inflammopharmacology. 2006. 14(1-2):48-56.
https://www.researchgate.net/publication/6949296_Investigations_on_the_anti-inflammatory_and_anti-allergic_activities_of_the_leaves_of_Uncaria_guianensis_Aublet_J_F_Gmelin
2. The inflammation theory of disease: The growing realization that chronic inflammation is crucial in many diseases opens new avenues for treatment.

EMBO Reports. 2012. 13(11):968-970.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3492709/pdf/embor2012142a.pdf>

3. Cat's claw: an Amazonian vine decreases inflammation in osteoarthritis. Complement Ther Clin Pract. 2007. 13(1):25-28.
<https://www.sciencedirect.com/science/article/abs/pii/S1744388106000879?via%3Dhub>
4. Comparison of glucosamine sulfate and a polyherbal supplement for the relief of osteoarthritis of the knee: a randomized controlled trial [ISRCTN25438351]. BMC Complement Altern Med. 2007. 7:34.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2131759/pdf/1472-6882-7-34.pdf>
5. Suppression of Human Cartilage Degradation and Chondrocyte Activation by a Unique Mineral Supplement (SierraSil™) and a Cat's Claw Extract, Vincaria®. JANA, 2004, 7(2): 32-39.
<http://rainforestnaturals.com/wp-content/uploads/2013/12/pdf-7.pdf>
6. Dietary antioxidants protect gut epithelial cells from oxidant-induced apoptosis. BMC Complement Altern Med. 2001. 1:11.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC61450/pdf/1472-6882-1-11.pdf>
7. Early relief of osteoarthritis symptoms with a natural mineral supplement and a herbomineral combination: a randomized controlled trial [ISRCTN38432711]. J Inflamm (Lond). 2005. 2:11.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1276811/pdf/1476-9255-2-11.pdf>
8. The chondroprotective actions of a natural product are associated with the activation of IGF-1 production by human chondrocytes despite the presence of IL-1beta. BMC Complement Altern Med. 2006. 6:13.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1456997/pdf/1472-6882-6-13.pdf>
9. Canonical pathway of nuclear factor kappa B activation selectively regulates proinflammatory and prothrombotic responses in human atherosclerosis. Proc Natl Acad Sci U S A. 2004. 13;101(15):5634-9.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC397455/pdf/1015634.pdf>
10. Efficacy and safety of freeze-dried cat's claw in osteoarthritis of the knee: mechanisms of action of the species Uncaria guianensis. Inflamm Res. 2001. 50(9):442-8.<http://rainforestnaturals.com/wp-content/uploads/2013/12/pdf-4.pdf>
11. Anti-inflammatory and antitumoural effects of Uncaria guianensis bark. J Ethnopharmacol. 2013.

150(3):1154-62. https://www.researchgate.net/publication/258428864_Anti-inflammatory_and_antitumoural_effects_of_Uncaria_guianensis_bark

LUTEIN®

1. Meyers KJ, Mares JA, Igo RP Jr et al: Genetic evidence for role of carotenoids in age-related macular degeneration in the Carotenoids in Age-Related Eye Disease Study (CAREDS). *Invest Ophthalmol Vis Sci.* 2014 Jan 29; 55(1):587-99. <http://www.ncbi.nlm.nih.gov/pubmed/24346170>
2. Age-Related Eye Disease Study 2 (AREDS2) Research Group, Chew EY, Clemons TE, Sangiovanni JP et al: Secondary analyses of the effects of lutein/zeaxanthin on age-related macular degeneration progression: AREDS2 report No. 3. *JAMA Ophthalmol.* 2014 Feb; 132(2):142-9. <http://www.ncbi.nlm.nih.gov/pubmed/24310343>
3. Wang JJ, Buitendijk GH, Rochtchina E et al: Genetic susceptibility, dietary antioxidants, and long-term incidence of age-related macular degeneration in two populations. *Ophthalmology.* 2014 Mar; 121(3):667-75. <http://www.ncbi.nlm.nih.gov/pubmed/24290803>
4. Kesse-Guyot E, Andreeva VA, Ducros V et al: Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. *Br J Nutr.* 2014 Mar 14; 111(5):915-23. <http://www.ncbi.nlm.nih.gov/pubmed/24073964>
5. Zou ZY, Xu XR, Lin XM et al: Effects of lutein and lycopene on carotid intima-media thickness in Chinese subjects with subclinical atherosclerosis: a randomised, double-blind, placebo-controlled trial. *Br J Nutr.* 2014 Feb; 111(3):474-80. <http://www.ncbi.nlm.nih.gov/pubmed/24047757>
6. Slattery ML, Lundgreen A, Wolff RK: Dietary influence on MAPK-signaling pathways and risk of colon and rectal cancer. *Nutr Cancer.* 2013; 65(5):729-38. <http://www.ncbi.nlm.nih.gov/pubmed/23859041>
7. Lorenzoni F, Giampietri M, Ferri G: Lutein administration to pregnant women with gestational diabetes mellitus is associated to a decrease of oxidative stress in newborns. *Gynecol Endocrinol.* 2013 Oct; 29(10):901-3. <http://www.ncbi.nlm.nih.gov/pubmed/23808391>
8. Wang MX, Jiao JH, Li ZY et al: Lutein supplementation reduces plasma lipid peroxidation and C-reactive protein in healthy nonsmokers. *Atherosclerosis.* 2013 Apr; 227(2):380-5. <http://www.ncbi.nlm.nih.gov/pubmed/23398944>
9. Murray IJ, Makridaki M, van der Veen RL et al: Lutein supplementation over a one-year period in early AMD might have a mild beneficial effect on visual acuity:

the CLEAR study. Invest Ophthalmol Vis Sci. 2013 Mar 11; 54(3):1781-8.

<http://www.ncbi.nlm.nih.gov/pubmed/23385792>

10. Yao Y, Qiu QH, Wu XW et al: Lutein supplementation improves visual performance in Chinese drivers: 1-year randomized, double-blind, placebo-controlled study. Nutrition. 2013 Jul-Aug; 29(7-8):958-64.<http://www.ncbi.nlm.nih.gov/pubmed/23360692>
11. Huang YM, Yan SF, Ma L et al: Serum and macular responses to multiple xanthophyll supplements in patients with early age-related macular degeneration. Nutrition. 2013 Feb; 29(2):387-92.<http://www.ncbi.nlm.nih.gov/pubmed/23312760>
12. Meinke MC, Friedrich A, Tscherch K et al: Influence of dietary carotenoids on radical scavenging capacity of the skin and skin lipids. Eur J Pharm Biopharm. 2013 Jun; 84(2):365-73.<http://www.ncbi.nlm.nih.gov/pubmed/23246796>
13. Beatty S, Chakravarthy U, Nolan JM et al: Secondary outcomes in a clinical trial of carotenoids with coantioxidants versus placebo in early age-related macular degeneration. Ophthalmology. 2013 Mar; 120(3):600-6.
<http://www.ncbi.nlm.nih.gov/pubmed/23218821>
14. Xu XR, Zou ZY, Xiao X et al: Effects of lutein supplement on serum inflammatory cytokines, ApoE and lipid profiles in early atherosclerosis population. J Atheroscler Thromb. 2013 Feb 22; 20(2):170-7.<http://www.ncbi.nlm.nih.gov/pubmed/23154578>
15. Berrow EJ, Bartlett HE, Eperjesi F et al: The effects of a lutein-based supplement on objective and subjective measures of retinal and visual function in eyes with age-related maculopathy – a randomized controlled trial. Br J Nutr. 2013 Jun; 109(11):2008-14. <http://www.ncbi.nlm.nih.gov/pubmed/23084077>
16. Ros MM, Bueno-de-Mesquita HB, Kampman E et al: Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. Am J Clin Nutr. 2012 Oct; 96(4):902-10. <http://www.ncbi.nlm.nih.gov/pubmed/22952186>
17. Ma L, Yan SF, Huang YM et al: Effect of lutein and zeaxanthin on macular pigment and visual function in patients with early age-related macular degeneration. Ophthalmology. 2012 Nov; 119(11):2290-7.<http://www.ncbi.nlm.nih.gov/pubmed/22858124>
18. Ma L, Dou HL, Huang YM et al: Improvement of retinal function in early age-related macular degeneration after lutein and zeaxanthin supplementation: a randomized, double-masked, placebo-controlled trial. Am J Ophthalmol. 2012 Oct; 154(4):625-634. <http://www.ncbi.nlm.nih.gov/pubmed/22835510>
19. Giaconi JA, Yu F, Stone KL et al: The association of consumption of fruits/vegetables with decreased risk of glaucoma among older African-American

- women in the study of osteoporotic fractures. Am J Ophthalmol. 2012 Oct; 154(4):635-44. <http://www.ncbi.nlm.nih.gov/pubmed/22818906>
20. Manzoni P, Guardione R, Bonetti P et al: Lutein and zeaxanthin supplementation in preterm very low-birthweight neonates in neonatal intensive care units: a multicenter randomized controlled trial. Am J Perinatol. 2013 Jan; 30(1):25-32. <http://www.ncbi.nlm.nih.gov/pubmed/22773282>
21. Tanito M, Obana A, Gohto Y et al: Macular pigment density changes in Japanese individuals supplemented with lutein or zeaxanthin: quantification via resonance Raman spectrophotometry and autofluorescence imaging. Jpn J Ophthalmol. 2012 Sep; 56(5):488-96. <http://www.ncbi.nlm.nih.gov/pubmed/22699751>
22. Landrum J, Bone R, Mendez V et al: Comparison of dietary supplementation with lutein diacetate and lutein: a pilot study of the effects on serum and macular pigment. Acta Biochim Pol. 2012; 59(1):167-9. <http://www.ncbi.nlm.nih.gov/pubmed/22428144>
23. Graydon R, Hogg RE, Chakravarthy U et al: The effect of lutein- and zeaxanthin-rich foods v. supplements on macular pigment level and serological markers of endothelial activation, inflammation and oxidation: pilot studies in healthy volunteers. Br J Nutr. 2012 Jul; 108(2):334-42. <http://www.ncbi.nlm.nih.gov/pubmed/22313522>
24. Piermarocchi S, Saviano S, Parisi V et al: Carotenoids in Age-related Maculopathy Italian Study (CARMIS): two-year results of a randomized study. Eur J Ophthalmol. 2012 Mar-Apr; 22(2):216-25. <http://www.ncbi.nlm.nih.gov/pubmed/22009916>
25. Thyagarajan B, A Meyer K, Smith LJ et al: Serum carotenoid concentrations predict lung function evolution in young adults: the Coronary Artery Risk Development in Young Adults (CARDIA) study. Am J Clin Nutr. 2011 Nov; 94(5):1211-8. <http://www.ncbi.nlm.nih.gov/pubmed/21918220>
26. Shvetsov YB, Hernandez BY, Wilkens LR et al: Plasma micronutrients and the acquisition and clearance of anal human papillomavirus infection: the Hawaii HPV cohort study. Cancer Res. 2010 Dec 1; 70(23):9787-97. <http://www.ncbi.nlm.nih.gov/pubmed/20935226>
27. Berson EL, Rosner B, Sandberg M et al: Clinical trial of lutein in patients with retinitis pigmentosa receiving vitamin A. Arch Ophthalmol. 2010 Apr; 128(4):403-11. <http://www.ncbi.nlm.nih.gov/pubmed/20385935>
28. Perrone S, Longini M, Marzocchi B et al: Effects of lutein on oxidative stress in the term newborn: a pilot study. Neonatology. 2010; 97(1):36-40. <http://www.ncbi.nlm.nih.gov/pubmed/19590244>
29. Cho H, Kim MK, Lee JK et al: Relationship of serum antioxidant micronutrients and sociodemographic factors to cervical neoplasia: a case-control study. Clin

- Chem Lab Med. 2009;
47(8):1005-12.<http://www.ncbi.nlm.nih.gov/pubmed/19589102>
30. Ma L, Lin XM, Zou ZY et al: A 12-week lutein supplementation improves visual function in Chinese people with long-term computer display light exposure. Br J Nutr. 2009 Jul; 102(2):186-90.<http://www.ncbi.nlm.nih.gov/pubmed/19586568>
31. McCall DO, McGartland CP, McKinley MC et al: Dietary intake of fruits and vegetables improves microvascular function in hypertensive subjects in a dose-dependent manner. Circulation. 2009 Apr 28;
119(16):2153-60.<http://www.ncbi.nlm.nih.gov/pubmed/19364976>
32. Mignone LI, Giovannucci E, Newcomb PA et al: Dietary carotenoids and the risk of invasive breast cancer. Int J Cancer. 2009 Jun 15; 124(12):2929-37.
<http://www.ncbi.nlm.nih.gov/pubmed/19330841>
33. Johnson EJ, McDonald K, Caldarella SM et al: Cognitive findings of an exploratory trial of docosahexaenoic acid and lutein supplementation in older women. Nutr Neurosci. 2008 Apr;
11(2):75-83.<http://www.ncbi.nlm.nih.gov/pubmed/18510807>
34. Johnson EJ, Chung HY, Caldarella SM et al: The influence of supplemental lutein and docosahexaenoic acid on serum, lipoproteins, and macular pigmentation. Am J Clin Nutr. 2008 May;
87(5):1521-9.<http://www.ncbi.nlm.nih.gov/pubmed/18469279>
35. Dherani M, Murthy GV, Gupta SK et al: Blood levels of vitamin C, carotenoids and retinol are inversely associated with cataract in a North Indian population. Invest Ophthalmol Vis Sci. 2008 Aug;
49(8):3328-35.<http://www.ncbi.nlm.nih.gov/pubmed/18421094>
36. Moeller SM, Voland R, Tinker L et al: Associations between age-related nuclear cataract and lutein and zeaxanthin in the diet and serum in the Carotenoids in the Age-Related Eye Disease Study, an Ancillary Study of the Women's Health Initiative. Arch Ophthalmol. 2008 Mar;
126(3):354-64.<http://www.ncbi.nlm.nih.gov/pubmed/18332316>
37. Palombo P, Fabrizi G, Ruocco V et al: Beneficial long-term effects of combined oral/topical antioxidant treatment with the carotenoids lutein and zeaxanthin on human skin: a double-blind, placebo-controlled study. Skin Pharmacol Physiol. 2007; 20(4):199-210. <http://www.ncbi.nlm.nih.gov/pubmed/17446716>
38. Hozawa A, Jacobs DR Jr, Steffes MW et al: Relationships of circulating carotenoid concentrations with several markers of inflammation, oxidative stress, and endothelial dysfunction: the Coronary Artery Risk Development in Young Adults (CARDIA)/Young Adult Longitudinal Trends in Antioxidants (YALTA) study. Clin Chem. 2007 Mar; 53(3):447-55.
<http://www.ncbi.nlm.nih.gov/pubmed/17234732>

39. Zhao X, Aldini G, Johnson EJ et al: Modification of lymphocyte DNA damage by carotenoid supplementation in postmenopausal women. Am J Clin Nutr. 2006 Jan; 83(1):163-9. <http://www.ncbi.nlm.nih.gov/pubmed/16400064>
40. Kato I, Ren J, Visscher DW et al: Nutritional predictors for cellular nipple aspirate fluid: Nutrition and Breast Health Study. Breast Cancer Res Treat. 2006 May; 97(1):33-9. <http://www.ncbi.nlm.nih.gov/pubmed/16317581>
41. Coyne T, Ibiebele TI, Baade PD et al: Diabetes mellitus and serum carotenoids: findings of a population-based study in Queensland, Australia. Am J Clin Nutr. 2005 Sep; 82(3):685-93. <http://www.ncbi.nlm.nih.gov/pubmed/16155284>
42. Morganti P, Fabrizi G, Bruno C: Protective effects of oral antioxidants on skin and eye function. Skinmed. 2004 Nov-Dec; 3(6):310-6. <http://www.ncbi.nlm.nih.gov/pubmed/15538079>
43. Richer S, Stiles W, Statkute L et al: Double-masked, placebo-controlled, randomized trial of lutein and antioxidant supplementation in the intervention of atrophic age-related macular degeneration: the Veterans LAST study (Lutein Antioxidant Supplementation Trial). Optometry. 2004 Apr; 75(4):216-30. <http://www.ncbi.nlm.nih.gov/pubmed/15117055>

Lycopene

1. Tomato lycopene and low density lipoprotein oxidation: a human dietary intervention study. Lipids. 1998. 33(10):981-4. <https://pubmed.ncbi.nlm.nih.gov/9832077/>
2. Protective activity of processed tomato products on postprandial oxidation and inflammation: a clinical trial in healthy weight men and women. Mol Nutr Food Res. 2012. 56(4):622-31. <https://pubmed.ncbi.nlm.nih.gov/22331646/>
3. Lycopene/tomato consumption and the risk of prostate cancer: a systematic review and meta-analysis of prospective studies. J Nutr Sci Vitaminol (Tokyo). 2013. 59(3):213-23. <https://pubmed.ncbi.nlm.nih.gov/23883692/>
4. A dose-response study on the effects of purified lycopene supplementation on biomarkers of oxidative stress. J Am Coll Nutr. 2008. 27(2):267-73. <https://pubmed.ncbi.nlm.nih.gov/18689558/>
5. Oxidative and antioxidant status in plasma of runners: effect of oral supplementation with natural antioxidants. J Med Food. 2009. 12(1):145-50. <https://pubmed.ncbi.nlm.nih.gov/19298208/>
6. A lycopene-enriched virgin olive oil enhances antioxidant status in humans. J Sci Food Agric. 2013. 93(8):1820-6. <https://pubmed.ncbi.nlm.nih.gov/23225211/>

7. The consumption of processed tomato products enhances plasma lycopene concentrations in association with a reduced lipoprotein sensitivity to oxidative damage. *J Nutr.* 2003. 133(3):727-32.<https://academic.oup.com/jn/article/133/3/727/4688058>
8. Relationships of circulating carotenoid concentrations with several markers of inflammation, oxidative stress, and endothelial dysfunction: the Coronary Artery Risk Development in Young Adults (CARDIA)/Young Adult Longitudinal Trends in Antioxidants (YALTA) study. *Clin Chem.* 2007. 53(3):447-55.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2440581/>
9. Effects of lycopene supplementation on oxidative stress and markers of endothelial function in healthy men. *Atherosclerosis.* 2011. 215(1):189-95.<https://pubmed.ncbi.nlm.nih.gov/21194693/>
10. Effects of tomato juice consumption on plasma and lipoprotein carotenoid concentrations and the susceptibility of low density lipoprotein to oxidative modification. *J Nutr Sci Vitaminol (Tokyo).* 2001. 47(3):213-21.<https://pubmed.ncbi.nlm.nih.gov/11575576/>
11. The effects of natural antioxidants from tomato extract in treated but uncontrolled hypertensive patients. *Cardiovasc Drugs Ther.* 2009. 23(2):145-51.<https://pubmed.ncbi.nlm.nih.gov/19052855/>
12. Lycopene inhibits disease progression in patients with benign prostate hyperplasia. *J Nutr.* 2008. 138(1):49-53.<https://pubmed.ncbi.nlm.nih.gov/18156403/>
13. Contribution of tomato phenolics to antioxidation and down-regulation of blood lipids. *J Agric Food Chem.* 2007. 55(16):6475-81.<https://pubmed.ncbi.nlm.nih.gov/17629300/>
14. Tomato juice decreases LDL cholesterol levels and increases LDL resistance to oxidation. *Br J Nutr.* 2007. 98(6):1251-8.<https://pubmed.ncbi.nlm.nih.gov/17617941/>
15. Recovery of human lymphocytes from oxidative DNA damage; the apparent enhancement of DNA repair by carotenoids is probably simply an antioxidant effect. *Eur J Nutr.* 2000. 39(2):80-5.<https://pubmed.ncbi.nlm.nih.gov/10918989/>
16. Effect of tomato product consumption on the plasma status of antioxidant microconstituents and on the plasma total antioxidant capacity in healthy subjects. *J Am Coll Nutr.* 2004. 23(2):148-56.<https://pubmed.ncbi.nlm.nih.gov/15047681/>
17. Protective activity of tomato products on in vivo markers of lipid oxidation. *Eur J Nutr.* 2003. 42(4):201-6.<https://pubmed.ncbi.nlm.nih.gov/12923651/>

18. Tomato paste supplementation improves endothelial dynamics and reduces plasma total oxidative status in healthy subjects. *Nutr Res.* 2012. 32(5):390-4.<https://pubmed.ncbi.nlm.nih.gov/22652379/>
19. Effect of lycopene on androgen receptor and prostate-specific antigen velocity. *Chin Med J (Engl).* 2010. 123(16):2231-6.<https://pubmed.ncbi.nlm.nih.gov/20819671/>
20. Effects of lutein and lycopene on carotid intima- media thickness in Chinese subjects with subclinical atherosclerosis: a randomised, double-blind, placebo-controlled trial. *Br J Nutr.* 2014. 111(3):474-80.<https://pubmed.ncbi.nlm.nih.gov/24047757/>

Astragalus

1. A study on the immune receptors for polysaccharides from the roots of *Astragalus membranaceus*, a Chinese medicinal herb. *Biochem Biophys Res Comm.* 2004. 1103–1111.<https://www.semanticscholar.org/paper/A-study-on-the-immune-receptors-for-polysaccharides-Shao-Xu/7d627cd748cac970b086a39073a68e5dbb2c2827?p2df>
2. Immune System Effects of Echinacea, Ginseng, and Astragalus: A Review. *Int Cancer Ther.* 2003. 2(3):247-267.<https://journals.sagepub.com/doi/pdf/10.1177/1534735403256419>
3. Immunomodulatory Effects of *Astragalus gypsiculus* Hydroalcoholic Extract in Ovalbumin-Induced Allergic Mice Model. *Iran J Allergy Asthma Immunol.* 2011. 10(4):281-288.<https://www.semanticscholar.org/paper/Immunomodulatory-effects-of-Astragalus-gypsiculus-Boroujerdnia-Azemi/664e0c97b0eaf109a9c4020eafe187aa32618107?p2df>
4. The effect of *Echinacea purpurea*, *Astragalus membranaceus* and *Glycyrrhiza glabra* on CD69 expression and immune cell activation in humans. *Phytother Res.* 2006. 20(8):687-95.<https://onlinelibrary.wiley.com/doi/abs/10.1002/ptr.1938>
5. Milkvetch root improves immune function in patients with acute exacerbation of COPD. *Biomed Mater Eng.* 2015. S2113-21.<https://pdfs.semanticscholar.org/191d/2be2294df6819300633910ad66e8d74affd7.pdf>
6. [Modulatory effect of *Astragalus membranaceus* on Th1/Th2 cytokine in patients with herpes simplex keratitis]. [Article in Chinese] *Zhongguo Zhong Xi Yi Jie He Za Zhi.* 2004. 24(2):121-3.<https://pubmed.ncbi.nlm.nih.gov/15015443/>

7. Efficacy and safety of Astragalus membranaceus in the treatment of patients with seasonal allergic rhinitis. *Phytother Res.* 2010. 24(2):175-81.<http://cms.herbalgram.org/herbclip/381/pdfs/070691.pdf>
8. Astragalus membranaceus modulates Th1/2 immune balance and activates PPAR γ in a murine asthma model. *Biochemistry and Cell Biology.* 2014. 92(5):397-405.<https://www.nrcresearchpress.com/doi/abs/10.1139/bcb-2014-0008#.X0VvQchKiUI>
9. Oral Astragalus (Huang qi) for preventing frequent episodes of acute respiratory tract infection in children. *Cochrane Database of Systematic Reviews.* 2015. 11:CD011958.<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD011958/epdf/full>
10. The effect of Echinacea purpurea, Astragalus membranaceus and Glycyrrhiza glabra on CD25 expression in humans: a pilot study. *Phytother Res.* 2007. 21(11):1109-12.https://www.researchgate.net/publication/6976593_The_effect_of_Echinacea_purpureaAstragalus_membranaceus_andGlycyrrhiza_glabra_on_CD69_expression_andImmune_cell_activation_in_humans

Vincamine

COMING SOON

Piperine

1. Khan, M.A. (2012) Biological Role of Piper nigrum L. (Black Pepper): A Review. *Asian Pac J Trop Biomed,* 2010, 5:1945-1953.https://www.academia.edu/22369213/Biological_role_of_Piper_nigrum_L_Black_pepper_A_review?auto=download
2. Role of herbal bioactives as a potential bioavailability enhancer for Active Pharmaceutical Ingredients. *Fitoterapia.* 2014 Sep;97C:1-14.https://www.researchgate.net/publication/262646844_Role_of_herbal_bioactives_as_a_potential_bioavailability_enhancer_for_Active_Pharmaceutical_Ingredients
3. Piperine, a plant alkaloid of the piper species, enhances the bioavailability of aflatoxin B1 in rat tissues. *Cancer Lett.* 1992 Jan 31;61(3):195-9.<https://www.sciencedirect.com/science/article/abs/pii/0304383592902876>
4. Pharmacodynamics of TRPV1 Agonists in a Bioassay Using Human PC-3 Cells, *Sci World J,* 2014, ID 184526, 6 pages. Pharmacodynamics of TRPV1 Agonists in

- a Bioassay Using Human PC-3 Cells, Sci World J, 2014, ID 184526, 6 pages.<https://www.hindawi.com/journals/tswj/2014/184526/>
- 5. Bioenhancers: Revolutionary concept to market. J Ayur Integ Med 2010. 1:96–9. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3151395/pdf/JAIM-1-96.pdf>
 - 6. Biochemical basis of enhanced drug bioavailability by piperine: evidence that piperine is a potent inhibitor of drug metabolism. J. Pharmacol. Exp. Ther. 1985. 232(1):258–62. <https://jpet.aspetjournals.org/content/232/1/258.long>
 - 7. Scientific evidence on the role of Ayurvedic herbals on bioavailability of drugs. J Ethnopharm 1981. 4(2): 229-32. <https://www.sciencedirect.com/science/article/abs/pii/0378874181900374?via%3Dhub>
 - 8. Piperine, an alkaloid derived from black pepper increases serum response of beta-carotene during 14-days of oral beta-carotene supplementation. Nutri Res. 1999, 19(3): 381–388. <https://www.sciencedirect.com/science/article/pii/S027153179900007X>
 - 9. Bajad S, Bedi K, Singla A et al: Piperine inhibits gastric emptying and gastrointestinal transit in rats and mice. Planta Medica 2001. 67: 176-179
 - 10. Bano G, Amla V, Raina R et al: The effect of piperine on pharmacokinetics of phenytoin in healthy volunteers. Planta Medica. 1987, 53(6): 568–569.
 - 11. Bano G, Raina R, Zutshi U et al: Effect of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers. Eur J Clin Pharmacol. 1991;41(6):615-7.
 - 12. Bedada S, Boga P, Kotakonda H: Study on influence of piperine treatment on the pharmacokinetics of diclofenac in healthy volunteers. Xenobiotica. 2017, 47(2):127-132.
 - 13. Bhardwaj K, Glaeser H, Becquemont L et al: Piperine, a major constituent of black pepper, inhibits human P-glycoprotein and CYP3A4. J Pharm Exp Ther. 2002, 302(2):645-650.
 - 14. Cai L, Liu J, Li L et al: [Effect of piperine on metabolism and distribution of nortriptyline in mice]. J Cent South Univ (Med Sci), 2014, 39(4): 349-54.
 - 15. Chopra B, Dhingra A, Kapoor R et al: Piperine and Its Various Physicochemical and Biological Aspects: A Review. Open Chem J, 2016, 3, 75-96.
 - 16. Dama M, Varshneya C, Dardi M et al: Effect of trikatu pretreatment on the pharmacokinetics of pefloxacin administered orally in mountain Gaddi goats. J Vet Sci. 2008 Mar;9(1):25-9.
 - 17. Desai S, Gawali V, Naik A et al: Potentiating effect of piperine on hepatoprotective activity of Boerhaavia diffusa to combat oxidative stress. Int J Pharmacogn, 2008, 4:393-397.

18. Di X, Wang X, Di X et al: Effect of piperine on the bioavailability and pharmacokinetics of emodin in rats. *J Pharm Biomed Anal.* 2015 Nov, 115:144-9.
19. Dubey R, Leenens B, Imthurn B et al: Piperine Decreases Binding of Drugs to Human Plasma and Increases Uptake by Brain Microvascular Endothelial Cells. *Phytother Res.* 2017, 31(12):1868-1874.
20. Dudhatra G, Mody S, Awale M et al: A Comprehensive Review on Pharmacotherapeutics of Herbal Bioenhancers. *Sci World J.* 2012, Sept: 637953.
21. Feng X, Liu Y, Wang X et al: Effects of piperine on the intestinal permeability and pharmacokinetics of linalin in rats. *Molecules.* 2014 Apr 30;19(5):5624-33.
22. Gopal V, Prakash G, Velvizhi T: Bio-Enhancer: A Pharmacognostic Perspective. *Eur J Mol Biol Biochem.* 2016;3(1):33-38.
23. Gorgani, L, Mohammadi M, Najafpour G et al: d, M. (2017), Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *Comp Rev Food Sci Food Safe* 2017. 16:124–140.
24. Gupta P, Nagwansi D, Gupta S: Comparative standardization of a polyherbal ayurvedic formulation trikatu churna. *J Chem Pharm Res,* 2015. 7(12):191-196
25. Hiwale A, Dhuley J, Naik S: Effect of co-administration of piperine on pharmacokinetics of f3-lactam antibiotics in rats. *Ind J Exp Bio.* 2002, 40:277-281.
26. Janakiraman K, Manavalan R: Studies on Effect of Piperine on Oral Bioavailability of Ampicillin and Norfloxacin. *Afr J Trad Comp Alt Med.* 2008; 5(3): 257–262.
27. Jamwal D, Singh J: Effects of piperine on enzyme activities and bioenergetic functions in isolated rat liver mitochondria and hepatocytes. *J Biochem Toxicol.* 1993 Dec;8(4):167-74.
28. Jhanwar J, Gupta S: Biopotentiation using Herbs: Novel Technique for Poor Bioavailable Drugs. *Int J PharmT Res* 2014. 6(2): 443-454.
29. Jin, M, Han, H: Effect of Piperine, a Major Component of Black Pepper, on the Intestinal Absorption of Fexofenadine and Its Implication on Food–Drug Interaction. *J Food Sci.,* 2010. 75: H93–H96.
30. Johnson J, Nihal M, Siddiqui I et al: Enhancing the bioavailability of resveratrol by combining it with piperine. *Mol Nutri Food Res.* 2011, 55(8): 1169–1176.
31. Johri R, Thusu N, Khajuria A et al: Piperine mediated changes in the permeability of rat intestinal epithelial cells. The status of γ -glutamyl transpeptidase activity, uptake of amino acids and lipid peroxidation. *Biochem Pharm.* 1992, 43(7):1401-7.
32. Kang M, Cho J, Shim B et al: Bioavailability enhancing activities of natural compounds from medicinal plants. *J Med Plant Res.* 2009, 3(13): 1204–1211.

33. Kasibhatta R, Naidu M: Influence of piperine on the pharmacokinetics of nevirapine under fasting conditions: a randomised, crossover, placebo-controlled study. *Drugs R D*. 2007;8(6):383-91.
34. Karan R, Bhargava V, Garg S: Effect of trikatu, an ayurvedic prescription, on the Pharmacokinetic profile of carbamazepine in rabbits. *Indian J Physiol Pharmacol* 1999; 43 (1): 133-136
35. Kesarwani K, Gupta R, Mukerjee A: Bioavailability enhancers of herbal origin: an overview. *Asian Pac J Trop Biomed*. 2013 Apr; 3(4):253-66.
36. Khajuria A, Thusu N, Zutshi U: Piperine modulates permeability characteristics of intestine by inducing alterations in membrane dynamics: influence on brush border membrane fluidity, ultrastructure and enzyme kinetics. *Phytomedicine*. 2002 Apr;9(3):224-31.
37. Khajuria A, Zutshi U, Bedi K: Permeability characteristics of piperine on oral absorption—an active alkaloid from peppers and a bioavailability enhancer. *Indian J Exp Biol*. 1998 Jan;36(1):46-50.
38. Khan I, Mirza Z, Kumar A et al: Piperine, a phytochemical potentiator of ciprofloxacin against *Staphylococcus aureus*. *Antimicrob Agents Chemo*. 2006 Feb;50(2):810-2.
39. Khan Z, Moni F, Sharmin S et al: Isolation of Bulk Amount of Piperine as Active Pharmaceutical Ingredient (API) from Black Pepper and White Pepper (*Piper nigrum L.*). *Pharmacol Pharm*, 2017, 8, 253-262.
40. Kulkarni A, Dias R: Natural products as bioavailability enhancers. *Int J Inv Pharm Sci Res* 2017. 5(12):24-33.
41. Kumar S, Dobos G, Rampp T: The Significance of Ayurvedic Medicinal Plants. *J Evid Base Int Med*, 2017. (22)3:494-501
42. Lambert J, Hong J, Kim D et al: Piperine enhances the bioavailability of the tea polyphenol (-)-epigallocatechin-3-gallate in mice. *J Nutrition*. 2004. 134(8); 1948-52.
43. Lee S, Kim H, Back S et al: Piperine-mediated drug interactions and formulation strategy for piperine: recent advances and future perspectives. *Expert Opin Drug Metab Toxicol*. 2018 Jan;14(1):43-57.
44. Liang Y, Chen H, Su Z et al: White Pepper and Piperine Have Different Effects on Pharmacokinetics of Puerarin in Rats. *Evid Based Comp Alt Med* 2014.
45. Majeed M, Badmaev V, Rajendran R, Inventors; Sabinsa Corporation, assignee. Use of piperine to increase the bioavailability of nutritional compounds. US patent 5,536,506, Jul. 16, 1996.
46. Majeed M, Badmaev V, Rajendran R, Inventors; Sabinsa Corporation, assignee. Use of piperine as a bioavailability enhancer. US patent 5,744,161. April 28, 1998.

47. Majeed M, Badmaev V, Rajendran R, Inventors; Sabinsa Corporation, assignee. Use of piperine as a bioavailability enhancer. US patent 5,972,382. October 26, 1999.
48. Makhov P, Golovine K, Canter D et al: Co-administration of piperine and docetaxel results in improved anti-tumor efficacy via inhibition of CYP3A4 activity. *Prostate*. 2012 May 1;72(6):661-7.
49. Mann A: Biopotency role of culinary spices and herbs and their chemical constituents in health and commonly used spices in Nigerian dishes and snacks. *African J Food Sci*, 2011, 5: 111-124.
50. Meghwal M, Goswami T: *Piper nigrum* and Piperine: An Update. *Phyto Res* 2013. 27(8): 1121–1130.
51. Mujumdar A, Dhuley J, Deshmukh V et al: Effect of piperine on pentobarbitone induced hypnosis in rats. *Indian J Exp Biol*, 1990a, 28:486-487.
52. Muneer C, Pandey V: Effect of Piperine on Oral Bioavailability of Diltiazem HCl in Rabbits. *Int J Pharm App*. 2012, 3(4):406-413.
53. Panahi Y, Badeli R, Karami G et al: Investigation of the Efficacy of Adjunctive Therapy with Bioavailability-Boosted Curcuminoids in Major Depressive Disorder. *Phytother Res*. 2015, 29(1):17-21.
54. Panahi Y, Ghanei M, Hajhashemi A et al: Effects of Curcuminoids-Piperine Combination on Systemic Oxidative Stress, Clinical Symptoms and Quality of Life in Subjects with Chronic Pulmonary Complications Due to Sulfur Mustard: A Randomized Controlled Trial. *J Diet Suppl*. 2016;13(1):93-105.
55. Parmar V, Jain S, Bisht K et al: Phytochemistry of genus piper. *Phytochemistry* 1997. 46:597-673.
56. Park T, Jeong N, Inventors; Industry-Academic Cooperation Foundation, assignee. Piperine derivatives and uses thereof. US patent 9,321,751. April 26, 2016.
57. Patel R, Modi I, Inventors; Cadila Laboratories Limited, assignee. Compositions containing piperine. US patent 5,616,593. April 1, 1997.
58. Pattanaik S, Hota D, Prabhakar S et al: Pharmacokinetic interaction of single dose of piperine with steady-state carbamazepine in epilepsy patients. *Phytotherapy Res*. 2009, 23(9): 1281–1286.
59. Rahimnia A, Panahi Y, Alishiri G et al: Impact of Supplementation with Curcuminoids on Systemic Inflammation in Patients with Knee Osteoarthritis: Findings from a Randomized Double-Blind Placebo-Controlled Trial. *Drug Res (Stuttg)*. 2014 Jul 22. [Epub ahead of print]
60. Randhawa G, Kullar J, Rajkumar: Bioenhancers from mother nature and their applicability in modern medicine. *Int J Appl Basic Med Res*. 2011 Jan;1(1):5-10.

61. Reanmongkol W, Janthasoot W, Wattanatorn W et al: Effects of piperine on bioenergetic functions of isolated rat liver mitochondria. *Biochem Pharmacol*. 1988 Feb 15;37(4):753-7.
62. Reen R, Jamwal S, Taneja S et al: Impairment of UDP-glucose dehydrogenase and glucuronidation activities in liver and small intestine of rat and guinea pig in vitro by piperine. *Biochem Pharm* 1993. 46(2), 229-238.
63. Reen R, Roesch S, Kiefer F et al: Piperine impairs cytochrome P4501A1 activity by direct interaction with the enzyme and not by down regulation of CYP1A1 gene expression in the rat hepatoma 5L cell line. *Biochem Biophys Res Commun* 1996. 218(2):562-9.
64. Samy R, Pushparaj P, Gopalakrishnakone P: A compilation of bioactive compounds from Ayurveda. *Bioinformation* 2008; 3:100-110.
65. Schatman M: Medical Marijuana: The State of the Science. 2015, Feb. Medscape.
66. Shanmugam S: Natural Bioenhancers: Current Outlook. *Clin Pharmacol Biopharm* 2015, 4:2
67. Shoba G, Joy D, Joseph T et al: Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Medica*, 1998. 64(4): 353–356.
68. Singh A, Duggal S: Piperine- Review of Advances in Pharmacology. *Int J Pharm Sci Nanotechnol*. 2009. 2:615–20.
69. Singh V, Maurya J, Mishra A et al: Review article: Fast Dissolving Tablet with Piperine. *Am. J. PharmTech Res*. 2013; 3(6):15-37.
70. Singh V, Maurya J, Mishra A et al: Formulation and Evaluation of Mouth Dissolving Tablet of Norfloxacin with Piperine and their Antibacterial Activity. *Am. J. PharmTech Res*. 2013; 3(5):453-63.
71. Singh A, Pawar V, Jakhmola V et al: In vivo assessment of enhanced bioavailability of metronidazole with piperine in rabbits. *Res J Pharm Bio Chem Sci*. 2010, 1(4):273–278.
72. Singh V, Singh P, Mishra A et al: Piperine: delightful surprise to the biological world, made by plant “pepper” and a great bioavailability enhancer for our drugs and supplements. *World J Pharm Res* 2014: 3(6): 2084-2098.
73. Singh S, Tripathi J, Rai N: An appraisal of the bioavailability enhancers in Ayurveda in the light of recent pharmacological advances. *Ayu* 2016. 37(1):3-10
74. Srinivasan K: Black pepper and its pungent principle-piperine: A review of diverse physiological effects. *Critical Reviews in Food Science and Nutrition*. 2007. 47(8):735–48.
75. Srinivasan K. (2013) Biological Activities of Pepper Alkaloids. In: Ramawat K., Mérillon JM. (eds) *Natural Products*. Springer, Berlin, Heidelberg.

76. Tatiraju D, Bagade V, Karambelkar P et al: Natural Bioenhancers: An overview. *J Pharm Phyto* 2013; 2 (3): 55-60.
77. Velpandian T, Jasuja R, Bhardwaj R: Piperine in food: Interference in the pharmacokinetics of phenytoin. *Eur J Drug Met Kin*, 2001, 26:241-247.
78. Venkatesh S, Durga K, Padmavathi Y et al: Influence of piperine on ibuprofen induced antinociception and its pharmacokinetics. *Drug Res*, 2011; 61:506–509.
79. Volak LP, Hanley MJ, Masse G et al: Effect of a herbal extract containing curcumin and Piperine on midazolam, flurbiprofen and paracetamol (acetaminophen) pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol*. 2013 Feb;75(2):450-62.
80. Wadhwa S, Singhal S, Rawat S: Bioavailability Enhancement by Piperine: A Review. *Asian J Biomed Pharma Sci*. 2014, 04(36): 1-8.
81. Wightman E, Reay J, Haskell C et al: Effects of resveratrol alone or in combination with piperine on cerebral blood flow parameters and cognitive performance in human subjects: a randomised, double-blind, placebo-controlled, cross-over investigation. *Br J Nutr*. 2014 Jul;112(2):203-13.
82. Yang J, Mao K, Huang P et al: Effect of piperine on the bioavailability and pharmacokinetics of rosmarinic acid in rat plasma using UPLC-MS/MS. *Xenobiotica*. 2018 Feb; 48(2):178-185
83. Zaveri M, Patel A, Khandhar A et al: Chemistry and Pharmacology of *Piper Longum* L. *Int J Pharm Sci Rev Res*. 2010, Dec; 5(1):67-76.
84. Zutshi U, Kaul J: The impact of Ayurvedic herbals on drug bioavailability. *Indian Drugs*, 1982, 19:476–479.
85. Zutshi U: “A process for the preparation of pharmaceutical combination with enhanced activity for treatment of tuberculosis and leprosy,” Indian Patent No. 1232/DEL/89, 1989.