

Appurtenance-CLASSIC	Part Code	Fredsert Data					Installation Data									
		A	B	C	D	P	Q	R	S	T	U	V				
		ID Thread	Minimum Effective ID Thread Depth (mm)	Overall Length (mm)	Head Dia (mm)	Head Thickness (mm)	Min C bore Dia (mm)	Min C bore Depth (mm)	Class 6H Thread in Parent Material	Min Drill Depth (mm)	Min Thread Depth (mm)	Tap Drill Diameter (mm)	Drive Tool	Combo Tool	Install Torque (ft-lbs)	
GAAMRT407-8125-5T-28	111	M4 x 0.7	THRU	33.00	11.00	28.00	N/A	N/A	M8 x 1.25	7.50	5.00	6.70	D-1	C2	15	
GAAMRT407-8125-5T-15	112	M4 x 0.7		10.00	20.00	11.00	15.00	N/A	N/A	M8 x 1.25	7.50	5.00	6.70	D-1	C2	15
GAAMRT407-8125-5T-20	551	M4 x 0.7	THRU	25.00	11.00	20.00	N/A	N/A	M8 x 1.25	7.50	5.00	6.70	D-1	C2	15	
GAAMRT407-8125-5S-15	550	M4 x 0.7		10.00	20.00	11.00	15.00	N/A	N/A	M8 x 1.25	7.50	5.00	6.70	D-1	C2	15
GAAMRT508-1015-9T-15	126	M5 x 0.8		13.00	24.00	12.70	15.00	N/A	N/A	M10 x 1.5	11.50	9.00	8.50	1.5	C5	60
GAAMRT508-1015-9T-40	129	M5 x 0.8		13.00	49.00	12.70	40.00	N/A	N/A	M10 x 1.5	11.50	9.00	8.50	D-1.5	C5	60
GAAMRT508-1015-9T-28	127	M5 x 0.8		13.00	37.00	37.00	28.00	N/A	N/A	M10 x 1.5	11.50	9.00	8.50	1.5	C5	60
GAAMRT508-1015-9T-8	148	M5 x 0.8	THRU	16.90	12.70	7.89	N/A	N/A	M10 x 1.5	11.50	9.00	8.50	1.5	C5	60	
GAAMRT508-1015-9T-11	147	M5 x 0.8	THRU	20.14	12.70	11.14	N/A	N/A	M10 x 1.5	11.50	9.00	8.50	1.5	C5	60	
GAAMRT508-1015-9T-35	128	M5 x 0.8		13.00	44.00	12.70	35.00	N/A	N/A	M10 x 1.5	11.50	9.00	8.50	1.5	C5	60
GAAMRT610-12175-9S-50	136	M6 x 1.0		15.00	59.00	16.00	50.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9T-30	145	M6 x 1.0		15.00	39.00	16.00	30.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9T-15	132	M6 x 1.0		15.00	24.00	16.00	15.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9T-20	133	M6 x 1.0		15.00	29.00	16.00	20.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9T-35	167	M6 x 1.0		15.00	44.00	16.00	35.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9S-100	130	M6 x 1.0		15.00	109.00	16.00	100.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9T-28	114	M6 x 1.0	THRU	37.00	16.00	28.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-40	170	M6 x 1.0		15.00	49.00	16.00	40.00	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9S-30	553	M6 x 1.0		15	39	16	30	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110
GAAMRT610-12175-9T-14	175	M6 x 1.0	THRU	23	16	14	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-19	104	M6 x 1.0	THRU	28	16	19	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-25	552	M6 x 1.0	THRU	34	16	25	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-50	136	M6 x 1.0	THRU	59	16	50	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	

Part #	Part Code	Fredsert Data					Installation Data									
		A	B	C	D	P	Q	R	S	T	U	V				
		ID Thread	Minimum Effective ID Thread Depth (mm)	Overall Length (mm)	Head Dia (mm)	Head Thickness (mm)	Min C bore Dia (mm)	Min C bore Depth (mm)	Class 6H Thread in Parent Material	Min Drill Depth (mm)	Min Thread Depth (mm)	Tap Drill Diameter (mm)	Drive Tool	Combo Tool	Install Torque (ft-lbs)	
GAAMRT610-12175-9S-35	554	M6 x 1.0	18	44	16	35	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9S-77	119	M6 x 1.0	18	86	16	77	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-27	193	M6 x 1.0	THRU	36	16	27	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9S-40	555	M6 x 1.0	18	49	16	40	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-13	172	M6 x 1.0	THRU	22	16	13	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-16	198	M6 x 1.0	THRU	25	16	16	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT610-12175-9T-24	194	M6 x 1.0	THRU	33	16	24	N/A	N/A	M12 x 1.75	11.50	9.00	10.20	D-2	C7	110	
GAAMRT8125-1420-11T-8	150	M8 x 1.25	THRU	18.90	18.00	7.89	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11T-11	149	M8 x 1.25	THRU	22.14	18.00	11.14	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11T-28	117	M8 x 1.25	THRU	39.00	18.00	28.00	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11T-14	184	M8 x 1.25	THRU	25	18	14	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11T-23	20	M8 x 1.25	THRU	34	18	23	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11S-68	41	M8 x 1.25	15	79	18	68	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11T-15	196	M8 x 1.25	THRU	26	18	15	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11T-24	187	M8 x 1.25	THRU	35	18	24	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1620-145S-100	557	M8 x 1.25	15	114.5	20	100	N/A	N/A	M16 x 2.0	17	14.5	14	D-4	C58	225	
GAAMRT8125-1420-11S-100	123	M8 x 1.25	15	111	18	100	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11T-16	197	M8 x 1.25	THRU	27	18	16	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT8125-1420-11S-64	195	M8 x 1.25	15	75	18	64	N/A	N/A	M14 x 2.0	13.5	11.00	12.00	D-3	C12	130	
GAAMRT1015-1620-145T-5	123	M10 x 1.5	THRU	19.50	20.00	5.00	N/A	N/A	M16 x 2.0	17.00	14.50	14.00	D-4	C58	225	
GAAMRT1015-1620-145T-28	120	M10 x 1.5	THRU	42.50	20.00	28.00	N/A	N/A	M16 x 2.0	17.00	14.50	14.00	D-4	C58	225	
GAAMRT1015-1620-145T-10	559	M10 x 1.5	THRU	24.5	20	10	N/A	N/A	M16 x 2.0	17.00	14.50	14.00	D-4	C58	225	
GAAMRT1015-1620-145S-10	558	M10 x 1.5	16	24.5	20	10	N/A	N/A	M16 x 2.0	17.00	14.50	14.00	D-4	C58	225	

