



Brand	Model	Dimming Type	Operating Voltage (VAC)	Dimming Range (%)	Uniform Dimming	Visible Flicker During Dimming
Lutron	SCL-153P	Leading	120	5-96	YES	None
	S-600P	Leading	120	5-96	YES	None
	DVCL-153P	Leading	120	5-96	YES	None
	DVCL-253P	Leading	120	5-96	YES	None
	CTCL-153P	Leading	120	5-96	YES	None
	TGCL-153P	Leading	120	5-96	YES	None
	TBL03	Leading	120	5-96	YES	None
	MACL-153M	Leading	120	5-96	YES	None
	PD-6WCL	Leading	120	5-96	YES	None
	PD-10NXD	Leading	120	5-96	YES	None
	SELV-300P	Trailing	120	10-92	YES	None
	MAELV-600	Trailing	120	10-92	YES	None
Leviton	6631	Leading	120	5-98	YES	None
	6683	Leading	120	5-99	YES	None
	VPE06	Trailing	120	10-92	YES	None
	AWSMG-EBW	Trailing	120/230/277	10-92	YES	None
Legrande	RHCL453PTCCV6	Leading	120	5-96	YES	None
Lightolier	ZP600VA	Leading	120	5-96	YES	None
Merten	572599	Leading	230	5-98	YES	None
	MEG5133	Leading	230	5-96	YES	None
Busch	2247	Leading	230	5-99	YES	None
	6513	Trailing	230	5-92	YES	None
Kopp	8068	Leading	230	5-99	YES	None
	8002	Trailing	230	5-93	YES	None
Ehmann	LUMEO ECO	Leading	230	5-98	YES	None
	TAST-ANSCHNITT	Leading	230	5-98	YES	None
	DIMMER T46	Trailing	230	5-88	YES	None

Tempo Industries reserves the right to change materials or modify the design of its product without notification as part of the company's continuing product improvement program. Please consult www.tempolc.com for the most up-to-date specifications and technical data.