

Participant Number	Consent (Yes-No)	Gender	DOB (M/D/Y)	Past Medical History	Diagnosis	CC	HPI	PE	Lab Data	Date	B/P	HR	Temp	Respiration Rate	Pain Rating
1	Y	M	2/15/1938	Hypertension, Medications: Lotensin, hydrochlorothiazide	Brain Tumor		Visual loss 3-4 weeks prior to diagnosis involving left eye and predominantly left visual field with subsequent slurring of speech and ataxia of gait	III/VI systolic ejection murmur		11/4/97					
2	N	F	1/9/1939		Metastatic colon cancer to the liver	Pain and fatigue	Reoccurrence of disease in 1998, "remarkable response" to 1 st chemo with normalization of CT scan and chemistry one year ago; since then, tumor markers have been increasing and are out of proportion to patient's liver function tests, therefore received CPT-11 for tumor but bone marrow did not tolerate this drug requiring transfusions			11/2/99					
3	Y	F	6/16/1931		Endometrial cancer, arthritis, pain	Pain from arthritis and cancer	Complaints of pain related to cancer and arthritis, following surgery, growth in uterus decreased in size, good recovery from surgery; no chemotherapy required		Surgical pathology revealed moderately differentiated adenocarcinoma (endometrioid type) in endometrium, neoplasm confined to inner one-third of uterine wall, 2.4 mm maximum thickness, 1 mm maximum depth of invasion into inner one-third of myometrium, remaining endometrium shows cystic atrophy and mild cystic glandular hyperplasia, follicular cyst of ovary and unremarkable fallopian tube tissue; endometrial biopsy in August 1999 revealed endometrial adenocarcinoma, grade 3 (11/10/99)	9/3/99					
4	N	F	4/24/1939		Lung cancer, brain cancer, 3 tumors	Pain from cancer, pain in left ribs	Chemotherapy and radiation for lung cancer in 1997; diagnosed with brain cancer in 1998; three tumors discovered in 1999; received 4 weeks radiation; COPD and HA seizure; presently on Dilantin (100 mg) Dexamethasone (9mg)		Small area of edema in right lobe significantly smaller than previous study on 1/29/99; no pathologic-contrast enhancement is now identified; previous area of edema in left temporal lobe essentially resolved, no new pathology, mass effect, or midline shift observed, overall, resolution of edema in left temporal lobe since previous study with some continued edema or area of demyelination involving right frontal lobe at sight of previous tumor (9/28/99)	3/26/99					

Number	(Yes-No)	(MDY)												Rate	Rating				
5														11/18/97	17995	89	98.5	10	0
5														11/20/97	185/113	87	98.5	10	0
5														11/20/97	187/98	88	98.5	10	0
5														1/21/97	175/105	87	98.5	10	0
5														11/21/97	169/93	89	98.5	10	0
5														11/25/97	185/85	87	99.5	10	0
5														11/25/97	169/84	87	99.5	10	0
5														11/26/97	188/98	82	99.5	10	0
5														11/26/97		81	98.5	10	0
5														11/28/97	184/112	84	98.5	10	0
5														11/28/97	164/	83	97.5	10	0
5														12/1/98		80	98.5	10	0
5														12/1/98		73	97.5	10	0
5														12/2/98		83	98.5	10	0
5														12/2/98	104/88	84	98.5	10	0
5														12/4/98	161/101	96	98.2	10	0
5														12/4/98	163/97	88	98.5	10	0
5														12/5/98	199/91	88	98	10	0
5														12/5/98	163/99	93	97.8	10	0
5														12/6/98	152/100	71	98	10	0
5														12/6/98		64	98	10	0
5														2/12/98	147/98	88	97.8	10	0
5														2/12/98	161/92	73	98.5	10	0
5														2/13/98	176/99	82	98.5	1	0
5														2/13/98	154/	71	98.5	0	0
5														2/16/98	186/102	89	98.5	10	0
5														2/16/98	136/73	75	98.5	10	0
5														2/17/98	187/98	89	98	10	0
5														2/17/98		76	98.5	10	0
5														2/19/98	157/87	92	98	10	0
5														2/19/98	152/85	85	98.5	10	0
5														12/22/98	159/82	88	98.5	10	0
5														12/22/98		83	98.5	10	0
5														12/26/98		89	98.5	10	0
5														12/26/98			98.5	10	0

6	N	M	5/22/1958		Nasopharyngeal carcinoma metastatic to bone	Constant pain in left ribs	History of nasopharyngeal carcinoma, complains of pain on left side of back down to leg on and off for over 4-5 years; constant leg pain developed that restricted patient movement (1/17/00); coughing since 1991 that only happens in cold weather, complains of neck pain from 1.5 years ago possibly due to work though x-rays revealed negative findings; complains of left earache and had surgery performed behind left ear (12/99). now has constant pain behind left ear at surgical site for months; started to receive chemotherapy x 6 and radiation x 35 in April 1999 which together ended in August 1999; unable to eat so feeding tube inserted (5/99); head and neck surgery to remove cancerous growth (11/99), now complains of pain on left side of ribs for the last 3 months along with pain in the sternum, although nasopharyngeal tumor size decreased from 3 cm to 2 cm after radiation and chemotherapy, cancer spread to bones; life expectancy estimated at 1 year		compared with prior study in 3/22/99; rib lesions, right femoral sacral lesions; findings suspicious for metastatic disease (1/13/00); multiple pleural based left pulmonary masses present that have mildly increased in size along with increased left pleural effusion from prior study on 4/7/99, mild increase in nodular pleural thickening greatest in left lung adenopathy mildly increased from prior study, stable 9 mm lesion in left lobe of liver which is likely benign	1/27/00						
7	Y	F	4/13/1937		Metastatic renal cell carcinoma to left lung bone	Pain in chest due to metastatic cancer to cancer to right lung				3/2/00						
8	N	M		Lump on prostate discovered (3/94), treated with cardio seed implants (5/94); another significant tumor found outside of prostate (7/95), sinned treatment at therapy clinic in Freeport Bahamas 8/95; MRI- tumor shrunk, no longer growing (10/95); urinary blockage between bladder and prostate (4/96)	Prostate Cancer	Seeking help due to poor prognosis				11/4/97	110/71	72	96.8	10	5	
8										11/4/97	127/75	71	96.8	10	3	
										?	?	?	?	?	?	

3

Participant Number	Consent (Yes-No)	Gender	DOB (M/D/Y)	Past Medical History	Diagnosis	CC	HPI	PE	Lab Data	Date	B/P	HR	Temp	Respiration Rate	Pain Rating
8										11/7/97		68	97.8	10	4
8										11/8/97		65	98.2	10	3
8										11/8/97	108/68	64	97.5	10	2
8										11/9/97	108/70	62	97	10	3
8										11/9/97	115/77		97	10	2
8										11/10/97	109/71	66	97	10	2
8										11/10/97		65	97	10	1
8										11/11/97	108/57	66	97	10	1
8										11/11/97		64	97.5	10	1
8										11/12/97	115/74	71	97.5	10	1
8										11/12/97	116/71	63	97.5	10	1
8										11/13/97	104/70	69	97.8	10	1
8										11/13/97	100/71	74	97.5	10	1

8										11/14/97	107/68	71	97	10	2
8										11/14/97		63	97.5	10	0
8										11/17/97	115/68	67	97	10	2
8										11/17/97	116/73	69	97.5	10	0
8										11/20/97	116/67	68	97	10	0
8										11/20/97	112/71	66	97.5	10	0
8										11/24/97	116/67	66	97	10	0
8										11/24/97	113/77	64	97	10	0
8										11/25/97	107/79	66	97	10	0
8										11/25/97	117/75	64	97.8	10	0
8										11/26/97	122/76	66	98.5	10	0
8										11/26/97	125/73	62	98.8	10	0
8										11/28/97	119/76	63	98	10	0
8										11/28/97	115/76	62	98.5	10	0
8															
8										12/1/98	120/83	65	98	10	3
8										12/1/98	111/67	66	98	10	2
8										12/1/98	110/74	63	97.5	10	1
8										12/1/98	111/74	62	97.5	10	1
9	N	F	1/12/1943	Left ovarian cancer found and operated on at same time followed by six rounds of chemotherapy (6/95); subsequent operation followed by 6 more rounds of chemotherapy (12/95); blood work revealed CA4 was 226, patient admitted to hospital for more tests though CT scan found nothing (4/96), patient complained of distension of abdomen with fluid, diagnosis was partial blockage of mid bowel mass though nothing was done at the time; patient ate less and less became dehydrated with CA 125 elevated to 4415, therefore readmitted to hospital (8/19/96), surgery on large bowel (10/97)	Lt. Ovarian Cancer & partial blockage of mid bowel	Pain and anxiety	Left ovarian cancer with partial blockage of mid bowel			10/13/97		115	100.1	11	4
9										10/13/97	122/73	125	100.1	11	0
9										10/16/97	108/68	106	100	10	6
9										10/16/97		107	99.5	9	2
9										10/17/97		105	99.5	9	2
9										10/17/97		101	99.2	9	0
9										10/18/97	93/57	98	99.5	9	0
9										10/18/97	98/	110	99.8	9	0
9										10/20/97	98/64	114	98.2	9	0
9										10/20/97	90/		97.8	8	0
10	N	F	1/18/1955	Pre-eclampsia (10/96); diagnosed with cancer of cervix, lymph node treated with low radiation & low dose chemo therapy (12/96); decreased (?) lymph node, with a follow up every month from April to May, needle biopsy revealed liver cancer, increased dose of chemotherapy x 5 months though patient didn't respond to treatment	Cervical Cancer metastatic to liver	Pain on lower right side of back, lower abdomen, inner parts of both thighs and aches around shoulders			10/17/97	117/53	78	95.5	9	4	
10										10/17/97		74	97.5	9	0
10										10/18/97		76	96.5	9	5
10										10/18/97		74	96.8	9	2
10										10/19/97	124/66	73	96.5	9	0
10										10/19/97	100/60	74	96.5	8	0
10										10/20/97	100/64	76	96.5	8	0
10										10/20/97	92/60	76	96.5	9	0
10										10/21/97	144/73		96.5	9	0
10										10/21/97	144/78	89	96.5	10	0

10										10/22/97		82	97.2	9	0
10										10/22/97	108.99	86	94.5	8	0
10										10/23/97	125.81	82	96.5	11	0
10										10/23/97	121.74	83	97.5	11	0
10										10/24/97	120.75	80	97.5	10	0
10										10/24/97		84	97.5	11	0
10										10/25/97	116.74	86		10	0

Participant Number	Consent (Yes-No)	Gender	DOB (M/D/Y)	Past Medical History	Diagnosis	CC	HPI	PE	Lab Data	Date	B/P	HR	Temp	Respiration Rate	Pain Rating
10										10/25/97	100/76	76	97.2	8	0
10										10/26/97	104/60	80	97.5	9	0
10										10/26/97	114/88	79	97.8	9	0
10										10/27/97	113/72	80	98.2	11	0
11	N	F			Lung cancer metastatic to liver	Complains of SOB (needs constant oxygen therapy), pain, and sickening side effects from chemotherapy		Low blood pressure; systolic 80-110; diastolic 50-70		7/2/99					
12	Y	M	8/29/1955		Hepatocellular carcinoma	Severe pain	43 Oriental male who has developed some upper abdominal symptoms; found to have elevated liver function tests; ultrasound revealed large lesion in right lobe of liver that was confirmed by CT scan	Some suggestion of ill-defined mass in right side of abdomen; some splenic angiomata on upper chest and back	CT scan shows heterogeneous large mass replacing virtually the entire right lobe of the liver; left lobe and associated vasculature appear uninvolved; biopsy from liver confirms diagnosis of hepatocellular carcinoma	10/10/99					
13	N	F	7/4/1953		Right breast mass	Some discomfort/pain on right side of lower abdomen			Radiology report revealed large, abnormal area in upper outer right breast consisting of abnormal density possibly several masses in close proximity along with several clusters of microcalcification that suggest possible inflammatory breast carcinoma (6/27/97);	1/19/98	98/71	89	99.5	10	0
13										1/19/98	97/65	72	10	0	0
13										1/21/98	107/79	75	98.5	10	0
13										1/21/98		88	10	0	0
13										1/23/98	106/73	81	99.5	10	0
13										1/23/98	92/63	69	10	0	0
14	N	F	4/7/1952		Adenocarcinoma of large intestine, metastatic carcinoma in 8 lymph nodes, metastatic carcinoma in liver	Unwanted side effects of chemotherapy; hope that tumors would decrease in size or stop growing			Surgical pathology revealed adenocarcinoma of large intestine, poorly differentiated, with invasion through full thickness of bowel wall and extension to serosal surface, non-perforating, along with metastatic carcinoma in 8 lymph nodes and in liver (8/26/99)	1/11/00					
15	N	M	9/16/1935		Stage IV small cell lung cancer with hepatic metastases	Severe pain, difficulty breathing, spitting up blood and fluid from lungs			Large 6 x 6 cm posterior mediastinal mass most likely bronchogenic in origin though origin from the esophagus cannot be excluded; liver metastasis approximately 2 to 3 cm each (1/5/98)	10/8/98					
16	N	F	4/5/1942		Lung cancer, squamous cell carcinoma of left lung	Pain, loss of energy, nausea, vomiting, depression, dizziness, poor appetite, and insomnia			Radiology report revealed large left pleural effusion with left lower lobe collapse with rounded atelectasis of the entire left lower lobe	8/28/98					
17	N	F	1/31/1945		Ovarian Cancer					4/23/98	123/108	108	97.8	10	5
17										4/23/98	139/101	78	10	4	0
17										4/27/98	134/95	72	97.5	10	3
17										4/27/98	153/94	68	10	2	0
17										4/29/98	109/87	81	97.8	10	2
17										4/29/98	145/90	80	10	1	0
17										5/6/98	116/78	69	98	10	0
17										5/6/98	143/87	71	10	0	0
17										5/8/98	125/83	67	98.5	10	0
17										5/8/98		61	10	0	0
17										5/13/98	123/54	75	98	10	0
17										5/13/98	138/85	64	10	0	0
17										5/17/98		72	97.8	10	0
17										5/17/98	139/82	70	10	0	0
18	Y	F	8/3/2029			Constant pain, constipation due to pain medication uncomfortable and distressing				9/11/98					
19	N	F	10/10/1948		Left breast cancer					11/1/97				10	9
19										11/1/97				10	1
19										11/3/97	118/71	85	99.8	10	7
19										11/3/97	116/71	85	99.5	10	2
19										11/7/97	115/73	86	99.5	10	3
19										11/7/97	123/72	82	99.5	10	0
19										11/9/97	124/80	97	99.2	10	1
19										11/9/97	124/76	92	99.1	10	0
19										11/11/97	124/74	85	99.1	10	0

Participant Number	Consent (Yes-No)	Gender	DOB (M/D/Y)	Past Medical History	Diagnosis	CC	HPI	PE	Lab Data	Date	B/P	HR	Temp	Respiration Rate	Pain Rating
19										11/13/97	106/87	57	99.1	10	4
19										11/13/97	134/73	87	99.2	10	0
19										11/14/97	123/98	89	99.5	10	1
19										11/14/97	134/	96	99.5	10	0
19										11/17/97	130/70	59	99.5	10	0
19										11/17/97	111/68	74	99.5	10	0
19										11/18/97	119/67	85	99.2	10	0
19										11/18/97	129/69	81	99.5	10	0
19										11/19/97	115/64	84	99.2	10	0
19										11/19/97	114/70		99.5	10	0
19										11/20/97	112/70	85	99.5	10	0
19										11/20/97	116/71	85	99.5	10	0
20	N	M			Nasal pharyngeal cancer	Side effects from chemotherapy including loss of taste, saliva, and appetite along with dry mouth and mouth sores which made eating difficult; throat pain and fatigue	Diagnosed with nasal pharyngeal cancer on 12/6/96 followed by 8 weeks of radiation therapy and 5 cycles of chemotherapy		MRI report revealed improved but not completely resolved cervical adenopathy between 1/9/97 and 8/19/97 (8/19/97)	6/15/97					
21	Y	F	7/16/1954		Adenocarcinoma of breast	Breast cancer (no pain or discomfort)		Initial breast exam revealed suspicious 5.9 x 6.6 mm abnormal mass in right breast at 1 o'clock position suspicious of carcinoma (2/19/98); Pathology report revealed adenocarcinoma in right breast (3/13/98); Follow-up exam revealed that breast mass had grown larger highly suggestive of malignancy (12/3/98);		10/21/98					
22	N	F	9/21/1931		Adenocarcinoma consistent with metastatic high grade endometrial adenocarcinoma	Pain due to inoperable mass				1/12/00					
23	N	M	10/10/1951		Nasopharyngeal carcinoma metastatic to bone	Pain due to terminal condition	Diagnosed with nasopharyngeal carcinoma in February 1998; treated with radical radiotherapy from February to April 1998 using shrinking field technique with bilateral nasopharyngeal boost			4/30/99					
24	N	F	3/4/1923	Diagnosed with multiple myeloma since 5/94 and multiple osteolysis, along with lesions in vertebral ribs and skull; received chemotherapy every three years every month; no further chemotherapy from 9/95 to 10/96 except for Oxic 400 mg BID	Multiple Myeloma	Pain and tightness around mid-chest wall area when patient attempts to move or turn; difficulty swallowing due to pressure around diaphragm and stomach areas; chemotherapy side effects include dry mouth and difficulty eating;				4/8/98	107/93	76	97.5	10	3
24										4/8/98					
24										4/9/98	125/70	64	97.5	10	2
24										4/9/98		88		10	3
25	Y	M	9/6/1963		Renal cell carcinoma	Intense debilitating pain on the right lower pelvic area down to the thigh as well as the lower back; nausea and vomiting due to chemotherapy; decreased appetite; fatigue	Following diagnosis and subsequent removal of right kidney tumor in January 1998, patient given 6 months to live in May 1998		Radiology report revealed status post right nephrectomy (10/12/98); Follow-up report revealed elevated right hemidiaphragm with quite a bit of blunting at right costophrenic angle and haziness in the right lower chest; suspected of quite a bit of pleural disease on right side; nodular area of infiltrate observed between the right lower third and fourth rib ends in anterior segment of the right upper lobe (10/20/98); Last follow-up revealed that S1 lumbarized segment was partially sacralized on right with pseudoarthrosis (10/23/98)	10/22/98					
26	N	F	4/14/1947	Right breast - lumpectomy	Breast & colon cancer with hepatic					12/9/97	90/60	99	96.5	10	1
26										12/9/97	100/70	97	97	10	2
26										12/12/97	116/73	97	97.8	10	0
26										12/12/97	152/90	93	97.5	10	0
26										12/15/97	120/87	92	97	10	0
26										12/15/97	110/90	97	97	10	0
26										12/15/97	100/89	92	96.9	10	0

Participant Number	Consent (Yes-No)	Gender	DOB (M/D/Y)	Past Medical History	Diagnosis	CC	HPI	PE	Lab Data	Date	B/P	HR	Temp	Respiration Rate	Pain Rating
26										12/22/97	142/93	97	96.9	10	0
26										12/22/97	119/87	97		10	0
26										12/26/97	124/86	93	96.8	10	0
26										12/26/97	111/85	88	96.8	10	0
26										12/29/97	100/88	92	96.5	10	0
26										12/29/97	119/85	105	96.9	10	0
26										12/31/97	115/80	97	97.5	10	0
26										12/31/97	113/86	124		10	0
26										1/2/98	136/83	111	96.5	10	0
26										1/2/98	124/82	105	97.2	10	0
26										1/6/98	122/83	102		10	0
26										1/6/98	106/85	55		10	0
26										1/8/98	131/80	97		10	0
26										1/8/98	112/78	103		10	0
26										1/12/98	113/89	98		10	0
26										1/12/98	116/80	97		10	0
26										1/14/98	127/87	92		10	0
26										1/14/98	117/86	97	96.8	10	0
26										1/16/98	112/80	88	97	10	0
26										1/16/98	133/88	104	97.5	10	0
26										1/19/98	128/85	108	97.8	10	0
26										1/19/98	113/85	73	98	10	0
26										1/21/98	140/85	100		10	0
26										1/21/98	115/79	96	99	10	0
26										1/23/98	134/85	91	98	10	0
26										1/23/98	139/93	100	97.5	10	0
26										1/29/98	131/73	98		10	0
26										1/29/98	125/93	97	96.5	10	0
26										2/4/98	125/85	92		10	0
26										2/4/98	128/93	101	96.8	10	0
26										2/6/98	121/89	101		10	0
26										2/6/98	129/88	105		10	0
26										2/11/98	114/86		98.5	10	0
26										2/11/98	137/90	91	98.2	10	0
26										2/21/98	120/89	89	98.2	10	0
26										2/21/98	118/81	84	98.5	10	0
26										2/27/98	115/87	87	98.5	10	0
26										2/27/98	126/87	91		10	0
26										3/3/98	130/90	111	100	10	0
26										3/3/98	120/77	103	99.2	10	0