
MOBILE AIRDESK ASSEMBLY INSTRUCTIONS



AIRDESK PARTS LIST

- 1 Arm, Hub, Cross Fitting Assembly
- 1 Tray
- 1 Flat Head Screw
- 4 Black Screw Stops
- 1 Hand Screw
- 1 Frame/Mast Assembly
- 2 "L" Wrenches
- 2 Pair Velcro dots (use optional)

Dear Customer,

Thank you for purchasing your AirDesk. I hope you will enjoy using your AirDesk as much as I enjoy using my AirDesks. I have one at home and one at work. I would like to hear from you. Please feel free to contact me with your feedback or if you have any questions. My goal is to offer the convenience and comfort of an AirDesk to every notebook/laptop user.

Sincerely, Ed MacLeod, President


1) Attach computer tray to arm assembly.

Peel off the protective paper on the tray.

Attach the tray to the black HUB with the FLAT HEAD SCREW, **GENTLY TIGHTEN THE SCREW** with the larger "L" wrench.

Next tighten the SETSCREW in the side of the black HUB with the smaller "L" wrench. This locks the FLAT HEAD SCREW.


The TRAY should rotate freely on the HUB and the FLAT HEAD SCREW should not loosen.



2) Install Four Screw Stops

Screw the 4 Black Screw Stops into the Computer Tray.

The Stops prevent your laptop computer from sliding off when positioned at steep angles.



3) Adjust the Upright Mast to the Vertical Position

Hold the Upright Tube in the Vertical Position and tighten the thumb screw. (very tight). You should feel the screws entering a hole in the tube.

4) Install the Arm on the Upright Mast

Slip the black cross fitting with the big rubber knob over the upright Mast **with the large rubber knob away oriented from the driver**, tighten the rubber knob. Screw in the hard hand knob, this adjusts the tilt of the laptop.

5) Install Frame in Car Seat

First tip your seat back backward. Place the frame on the seat as shown on the cover. Tilt your seat back to the normal position. This should clamp the back part of the frame between the seat and seat back.

6) Install The Tray Assembly.

Slide the cross fitting over the mast. Position everything as you like it and tighten the mast clamp on the cross fitting as tight as you can. The screw holding the arm adjusts tilt and may not need to be very tight.

7) Using Your AirDesk

Always Check that the computer table is secure before placing your valuable computer on it.

The AirDesk is amazingly versatile. You can swivel, swing, and adjust it so that your notebook stays put in any position.

The arm has been custom machined into an oval shape to maximize the flexibility of computer table positioning. Adjust the tilt with the Knob that tightens on the arm. Looser means more tilt. Do not loosen it so much that the computer table becomes unstable.

Fold the Mobile AirDesk frame by loosening the thumbscrews on the base. Slide the cross fitting off of the mast.

Velcro stick-on dots have been provided if you feel your computer is not secure enough on the tray. Beware, the grip of this Velcro is very good. It is likely that you will not need the Velcro at all.

A WORD OF CAUTION

Experts believe it is unsafe for the average driver to do anything in a moving vehicle but to drive it. This includes use of cell phones, laptop computers, PDAs etc. AirDesk in no way condones driver use of computers or other devices while driving. Always use common sense and drive safely.

Enjoy your new AirDesk, visit www.AirDesks.com for newly released accessories and other outstanding AirDesk products.

Thank You !