

Heavy Metals Report – IonCleanse® Protocol

| Metal | Before (ppb) | After (ppb) | % Change |
|----------------|---------------------|--------------------|-----------------|
| Antimony (Sb) | 1.09 | 2.48 | 128% |
| Arsenic (As) | 2.53 | 3.93 | 55% |
| Copper (Cu) | 363.66 | 3656.11 | 905% |
| Lead (Pb) | 2.45 | 8.16 | 233% |
| Uranium (U238) | 3.08 | 5.58 | 81% |
| Barium (Ba) | 60.2 | 74.3 | 23% |
| Cadmium (Cd) | 5.55 | 12.15 | 119% |
| Chromium (Cr) | 13958.44 | 22838.88 | 63% |
| Nickel (Ni) | 411.48 | 672.52 | 63% |
| Aluminum (Al) | 216.33 | 950.33 | 339% |
| Iron (Fe) | 50645.66 | 138918.11 | 174% |
| Manganese (Mn) | 218.77 | 524.44 | 140% |
| Zinc (Zn) | 148.44 | 288.22 | 94% |

February 2002

As determined by Doctor's Data 3755 Illinois Avenue,
St. Charles, IL 60174

These statistics show the average increase in toxic metals present in the water tested from nine separate before and after IonCleanse® treatments.