



A CSW Industrials Company

SAFETY DATA SHEET

Issuing Date 11-11-2011

Revision Date 01-29-2018

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

Section 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name JET-LUBE® ALCO EP 73™ Plus

Product Code(s) 377

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sealant Lubricants, Greases and Release Products

Uses advised against No information available

Details of manufacturer or importer

Supplier Identification XTEX

Address XTEX Ltd
ABN 40 121 722 236
7 Arnold Street
Cheltenham, VIC 3192

Telephone TEL: 1300-00-XTEX(9839)

E-mail sales@xtex.com.au

For further information, please contact

Responsible Persons Product Safety Department

Emergency telephone number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL) Information Center, Australia: 13 11 26
Information Center, New Zealand: 0800 764 766

Section 2: Hazard(s) identification

GHS Classification



Label elements**Hazard statements****Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

May be harmful if swallowed
 Harmful to aquatic life with long lasting effects

General Hazards

No information available.

Section 3: Composition and information on ingredients, in accordance with Schedule 8**Substance**

Not applicable.

Mixture

Chemical name	CAS-No	Percent
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	>60
Antimony, tris(dipentylcarbamodithioato-S,S ⁻)-, (OC-6-11)-	15890-25-2	<10
Calcium petroleum sulfonate	61789-86-4	<10
Non-hazardous ingredients	Proprietary	Balance

Note The producer of "74869-21-9" declares that it contains less than 3% DMSO extractable material by IP-346 The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

Section 4: First aid measures**First aid measures****General advice**

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Emergency telephone number

Poisons Information Center, Australia: 13 11 26
 Poisons Information Center, New Zealand: 0800 764 766



Inhalation	Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Hazardous Combustion Products Carbon oxides

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid breathing vapors or mists. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.



Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
--	--

Section 7: Handling and storage, including how the chemical may be safely used**Precautions for safe handling**

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.
Incompatible materials	None known based on information supplied.

Section 8: Exposure controls and personal protection**Control parameters****Exposure Limits**

Chemical name	Australia
Antimony, tris(dipentylcarbamodithioato-S,S'), (OC-6-11)- - 15890-25-2	0.5 mg/m ³

Legend See section 16 for terms and abbreviations.

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Hand protection	Wear suitable gloves. Nitrile rubber. Neoprene gloves. Rubber gloves.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are



exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Physical and Chemical Properties

Physical state Paste / Gel
Appearance Red
Odor Petroleum
Color No information available
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	7		
Melting / freezing point	232 °C	None known	
Boiling point / boiling range	316 °C		
Flash Point	> 221 °C		
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Relative density	0.90		
Water Solubility	Insoluble in water		
Solubility(ies)	No data available	None known	
Partition coefficient: n-octanol/water	Not Applicable		
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	

Other Information

Softening Point No information available
Molecular Weight No information available
VOC Content (%) None
Liquid Density No information available
Bulk Density No information available
Particle Size No information available
Particle Size Distribution No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions



Possibility of hazardous reactions None under normal processing.
Hazardous Polymerization Hazardous polymerization does not occur

Conditions to avoid

Conditions to avoid Excessive heat.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products

Hazardous Decomposition Products Carbon oxides.

Section 11: Toxicological information

Acute Toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. (based on components). Not an expected route of exposure.
Eye contact Specific test data for the substance or mixture is not available.
Skin contact Specific test data for the substance or mixture is not available.
Ingestion Specific test data for the substance or mixture is not available.

Symptoms Coughing and/ or wheezing.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,039.00 mg/kg
ATEmix (inhalation-gas) 5,962.00 ppm
ATEmix (inhalation-vapor) 15.00 mg/L
ATEmix (inhalation-dust/mist) 2.00 mg/L

Unknown acute toxicity 98.7 % of the mixture consists of ingredient(s) of unknown toxicity
 1.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 98.7 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 94.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 94.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 94.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg (Rat)	-	-
Antimony,	> 16400 mg/kg (Rat)	> 16000 mg/kg (Rabbit)	-



tris(dipentylcarbamodithioato-S, S'), (OC-6-11)-			
Calcium petroleum sulfonate	> 5000 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-

Legend

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity 94.1 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	-
Calcium petroleum sulfonate	-	LC50 96 h: 5.7 - 9.7 mg/L static (Pimephales promelas) LC50 96 h: 1.0 - 10.0 mg/L semi-static (Pimephales promelas)	-	EC50 48 h: 6.2 - 12 mg/L (Daphnia magna)

Persistence and degradability

Persistence and Degradability No information available.



Bioaccumulative potential

Bioaccumulation There is no data for this product.

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG NOT REGULATED

IATA NOT REGULATED

IMDG/IMO NOT REGULATED

Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture**National regulations****Australia**

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

The below table provides the relevant information for classification of this product according to the regulation. This information should be used to appropriately determine if a classification is relevant to the overall product

Chemical name	Percent	Poison Schedule Number	Standard for the Uniform Scheduling of Drugs and Poisons(SUSDP)
Antimony, tris(dipentylcarbamodithioato-S, S ⁻)-, (OC-6-11)-	<10	6	6: except when included in Schedule 4;Antimony chloride in polishes;Antimony titanate



15890-25-2			pigments in paint;or in paints or tinters containing <=5% of Antimony calculated on the non-volatile content of the paint or tinter
------------	--	--	---

National pollutant inventory
Subject to reporting requirement

Chemical name	National pollutant inventory
Antimony, tris(dipentylcarbamodithioato-S,S`)-, (OC-6-11)- - 15890-25-2	10 tonne/yr Threshold category 1

International Inventories

TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Contact supplier for inventory compliance status.
KECL	Not determined.
PICCS	Complies.
AICS	Complies.

Legend

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

International Regulations

- Ozone-depleting substances (ODS)** Not applicable
- Persistent Organic Pollutants** Not applicable
- Export Notification requirements** Not applicable

Section 16: Any other relevant information

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Issuing Date	11-11-2011
Revision Date	01-29-2018
Revision Note	Initial Release

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation



C Carcinogen

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

