



A CSW Industrials Company

# SAFETY DATA SHEET

Issuing Date 11-11-2011

Revision Date 05-07-2018

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## Section 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier

Product Name JET-PLEX-EP™

Product Code(s) 317

### Other means of identification

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended Use Sealant Lubricants, Greases and Release Products

Uses advised against No information available

### Details of manufacturer or importer

Supplier Identification XTEX Ltd.

Address XTEX Ltd  
ABN 40 121 722 236  
7 Arnold Street  
Cheltenham, VIC 3192

Telephone TEL: 1300-00-XTEX(9839)

E-mail sales@xtex.com.au

### For further information, please contact

Responsible Persons Product Safety Department

### Emergency telephone number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL) Information Center, Australia: 13 11 26  
Information Center, New Zealand: 0800 764 766

## Section 2: Hazard(s) identification



**GHS Classification**

<b>Skin corrosion/irritation</b>	Category 2 - (H315)
----------------------------------	---------------------

**Label elements**

Exclamation mark

**Signal word**

Warning

**Hazard statements**

H315 - Causes skin irritation

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards**

May be harmful if swallowed  
 Causes mild skin irritation  
 Harmful to aquatic life with long lasting effects  
 Toxic to aquatic life

**General Hazards**

No information available.

<b>Section 3: Composition and information on ingredients, in accordance with Schedule 8</b>
---

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS-No	Percent
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	>60
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	<10
Xylenes (o-, m-, p- isomers)	1330-20-7	<10
Non-hazardous ingredients	Proprietary	Balance

**Note** The producer of "74869-21-9" declares that it contains less than 3% DMSO extractable material by IP-346. The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

#### **Section 4: First aid measures**

##### **First aid measures**

<b>General advice</b>	IF exposed or concerned: Get medical advice/attention.
<b>Emergency telephone number</b>	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

##### **Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

##### **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

#### **Section 5: Firefighting measures**

##### **Suitable Extinguishing Media**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	No information available.

##### **Specific hazards arising from the chemical**

<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous Combustion Products</b>	Carbon oxides

##### **Special protective actions for fire-fighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

#### **Section 6: Accidental release measures**

##### **Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Ensure adequate ventilation.
<b>Other Information</b>	Refer to protective measures listed in Sections 7 and 8.



**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Section 7: Handling and storage, including how the chemical may be safely used**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials** None known based on information supplied.

**Section 8: Exposure controls and personal protection**

**Control parameters**

**Exposure Limits**

Chemical name	Australia
Xylenes (o-, m-, p- isomers) - 1330-20-7	80 ppm 350 mg/m <sup>3</sup> 150 ppm STEL 655 mg/m <sup>3</sup> STEL

**Legend** See section 16 for terms and abbreviations.

Chemical name	Australia	ACGIH - American Conference of Governmental Industrial Hygienists
Xylenes (o-, m-, p- isomers) - 1330-20-7	-	1.5 g/g creatinine

**Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**



<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing. If there is a risk of contact: Chemical resistant apron.
<b>Hand protection</b>	Wear suitable gloves. Viton™. Nitrile rubber.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>Environmental exposure controls</b>	No information available.

### Section 9: Physical and chemical properties

#### Physical and Chemical Properties

<b>Physical state</b>	Paste / Gel
<b>Appearance</b>	Red
<b>Odor</b>	Petroleum
<b>Color</b>	No information available
<b>Odor Threshold</b>	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	7	
Melting / freezing point	283 °C	None known
Boiling point / boiling range	316 °C	
Flash Point	> 232 °C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.90	
Water Solubility	Negligible	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Applicable	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

#### Other Information

<b>Softening Point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content (%)</b>	None
<b>Liquid Density</b>	No information available
<b>Bulk Density</b>	No information available
<b>Particle Size</b>	No information available
<b>Particle Size Distribution</b>	No information available

### Section 10: Stability and reactivity

#### Reactivity

<b>Reactivity</b>	No information available.
-------------------	---------------------------



**Chemical stability**

**Stability** Stable under normal conditions.

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Possibility of Hazardous Reactions**

**Possibility of hazardous reactions** None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur

**Conditions to avoid**

**Conditions to avoid** None known based on information supplied.

**Incompatible materials**

**Incompatible materials** None known based on information supplied.

**Hazardous Decomposition Products**

**Hazardous Decomposition Products** Carbon oxides.

**Section 11: Toxicological information**

**Acute Toxicity**

**Information on likely routes of exposure**

**Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Causes mild skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available.

**Symptoms** No information available.

**Numerical measures of toxicity - Product Information**

**The following values are calculated based on chapter 3.1 of the GHS document**

**ATEmix (oral)** 2,382.00 mg/kg

**Unknown acute toxicity** 100 % of the mixture consists of ingredient(s) of unknown toxicity

3 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers	= 2280 mg/kg ( Rat )	-	-



predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.			
Xylenes (o-, m-, p- isomers)	= 3500 mg/kg ( Rat )	> 4350 mg/kg ( Rabbit ) > 1700 mg/kg ( Rabbit )	= 29.08 mg/L ( Rat ) 4 h = 5000 ppm ( Rat ) 4 h

**Legend**

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	No information available.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met. See section 2 for classified hazards based on component information.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## Section 12: Ecological information

**Ecotoxicity**

**Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

**Unknown aquatic toxicity** 95 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	-
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	-	LC50 96 h: 1.0 - 5.0 mg/L static (Pimephales promelas) LC50 96 h: 10.0 - 35.0 mg/L semi-static (Pimephales promelas)	-	EC50 48 h: 1 - 1.5 mg/L (Daphnia magna)
Xylenes (o-, m-, p- isomers)	EC50 72 h: = 11 mg/L (Pseudokirchneriella)	LC50 96 h: = 13.4 mg/L flow-through (Pimephales)	EC50 = 0.0084 mg/L 24 h	EC50 48 h: = 3.82 mg/L (water flea) LC50 48 h: =

	subcapitata)	promelas) LC50 96 h: 2.661 - 4.093 mg/L static (Oncorhynchus mykiss) LC50 96 h: 13.5 - 17.3 mg/L (Oncorhynchus mykiss) LC50 96 h: 13.1 - 16.5 mg/L flow-through (Lepomis macrochirus) LC50 96 h: = 19 mg/L (Lepomis macrochirus) LC50 96 h: 7.711 - 9.591 mg/L static (Lepomis macrochirus) LC50 96 h: 23.53 - 29.97 mg/L static (Pimephales promelas) LC50 96 h: = 780 mg/L semi-static (Cyprinus carpio) LC50 96 h: > 780 mg/L (Cyprinus carpio) LC50 96 h: 30.26 - 40.75 mg/L static (Poecilia reticulata)		0.6 mg/L (Gammarus lacustris)
--	--------------	--	--	----------------------------------

**Persistence and degradability**

**Persistence and Degradability** No information available.

**Bioaccumulative potential**

**Bioaccumulation**

**Component Information**

Chemical name	Log Pow
Xylenes (o-, m-, p- isomers)	2.77 - 3.15

**Mobility**

**Mobility in soil** No information available.

**Mobility** No information available.

**Other adverse effects**

**Other adverse effects** No information available.

**Section 13: Disposal considerations**

**Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**Section 14: Transport information**





**ADG** NOT REGULATED**IATA** NOT REGULATED**IMDG/IMO** NOT REGULATED**Transport in bulk according to Annex II of MARPOL and the IBC Code**  
No information available**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Australia**

See section 8 for national exposure control parameters

**Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)**

The below table provides the relevant information for classification of this product according to the regulation. This information should be used to appropriately determine if a classification is relevant to the overall product

Chemical name	Percent	Poison Schedule Number	Standard for the Uniform Scheduling of Drugs and Poisons(SUSDP)
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts 68649-42-3	<10	4	<b>Schedule 4</b> ( for human internal use except in preparations with a recommended daily dose of <=25 mg of Zinc;or in preparations with a recommended daily dose of between 25-50 mg of Zinc when compliant with the requirements of the Required Advisory Statements for Medicine Labels)
Xylenes (o-, m-, p- isomers) 1330-20-7	<10	6	<b>Schedule 6</b> ( except its derivatives;except in preparations containing <=50% of Xylene or Xylene and Toluene)

**National pollutant inventory**

Subject to reporting requirement

Chemical name	National pollutant inventory
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts - 68649-42-3	10 tonne/yr Threshold category 1
Xylenes (o-, m-, p- isomers) - 1330-20-7	10 tonne/yr Threshold category 1 including individual or mixed isomers 20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total

	2000 tonne/yr Threshold category 2b total
--	---

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status.
<b>DSL/NDSL</b>	Complies.
<b>EINECS/ELINCS</b>	Complies.
<b>ENCS</b>	Not determined.
<b>KECL</b>	Not determined.
<b>PICCS</b>	Not determined.
<b>AICS</b>	Complies.

**Legend**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

**International Regulations**

- Ozone-depleting substances (ODS)** Not applicable
- Persistent Organic Pollutants** Not applicable
- Export Notification requirements** Not applicable

**Section 16: Any other relevant information**

<b>Prepared By</b>	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
<b>Issuing Date</b>	11-11-2011
<b>Revision Date</b>	05-07-2018
<b>Revision Note</b>	The symbol (*) in the margin of this SDS indicates that this line has been revised 2 3 4 6 7 8 9 11 12 16

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation
C	Carcinogen		

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



**End of Safety Data Sheet**

