



A CSW Industrials Company

# SAFETY DATA SHEET

Issuing Date 11-10-2011

Revision Date 02-05-2018

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## Section 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier

Product Name JET-LUBE® TF-15®

### Other means of identification

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended Use Sealant Lubricants, Greases and Release Products

Uses advised against No information available

### Details of manufacturer or importer

Supplier Identification XTEX

Address XTEX Ltd  
ABN 40 121 722 236  
7 Arnold Street  
Cheltenham, VIC 3192

Telephone TEL: 1300-00-XTEX(9839)

E-mail sales@xtex.com.au

### For further information, please contact

Responsible Persons Product Safety Department

### Emergency telephone number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL) Information Center, Australia: 13 11 26  
Information Center, New Zealand: 0800 764 766

## Section 2: Hazard(s) identification

### GHS Classification



Acute toxicity - Inhalation (Dusts/Mists)	Category 5 - (H333)
Skin sensitization	Category 1A (H317)

**Label elements**



**Signal word**  
Warning

**Hazard statements**  
H317 - May cause an allergic skin reaction  
H333 - May be harmful if inhaled

**Precautionary Statements - Prevention**  
Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Do not breathe dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area  
Wear respiratory protection

**Precautionary Statements - Response**  
IF exposed or concerned: Get medical advice/attention  
Specific treatment is urgent (see supplemental first aid instructions on this label)  
IF ON SKIN: Gently wash with plenty of soap and water  
If skin irritation occurs: Get medical advice/attention  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Storage**  
Store locked up  
Store in a well-ventilated place. Keep container tightly closed  
**Precautionary Statements - Disposal**  
Dispose of contents/container to an approved waste disposal plant

**Other hazards**  
May be harmful if swallowed

**General Hazards** No information available.

**Section 3: Composition and information on ingredients, in accordance with Schedule 8**

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS-No	Percent
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	>60



Graphite	7782-42-5	10-<30
Talc	14807-96-6	10-<30
Mica	12001-26-2	<10
1,3,4-Thiadiazole, 2,5-bis(octylthio)-	13539-13-4	<10
Non-hazardous ingredients	Proprietary	Balance

**Note** The producer of "74869-21-9" declares that it contains less than 3% DMSO extractable material by IP-346 The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

## Section 4: First aid measures

### First aid measures

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Emergency telephone number</b>	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
<b>Inhalation</b>	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information.

### Most important symptoms and effects, both acute and delayed

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## Section 5: Firefighting measures

### Suitable Extinguishing Media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.



**Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** No information available.

**Hazardous Combustion Products** Carbon oxides Thermal decomposition of product above 300 degrees (C), can create Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen Fluoride and Carbon Dioxide. Other PTFE degradation products include; perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and trifluoromethane

**Special protective actions for fire-fighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Section 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Section 7: Handling and storage, including how the chemical may be safely used**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and



immediately after handling the product.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

**Incompatible materials** None known based on information supplied.

**Section 8: Exposure controls and personal protection**

**Control parameters**

**Exposure Limits**

Chemical name	Australia
Graphite - 7782-42-5	TWA: 3 mg/m <sup>3</sup>
Talc - 14807-96-6	2.5 mg/m <sup>3</sup>
Mica - 12001-26-2	2.5 mg/m <sup>3</sup>

**Legend** See section 16 for terms and abbreviations.

**Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear suitable protective clothing.

**Hand protection** Wear suitable gloves. Nitrile rubber. Neoprene gloves. Viton™. Rubber gloves.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Environmental exposure controls** No information available.

**Section 9: Physical and chemical properties**

**Physical and Chemical Properties**

**Physical state** Paste / Gel  
**Appearance** Black  
**Odor** Pungent  
**Color** No information available  
**Odor Threshold** No information available

Property	Values	Remarks Method
pH	7	
Melting / freezing point	260 °C	None known
Boiling point / boiling range	316 °C	
Flash Point	> 221 °C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known



Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.23	
Water Solubility	Negligible	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Available	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<b>Other Information</b>		
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	Negligible	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	

**Section 10: Stability and reactivity**

**Reactivity**

Reactivity No information available.

**Chemical stability**

Stability Stable under normal conditions.

Sensitivity to Mechanical Impact None.  
Sensitivity to Static Discharge None.

**Possibility of Hazardous Reactions**

Possibility of hazardous reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur

**Conditions to avoid**

Conditions to avoid Excessive heat.

**Incompatible materials**

Incompatible materials None known based on information supplied.

**Hazardous Decomposition Products**

Hazardous Decomposition Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen Fluoride and Carbon Dioxide. Other PTFE degradation products include; perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and trifluoromethane.

**Section 11: Toxicological information**



**Acute Toxicity**

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. (based on components). Not an expected route of exposure.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.
<b>Symptoms</b>	Coughing and/ or wheezing. Difficulty in breathing.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	2,304.00 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	0.05 mg/L

**Unknown acute toxicity** 99.5 % of the mixture consists of ingredient(s) of unknown toxicity  
 52.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 99.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 82.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg ( Rat )	-	-

**Legend**

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	No information available.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.



**Aspiration hazard** No information available.

**Section 12: Ecological information**

**Ecotoxicity**

**Ecotoxicity** .

**Unknown aquatic toxicity** 100 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	-
Talc	-	96h LC50: > 100 g/L (Brachydanio rerio)	-	-

**Persistence and degradability**

**Persistence and Degradability** No information available.

**Bioaccumulative potential**

**Bioaccumulation** There is no data for this product.

**Mobility**

**Mobility in soil** No information available.

**Mobility** No information available.

**Other adverse effects**

**Other adverse effects** No information available.

**Section 13: Disposal considerations**

**Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**Section 14: Transport information**





---

<b>ADG</b>	
<b>Hazard Class</b>	N/A
<b>IATA</b>	
<b>Proper Shipping Name</b>	NOT REGULATED NON REGULATED
<b>IMDG/IMO</b>	NOT REGULATED

**Transport in bulk according to Annex II of MARPOL and the IBC Code**  
No information available

**Section 15: Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations**

**Australia**

See section 8 for national exposure control parameters

**Major hazard (accident/incident planning) regulation**

Verify that license requirements are met

**Hazardous chemical**

Materials that meet the criteria for Toxic in table 15.3

**Threshold quantity (T)**

200

**International Inventories**

<b>TSCA</b>	Complies.
<b>DSL/NDSL</b>	Complies.
<b>EINECS/ELINCS</b>	Complies.
<b>ENCS</b>	Not determined.
<b>KECL</b>	Not determined.
<b>PICCS</b>	Complies.
<b>AICS</b>	Complies.

**Legend**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

**International Regulations**

**Ozone-depleting substances (ODS)** Not applicable

**Persistent Organic Pollutants** Not applicable

**Export Notification requirements** Not applicable



**Section 16: Any other relevant information**

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 11-10-2011

**Revision Date** 02-05-2018

**Revision Note** Initial Release

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation
C	Carcinogen		

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**

